

SCOTTS SELECT TOPICAL ANESTHETIC- benzocaine gel

Scott's Dental Supply LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Scott's Select Topical Anesthetic Gel

Drug Facts

Active Ingredients

Benzocaine, 20%

Purpose

Oral Anesthetic

Uses

For the temporary relief of pain associated with canker sores and minor dental procedures.

Warnings

Allergy Alert

Do Not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "-caine" anesthetics.

Do not use this product for more than 7 days unless directed by a dentist or doctor. If sore mouth symptoms do not improve in 7 days; if irritation, pain, or redness persists or worsens; or if swelling, rash or fever develops, see your dentist or doctor promptly.

Do not exceed recommended dosage.

Keep out of reach of children. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: Apply to the affected area. Use up to 4 times daily or as directed by a dentist or doctor.
- Children under 12 years of age should be supervised in the use of this product.
- Children under 2 years of age: Consult a dentist or doctor.

Other Information

Store at room temperature 59 - 86 °F (15 - 30 °C). Protect from freezing and heat.

Inactive Ingredients

FD&C Red # 40, FD&C Blue # 1, Flavor, Polyethylene glycol 3350, Polyethylene glycol 400, Saccharine sodium, Tocopheryl acetate, Xylitol.

PRINCIPAL DISPLAY PANEL - 32 g Bottle Label

Scott's
SELECT

TOPICAL ANESTHETIC GEL
With Vitamin E and Xylitol • Gluten Free

REORDER 972-4406

1.12 OZ (32g)

RASPBERRY

Peel Here

To reorder, or for more information scan the QR code or visit:
<https://www.scottsdental.com/anesthetics/topical-anesthetics/topical-anesthetic-gel-scott-s-select.html>

1.12 OZ (32g) RASPBERRY

.375" WING

Manufactured for:
Scott's Dental Supply 1-800-901-3368
7217 45th Street CT E Ste 103, Fife, WA 98424
www.ScottsDental.com

Scott's SELECT
TOPICAL ANESTHETIC GEL
With Vitamin E and Xylitol • Gluten Free
REORDER 972-4406
1.12 OZ (32g) RASPBERRY

.25" WING

Peel Here

Drug Facts
Active Ingredients
Benzocaine, 20%.....Oral Anesthetic
Uses
For the temporary relief of pain associated with canker sores and minor dental procedures.

Warnings
Allergy Alert Do Not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "-caine" anesthetics.
Do not use this product for more than 7 days unless directed by a dentist or doctor. If sore mouth symptoms do not improve in 7 days; if irritation, pain, or redness persists or worsens; or if swelling, rash or fever develops, see your dentist or doctor promptly.
Do not exceed recommended dosage.
Keep out of reach of children. If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions
• Adults and children 12 years of age and older: Apply to the affected area. Use up to 4 times daily or as directed by a dentist or doctor.
• Children under 12 years of age should be supervised in the use of this product.
• Children under 2 years of age: Consult a dentist or doctor.

Other information
Store at room temperature 59 - 86 °F (15 - 30 °C). Protect from freezing and heat.

Inactive Ingredients
FD&C Red # 40, FD&C Blue # 1, Flavor, Polyethylene glycol 3350, Polyethylene glycol 400, Saccharine sodium, Tocopheryl acetate, Xylitol.

Manufactured for:
Scott's Dental Supply 1-800-901-3368
7217 45th Street CT E Ste 103, Fife, WA 98424
www.ScottsDental.com

Scott's Dental Supply Made in USA
7217 45th Street CT E Ste 103, Fife, WA 98424
1-800-901-3368

Drug Facts
Active Ingredients Purpose
Benzocaine, 20%.....Oral Anesthetic
Uses
For the temporary relief of pain associated with canker sores and minor dental procedures.

SCOTT'S SELECT TOPICAL ANESTHETIC

benzocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69638-064
Route of Administration	ORAL, DENTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Benzocaine (UNII: U3RSY48JW5) (Benzocaine - UNII:U3RSY48JW5)	Benzocaine	20 g in 100 g		
Inactive Ingredients				
Ingredient Name		Strength		
FD&C RED NO. 40 (UNII: WZB9127XOA)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
XYLITOL (UNII: VCQ006KQ1E)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	RASPBERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69638-064-32	32 g in 1 BOTTLE; Type 0: Not a Combination Product	07/23/2017	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part356	07/23/2017		

Labeler - Scott's Dental Supply LLC (137217043)