

RECOVERY- stearic acid cream

Powerful X

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Drug Facts

Stearic Acid

Water, Butylene Glycol, etc

Warm up pre/after-exercise and after shower

keep out of reach of the children

- Avoid to touch your face and eye. (Avoid to let the cream to make contacts with your face and eyes.) If the situation happens, flush the part with water for 15 minutes.
- Do not apply to wounds or damaged skin.
- When a pain caused by the cream continues for more than 10 days, or a redness/irritation happens, or any situation happens to children under 12-year-old, please consult a physician immediately.

for external use only

- **Use Pre- Activity**: Put on the FlexPower recovery cream and massage your body parts for 10 minutes to warm up before doing exercises. No matter what purpose of the workout is, applying FlexPower can help to warm-up your body and deliver a better time of exercising.
- **Use After-Activity**: After Applied- Use the FlexPower recovery cream as a lotion and massage when applying for warm-sensation after shower. Wash your hand with soap after application.



Pantone 2767C



Pantone 186C

Power ^ofulX

RECOVERY CREAM

Flexsomes delivery technology
MSM & Glucosamine

8.5 FL.OZ. / Liposome Encapsulation / 250ml

Use Pre-Activity : Put on the FlexPower recovery cream and massage your body parts for 10 minutes to warm up before doing exercises. No matter what purpose of the workout is, applying FlexPower can help to warm-up your body and deliver a better time of exercising.

Use After-Activity : After Applied- Use the FlexPower recovery cream as a lotion and massage when applying for warm-sensation after shower. Wash your hands with soap after application.

While applying :

- Avoid to touch your face and eye. (Avoid to let the cream to make contacts with your face and eyes.) If the situation happens, flush the part with water for 15 minutes.
- Do not apply to wounds or damaged skin.

When a pain caused by the cream continues for more than 10 days, or a redness/ irritation happens, or any situation happens to children under 12-year-old, please consult a physician immediately.

KEEP OUT OF REACH OF CHILDREN

Ingredients : Water, Beeswax, Butylene Glycol, Butylene Glycol Dicaprylate/Dicaprate, Cetyl Alcohol, Cetearyl Alcohol, Betaine, 1,2-Hexanediol, Stearic Acid, Butyrospermum Parkii (Shea) Butter, Caprylic/Capric Triglyceride, Dimethicone, Dimethyl Sulfone, Acetyl Glucosamine, Hydrogenated Lecithin, Cholesterol, Opuntia Ficus-Indica Stem Extract, Cucurbita Pepo (Pumpkin) Fruit Extract, Portulaca Oleracea Extract, Centella Asiatica Extract, Scutellaria Balcatisensis Root Extract, Polygonum Cuspidatum Root Extract, Camellia Sinensis Leaf Extract, Glycyrrhiza Glabra(Licorice) Root Extract, Anthemis Nobilis Flower Extract, Rosmarinus Officinalis(Rosemary) Leaf Extract, Punica Granatum Flower Extract, Althaea Rosea Flower Extract, Prunus Mume Flower Extract, Nelumbo Nucifera Flower Extract, Althaea Rosea Root Extract, Prunus Mume Root Extract, Nelumbo Nucifera Root Extract, Lactobacillus Ferment, Lactic Acid, Vanillyl Butyl Ether, Polysorbate 60, Sorbitan Stearate, Arginine, PEG-100 Stearate, Xanthan Gum, Glyceryl Stearate, Cetearyl Glucoside, p-Asinic Acid, Glyceryl Caprylate, Tocopheryl Acetate, Carbomer, Lavandula Angustifolia (Lavender) Oil, Disodium EDTA

Formulated by FlexpowerAWS / Made in Korea / Nonhyun Ro 641 2F, Gangnam Gu, Seoul, Korea



제품명 : 리커버리크림
제조판매업자 : ㈜플렉스파워AWS 서울시 강남구 논현로 641 (논현동 152-5) 대우아이빌힐타운 2층 플렉스파워
제조업자 : ㈜네오메다칼 경기도 안성시 원곡면 지문북길 89
연구개발 및 기술지원 : 우리들제약(주)
제조번호 및 제조년월일 : 별도표기
소비자상담실 : 02-500-8088
E-mail : flex@flexpower.co.kr
www.flexpower.co.kr



RECOVERY

stearic acid cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70042-0002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
STEARIC ACID (UNII: 4ELV7Z65AP) (STEARIC ACID - UNII:4ELV7Z65AP)	STEARIC ACID	1.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70042-0002-1	500 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	04/19/2018	
2	NDC:70042-0002-2	250 mL in 1 TUBE; Type 0: Not a Combination Product	04/19/2018	
3	NDC:70042-0002-3	100 mL in 1 TUBE; Type 0: Not a Combination Product	04/19/2018	
4	NDC:70042-0002-4	60 mL in 1 TUBE; Type 0: Not a Combination Product	04/19/2018	
5	NDC:70042-0002-5	30 mL in 1 TUBE; Type 0: Not a Combination Product	04/19/2018	
6	NDC:70042-0002-6	2 mL in 1 JAR; Type 0: Not a Combination Product	04/19/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/19/2018	

Labeler - Powerful X (689515038)**Registrant** - Powerful X (689515038)**Establishment**

Name	Address	ID/FEI	Business Operations
Powerful X		689515038	manufacture(70042-0002) , label(70042-0002) , pack(70042-0002)