

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment
STRATEGIC SOURCING SERVICES LLC

Triple Antibiotic Ointment + Pain Relief

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purpose</i>
Bacitracin zinc 500 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine HCl 10 mg	External analgesic

Uses

first aid to help prevent infection and for the temporary relief of pain in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- to open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredient

white petrolatum

Questions?

call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC.
Memphis, TN 38141

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

Foster & Thrive™

MAXIMUM STRENGTH

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate

Polymyxin B Sulfate • Pramoxine HCl

FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

NET WT 1 OZ (28.4 g)

NDC 70677-1219-1

Foster & Thrive™

COMPARE TO THE
ACTIVE INGREDIENTS IN
NEOSPORIN® + PAIN RELIEF*

MAXIMUM STRENGTH

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate
Polymyxin B Sulfate • Pramoxine HCl

FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

• Helps Prevent Infection in Minor Cuts, Scrapes, and Burns

5242734
0124
14

Foster & Thrive™

MAXIMUM STRENGTH

Triple Antibiotic Ointment + Pain Relief

Bacitracin Zinc • Neomycin Sulfate
Polymyxin B Sulfate • Pramoxine HCl

FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

NET WT 1 OZ (28.4 g)

Foster & Thrive™
MAXIMUM STRENGTH
Triple Antibiotic
Ointment + Pain Relief
FIRST AID ANTIBIOTIC/
PAIN RELIEVING OINTMENT

T51



©2023 McKesson Corporation
Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC.
Memphis, TN 38141
Money Back Guarantee
www.fosterandthrive.com
Product of Canada

*All trademarks are property
of their respective owners.
This product is not affiliated
with the makers/owners of
Neosporin® + Pain Relief.

NO COPY ON THIS FLAP
FOR LOT # AND EXPIRY
DATE PRINT

<p>Drug Facts</p> <p>Active ingredients (in each gram)</p> <p>Bacitracin zinc 500 units First aid antibiotic Polymyxin B sulfate 10,000 units First aid antibiotic Pramoxine HCl 30 mg External analgesic</p> <p>Uses First aid to help prevent infection and for the temporary relief of pain in minor: • cuts • scrapes • burns</p> <p>Warnings For external use only.</p> <p>Do not use • If you are allergic to any of the ingredients • In the eyes • Over long areas of the body</p> <p>Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns</p> <p>Stop use and ask a doctor if: • condition persists or gets worse • you need to use longer than 1 week</p>	<p>Directions • adults and children 2 years of age and older: • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage • children under 2 years of age: ask a doctor</p> <p>Other information • too hot: unscrew cap, put the ointment to seal • store at 20° to 25°C (68° to 77°) • see carton or tube crimp for lot number and expiration date</p> <p>Inactive ingredient white petrolatum</p> <p>Questions? Call 1-800-368-6431 Monday to Friday 9:00am to 7:00pm EST</p>
--	--

Triple Antibiotic Ointment + Pain Relief

MAXIMUM STRENGTH
Foster & Thrive™

Bacitracin Zinc • Neomycin Sulfate
Polymyxin B Sulfate • Pramoxine HCl
FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1219
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1219-1	1 in 1 CARTON	01/29/2024	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/29/2024	

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)