

**ARTISTRY BEAUTY BALM PERFECTING PRIMER SPF 35 BROAD SPECTRUM
SUNSCREEN- ensulizole, octinoxate, zinc oxide cream
Amway Corp**

**Artistry Beauty Balm Perfecting Primer SPF 35 Broad Spectrum Sunscreen
Cream**

Active Ingredients

Ensulizole 2.0% (W/W P/P) Octinoxate 5.0% (W/W P/P) Zinc Oxide 5.49% (W/W P/P).....

Purpose

Sunscreen

Uses

■ Helps prevent sunburn

Warnings

For external use only

Do not use

on broken or damaged skin

When using this product

keep out of eyes. Rinse with water to remove.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Other Information

Protect this product from excessive heat and direct sun

Inactive ingredients

WATER/EAU, DIMETHICONE, CYCLOPENTASILOXANE, BUTYLENE GLYCOL, GLYCERIN, TALC, METHYL TRIMETHICONE, TRIMETHYLOLPROPANE TRICAPRYLATE/ TRICAPRATE, LAURYL PEG-9, POLYDIMETHYLSILOXYETHYL DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, DIMETHICONE/PEG-10/15 CROSSPOLYMER, TRIETHANOLAMINE, POLYGLYCERYL-6

POLYRICINOLEATE, POLYSILICONE-11, LECITHIN, PHENOXYETHANOL, SODIUM CHLORIDE, SODIUM CITRATE, POLYMETHYL METHACRYLATE, ALUMINA, POLYSORBATE-20, PEG/ PPG-18/18 DIMETHICONE, TRISILOXANE, HYDROGEN DIMETHICONE, METHYLPARABEN, DISODIUM EDTA, SILICA, PROPYLPARABEN, TRIETHOXYCAPRYLYLSILANE, ETHYLPARABEN, LAURETH-12, METHYLDIHYDROJASMONATE, IODOPROPYNYL BUTYLCARBAMATE, PEARL POWDER, ETHYLENE BRASSYLATE, ETHYL 2,2-DIMETHYLHYDROCINNAMAL, YEAST EXTRACT, CERAMIDE 3, BETA-SITOSTEROL, SODIUM HYALURONATE, GLUCOSAMINE HCL, UREA, ALGAE EXTRACT, TOCOPHEROL. MAY CONTAIN/PEUT CONTEINIR: IRON OXIDES (CI 77491, 77492, 77499), MICA (CI 77019), TITANIUM DIOXIDE (CI 77891).

Directions

For sunscreen use

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating or washing
- Reapply at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeve shirts, pants, hats, and sunglasses **Sun Protection Measures.**
- Children under 6 months: ask a doctor

Package Labeling

**Drug Facts (continued)/
Faits sur le produit
(continué)/Datos del
Producto (continuación)**

To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses/Mesures de protection solaire. Passer du temps au soleil augmente votre risque de cancer de la peau et de vieillissement prématuré de la peau. Pour diminuer ce risque, utiliser régulièrement un écran solaire avec un FPS de 15 ou plus à large spectre et d'autres mesures de protection solaire, notamment: • limiter le temps passé au soleil, en particulier entre 10 h 00 et 14 h 00 • porter une chemise à manches longues, un pantalon, un chapeau et des lunettes de soleil/Medidas de Protección Solar. Exponerse por periodos largos al sol aumenta su riesgo de cáncer en la piel y envejecimiento prematuro de la piel. Para reducir el riesgo, debe usar filtro solar de amplia gama con FPS 15 o más regularmente y otras medidas de protección contra el sol, incluyendo: • limite el tiempo expuesto al sol, especialmente entre las 10 a.m. – 2 p.m. • use camisas de manga larga, pantalones, sombreros y lentes de sol

• Children under 6 months: ask a doctor/ enfants de moins de 6 mois: consulter un médecin/ Menores de 6 meses: consultar con un médico



**ARTISTRY
EXACT FIT**

**Beauty Balm
Perfecting Primer
SPF 35 Broad Spectrum
Sunscreen Cream**

Baume Anti-Imperfections

**Crème solaire à large
spectre SPF 35**

DIN 02434865

30 mL / 1.0 FL OZ

®TRADEMARK LICENSED BY ALTICOR INC. AMARQUE DE
COMMERCIO UTILIZÉE SOUS LICENCE PAR ALTICOR INC.
MADE IN U.S.A./HECHO EN E.U.A.
DIST. BY/PAR AMWAY CORP., 7575 FULTON, ADA, MI
49355 USA/E.-U. • AMWAY CANADA CORPORATION,
LONDON, ON N6Y 5V6 • IMP. Y/O DIST. POR: AMWAY
DOMINICAN REPUBLIC LLC
FABRICADO EN E.U.A. POR ACCESS BUSINESS GROUP
LLC, 7575 FULTON STREET EAST, ADA, MI 49355
1039604



ARTISTRY EXACT FIT™
Prebase Perfeccionadora en Bálsamo
Crema de Protección Solar con FPS 35 de
Amplio Espectro

USE INSTRUCTIONS: WASH BE FOREN ALINE OR UNDER FOUNDATION TO
PRIME SKIN AND HELP EXTEND WEAR OF YOUR FINISHES. FOUNDATION
SHAKE WELL BEFORE USE. /CONDITIONS D'UTILISATION: PEUT ÊTRE PORTÉE
SEULE OU EN DESSOUS D'UN FOND DE TEINT POUR PRÉPARER LA PEAU ET
ÉTENDRE L'EFFICACITÉ DE VOTRE FOND DE TEINT. BIEN AGITER AVANT
UTILISATION. /INSTRUCCIONES DE USO: SE PUEDE USAR SOLO O BAJO UNA
BASE PARA PREPARAR LA PIEL Y AYUDAR A PROLONGAR EL USO DE TU BASE
SOMBRADA. AGITA BIEN ANTES DE USAR.

**Drug Facts/Faits sur le produit/
Datos sobre el producto**

**Active Ingredients Purpose/
Ingrédients Actifs Objectif/
Ingrediente Activo Propósito**
Ensilizole 2.0% (W/W P/P)..... Sunscreen/
Octinoxate 5.0% (W/W P/P)..... Ecran solaire/Protector Solar
Zinc Oxide 5.49% (W/W P/P).....

Uses/Utilisations/Usos

• Helps prevent sunburn/Aide à prévenir
les coups de soleil/Ayuda a prevenir las
quemaduras de sol

**Warnings/Avertissements/
Precauciones**

For external use only/Usage externe seulement/
Para uso externo solamente

Do not use on broken or damaged skin/Ne pas utiliser
sur une peau éraillée ou abîmée./No aplicar sobre
piel lacerada o con daños

When using this product keep out of eyes. Rinse with
water to remove./En utilisation ce produit, le tenir à
l'écart des yeux. Rincer avec de l'eau pour l'enlever./
Al usar este producto, evite el contacto con los ojos.
Enjuague con agua para remover.

Stop use and ask a doctor if rash occurs/Cesser
l'utilisation et consulter un médecin en cas
d'irritation./Deje de usar y consulte con un médico
si ocurre irritación

**Drug Facts (continued)/Faits sur le
produit (continué)/Datos del Producto
(continuación)**

Keep out of reach of children. If product is swallowed, get
medical help or contact a Poison Control Center right away./Tenir
hors de la portée des enfants. En cas d'ingestion ou produit,
obtenir immédiatement un avis médical ou contacter un centre
anti-poison/ Mantener fuera del alcance de los niños. Si se
ingiere el producto, debe obtener ayuda médica o comunicarse con
un Centro de Control de Envenenamientos de Inmediato.

**Other Information/Autre information/
Otra Información**

• Protect this product from excessive heat and direct sun/
Protéger ce produit de la chaleur excessive et d'une exposition
directe au soleil/Proteja este producto de calor excesivo y
exposición directa al sol

**Inactive ingredients/Ingrédients inactifs/
Ingredientes inactivos :**

WATER/EAU, DIMETHICONE, CYCLOPENTASILOXANE,
BUTYLENE GLYCOL, GLYCERIN, TALC, METHYL TRI-
METHICONE, TRIMETHYLOPROPANE TRICAPRYLATE/
TRICAPRATE, LAURYL PEG-9, POLYDIMETHYLSILOXY-
ETHYL DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE
CROSSPOLYMER, HDI/TRIMETHYLOL HEXYL LACTONE
CROSSPOLYMER, DIMETHICONE/PEG-10/15 CROSSPOLY-
MER, TRIETHANOLAMINE, POLYGLYCERYL-6 POLYRICIN-
OLEATE, POLYSILICONE-11, LECITHIN, PHENOXYETHANOL,
SODIUM CHLORIDE, SODIUM CITRATE, POLYMETHYL
METHACRYLATE, ALUMINA, POLYSORBATE-20, PEG/
PPG-18/18 DIMETHICONE, TRISILOXANE, HYDROGEN
DIMETHICONE, METHYL PARABEN, DISODIUM EDTA, SILICA,
PROPYL PARABEN, TRIETHOXYCAPRYLYLSILANE, ETHYL-
PARABEN, LAURETH-12, METHYLDIHYDROJASMONATE,
IODOPROPYNYL BUTYL CARBAMATE, PEARL POWDER,
ETHYLENE BRASSYLATE, ETHYL 2,2-DIMETHYLHYDROCI-
NAMAL, YEAST EXTRACT, CERAMIDE 3, BETA-SITOSTEROL,
SODIUM HYALURONATE, GLUCOSAMINE HCL, UREA, AL-
GAE EXTRACT, TOCOPHEROL. MAY CONTAIN/PEUT CON-
TEINIR: IRON OXIDES (CI 77491, 77492, 77499), MICA (CI
77019), TITANIUM DIOXIDE (CI 77891).

Directions/Mode d'emploi/Instrucciones

For sunscreen use/Pour une utilisation comme écran solaire/
Uso del protector solar

- Apply liberally 15 minutes before sun exposure/ Appliquer
généreusement 15 minutes avant de s'exposer au soleil/ Aplicar
abundantemente 15 minutos antes de exponerse al sol
- Use a water resistant sunscreen if swimming or sweating or
washing/ Utiliser un écran solaire résistant à l'eau pour nager ou
si vous transpirez ou vous lavez/ Use un filtro solar resistente al
agua si va a nadar o sudar
- Reapply at least every 2 hours/ Réappliquer au moins toutes les 2
heures/ Vuelva a aplicar cada dos horas.
- Sun Protection Measures. Spending time in the sun increases
your risk of skin cancer and early skin aging.



11-8209

**ARTISTRY BEAUTY BALM PERFECTING PRIMER SPF 35 BROAD
SPECTRUM SUNSCREEN**

ensilizole, octinoxate, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50390-004
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	20 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	54.9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
TALC (UNII: 7SEV7J4R1U)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
TRIMETHYLOLPROPANE TRICAPRYLATE/TRICAPRATE (UNII: N1TRQ06KVJ)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIMETHICONE/DIENE DIMETHICONE CROSSPOLYMER (UNII: RSA9I561OK)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
TROLAMINE (UNII: 9O3K93S3TK)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
TRISILOXANE (UNII: 9G1ZW13R0G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
LAURETH-12 (UNII: OAH19558U1)	
METHYL DIHYDROJASMONATE (SYNTHETIC) (UNII: 3GW44CIE3Y)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
PEARL (HYRIOPSIS CUMINGII) (UNII: A75L5FZ40U)	
ETHYLENE BRASSYLATE (UNII: 9A87HC7ROD)	
ETHYL 2,2-DIMETHYLHYDROCINNAMAL (UNII: 5V2FN5AA3W)	
YEAST, UNSPECIFIED (UNII: 3NY3SM6B8U)	
CERAMIDE 3 (UNII: 4370DF050B)	
.BETA.-SITOSTEROL (UNII: S347WMO6M4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	
UREA (UNII: 8W8T17847W)	
TOCOPHEROL (UNII: ROZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50390-004-30	30 mL in 1 TUBE; Type 0: Not a Combination Product	05/05/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/05/2015	

Labeler - Amway Corp (083416854)

Establishment

Name	Address	ID/FEI	Business Operations
Access Business Group LLC		839830713	manufacture(50390-004)

Revised: 10/2023

Amway Corp