

**TRAVEL SAVVY NON-ASPIRIN- acetaminophen 325mg tablet, coated**  
**TRAVEL SAVVY NON-ASPIRIN- acetaminophen 325mg tablet, film coated**  
**Bellegrove Medical Supply, Inc.**

-----  
**Travel Savvy Non-Aspirin**

***Drug Facts***

***Active ingredient***

Acetaminophen 325 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

**For the temporary relief of minor aches and pains associated with**

- headache
- common cold
- muscular aches
- toothache
- minor arthritis pain
- menstrual cramps

**For the reduction of fever.**

***Warnings***

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

**Ask a doctor before use if you have**

- liver disease

**Ask a doctor or pharmacist before use if**

- you are taking the blood thinning drug warfarin

**Stop using and ask a doctor if**

- symptoms do not improve
- new symptoms occur
- pain or fever persists or gets worse
- redness or swelling is present

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **do not use more than directed**

**Adults and children: (12 years and older)**

Take 2 tablets every 4 to 6 hours as needed. Do not take more than 12 tablets in 24 hours.

**Children under 12 years:**

Do not give to children under 12 years of age.

***Other information***

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

***Inactive ingredients***

corn starch, hypromellose, maltodextrin\*, microcrystalline cellulose\*, polyethylene glycol, povidone\*, pregelatinized starch\*, sodium starch glycolate\*, stearic acid, titanium dioxide\*

\* may contain

## Questions or comments?

1-800-323-1319

## Travel Savvy Non-Aspirin Label

BTravelSavvy.com

Travel Savvy

Non-Aspirin

Pain Reliever

Fever Reducer

Temporarily reduces fever

and relieves minor aches

and pains.

1000

Tablets

(500 x 2)



Easy-to-Swallow

## Non-Aspirin Pain Reliever Fever Reducer

Coated Acetaminophen tablets in convenient single-dose packets

Temporarily reduces fever and relieves minor aches and pains.



DRUG FACTS		DRUG FACTS (continued)	
<b>Active ingredient (in each tablet)</b> Purpose Acetaminophen, 325mg Pain reliever/fever reducer		Stop using and ask a doctor if • symptoms do not improve	
<b>Uses</b> For the temporary relief of minor aches and pains associated with • headache • muscular aches • minor arthritis pain • common cold • toothache • menstrual cramps For the reduction of fever.		• new symptoms occur • pain or fever persists or get worse • redness or swelling is present	
<b>Warnings</b> <b>Liver warnings:</b> This product contains acetaminophen. Severe liver damage may occur if you take: • more than 12 tablets in 24 hours, which is the maximum daily amount. • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product. <b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash If a skin reaction occurs, stop use and seek medical help right away.		If pregnant or breast-feeding, ask a health professional before use. <b>Keep out of reach of children.</b> In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	
<b>Do not use</b> • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • for more than 10 days for pain unless directed by a doctor • for more than 3 days for fever unless directed by a doctor		<b>Directions</b> • do not use more than directed <b>Adults and children (12 years and older)</b> Take 2 tablets every 4 to 6 hours as needed. Do not take more than 12 tablets in 24 hours.	
<b>Ask a doctor before use if you have</b> • liver disease		<b>Children under 12 years:</b> Do not give to children under 12 years of age.	
<b>Ask a doctor or pharmacist before use if</b> • you are taking the blood thinning drug warfarin		<b>Other information</b> • store at room temperature 59°-86°F (15°-30°C) • tamper-evident sealed packets • do not use any opened or torn packets	
		<b>Inactive ingredients</b> corn starch, hypromellose, polyethylene glycol, povidone*, pregelatinized starch, sodium starch glycolate*, stearic acid, titanium dioxide *may contain	
		<b>Questions or comments?</b> 1-800-323-1319	

Retain carton for complete product information




Reorder #59961-131-02  
Packaged for Bellegrove  
by Medique Products  
Fort Myers, FL, USA 33967

Distributed by  
**Bellegrove**  
medical  
8349 154th Ave NE, Redmond, WA 98052

## Travel Savvy Non-Aspirin Label

BTravelSavvy.com

Travel Savvy  
 Non-Aspirin  
 Pain Reliever  
 Fever Reducer  
 Temporarily reduces fever  
 and relieves minor aches  
 and pains.  
 1000  
 Tablets  
 (500 x 2)



Temporarily reduces fever and relieves minor aches and pains.

Easy-to-Swallow

### Non-Aspirin Pain Reliever Fever Reducer

Coated Acetaminophen tablets in convenient single-dose packets

Temporarily reduces fever and relieves minor aches and pains.



DRUG FACTS		DRUG FACTS (continued)	
<b>Active ingredient (in each tablet)</b> Purpose Acetaminophen 325mg Pain reliever/fever reducer		Stop using and ask a doctor if • symptoms do not improve • new symptoms occur • pain or fever persists or get worse • redness or swelling is present.	
<b>Uses</b> For the temporary relief of minor aches and pains associated with • headache • muscular aches • minor arthritis pain • common cold • toothache • menstrual cramps For the reduction of fever.		If pregnant or breast-feeding, ask a health professional before use.	
<b>Warnings</b> Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take: • more than 12 tablets in 24 hours, which is the maximum daily amount • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product <b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include • skin redness • blisters • rash If a skin reaction occurs, stop use and seek medical help right away.		Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.	
<b>Do not use</b> • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • for more than 10 days for pain unless directed by a doctor • for more than 3 days for fever unless directed by a doctor Ask a doctor before use if you have • liver disease Ask a doctor or pharmacist before use if • you are taking the blood thinning drug warfarin		<b>Directions</b> • do not use more than directed <b>Adults and children (12 years and older)</b> Take 2 tablets every 4 to 6 hours as needed. Do not take more than 12 tablets in 24 hours. <b>Children under 12 years:</b> Do not give to children under 12 years of age.	
<b>Other information</b> • store at room temperature 59°-86°F (15°-30°C) • tamper-evident sealed packets • do not use any opened or torn packets <b>Inactive ingredients</b> corn starch, hydroxypropylcellulose, polyethylene glycol, povidone*, pregelatinized starch, sodium starch glycolate*, stearic acid, titanium dioxide *may contain		<b>Questions or comments?</b> 1-800-323-1319	

Retain carton for complete product information



Reorder #59961-131-02  
 Packaged for Bellegrove  
 by Medique Products  
 Fort Myers, FL, USA 33967

Distributed by  
**Bellegrove medical**  
 8389 154th Ave NE, Redmond, WA 98052

## TRAVEL SAVVY NON-ASPIRIN

acetaminophen 325mg tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59961-151
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	AZ;234
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59961-151-15	500 in 1 BOX	10/13/2014	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/13/2014	

## TRAVEL SAVVY NON-ASPIRIN

acetaminophen 325mg tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59961-141
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STARCH, CORN</b> (UNII: O8232NY3S)	

<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	FR;2
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59961-141-15	500 in 1 BOX	10/13/2014	06/01/2023
1		2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/13/2014	06/01/2023

**Labeler** - Bellegrove Medical Supply, Inc. (141647094)

**Registrant** - Unifirst First Aid Corporation (832947092)

Revised: 9/2025

Bellegrove Medical Supply, Inc.