

**OXYGEN- oxygen gas**  
**North Central Respiratory, Inc**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**PRODUCT WARNINGS AND PRECAUTIONS**

OXYGEN REFRIGERATED LIQUID USP UN 1073 OXYGEN-2

CONTENTS \_\_\_\_\_ LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

**WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS. EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.**

KEEP OIL GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL WEAR FACE SHIELD AND GLOVES DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK ON OR ROLL EQUIPMENT OVER SPILLS. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F). CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS).

CAS NO 7782-44-7

**OXYGEN REFRIGERATED LIQUID LABEL**

OXYGEN REFRIGERATED LIQUID USP UN 1073 OXYGEN-2

CONTENTS \_\_\_\_\_ LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

**WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS. EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.**

KEEP OIL GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL WEAR FACE SHIELD AND GLOVES DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK ON OR ROLL EQUIPMENT OVER SPILLS. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F). CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS).

CAS NO 7782-44-7

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP**  
UN 1073



CONTENTS: \_\_\_\_\_ LITERS

**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↓**

- △WARNING:** DO NOT CHANGE OR FORCE FIT CONNECTIONS.  
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.  
Keep oil, grease, and combustibles away.  
Use only with equipment cleaned for oxygen service.  
Store and use with adequate ventilation.  
Do not get liquid in eyes, on skin or clothing.  
For liquid withdrawal, wear face shield and gloves.  
Do not drop. Use suitable hand truck for container movement.  
Avoid spills. Do not walk on or roll equipment over spills.  
Container temperature should not exceed 52°C (125°F).  
Close valve after each use and when empty.  
Use a back flow preventive device in the piping.  
Use in accordance with the Material Safety Data Sheet (MSDS).
- △FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately.
- △WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.  
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.  
Produced by Air Liquefaction  
**DO NOT REMOVE THIS PRODUCT LABEL.**

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP**  
UN 1073



CONTENTS: \_\_\_\_\_ LITERS

**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↓**

- ⚠ WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS.**  
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE  
VIGOROUSLY ACCELERATES COMBUSTION.  
NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT  
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.  
CAN CAUSE SEVERE FROSTBITE.  
Keep oil, grease, and combustibles away.  
Use only with equipment cleaned for oxygen service.  
Store and use with adequate ventilation.  
Do not get liquid in eyes, on skin or clothing.  
For liquid withdrawal, wear face shield and gloves.  
Do not drop. Use suitable hand truck for container movement.  
Avoid spills. Do not walk on or roll equipment over spills.  
Container temperature should not exceed 52°C (125°F).  
Close valve after each use and when empty.  
Use a back flow preventive device in the piping.  
Use in accordance with the Material Safety Data Sheet (MSDS).
- ⚠ FIRST AID: IN CASE OF FROSTBITE,** obtain medical treatment immediately.
- ⚠ WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.  
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.  
Produced by Air Liquefaction  
**DO NOT REMOVE THIS PRODUCT LABEL.**

res

<b>OXYGEN</b>				
oxygen gas				
<b>Product Information</b>				
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:42887-001	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>	
	<b>OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)</b>	OXYGEN	99 L in 100 L	
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42887-001-01	21 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2001	
2	NDC:42887-001-02	31 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2001	

<b>3</b>	NDC:42887-001-03	1180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2001	
<b>4</b>	NDC:42887-001-04	68155 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2001	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		01/01/2001	

**Labeler** - North Central Respiratory, Inc (122649176)

Revised: 11/2025

North Central Respiratory, Inc