

OXYGEN- oxygen gas
North Central Respiratory, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PRODUCT WARNINGS AND PRECAUTIONS

OXYGEN REFRIGERATED LIQUID USP UN 1073 OXYGEN-2

CONTENTS _____ LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS. EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

KEEP OIL GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL WEAR FACE SHIELD AND GLOVES DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK ON OR ROLL EQUIPMENT OVER SPILLS. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F). CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS).

CAS NO 7782-44-7

OXYGEN REFRIGERATED LIQUID LABEL

OXYGEN REFRIGERATED LIQUID USP UN 1073 OXYGEN-2

CONTENTS _____ LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS. EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

KEEP OIL GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL WEAR FACE SHIELD AND GLOVES DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK ON OR ROLL EQUIPMENT OVER SPILLS. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F). CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS).

CAS NO 7782-44-7

**OXYGEN,
REFRIGERATED
LIQUID
USP**

UN 1073



CONTENTS: _____ LITERS

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↓

- △WARNING:** DO NOT CHANGE OR FORCE FIT CONNECTIONS.
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.
Keep oil, grease, and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.
Avoid spills. Do not walk on or roll equipment over spills.
Container temperature should not exceed 52°C (125°F).
Close valve after each use and when empty.
Use a back flow preventive device in the piping.
Use in accordance with the Material Safety Data Sheet (MSDS).
- △FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately.
- △WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.
Produced by Air Liquefaction
DO NOT REMOVE THIS PRODUCT LABEL.

**OXYGEN,
REFRIGERATED
LIQUID
USP**
UN 1073



CONTENTS: _____ LITERS

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↓

- ⚠ WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS.**
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE
VIGOROUSLY ACCELERATES COMBUSTION.
NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.
CAN CAUSE SEVERE FROSTBITE.
Keep oil, grease, and combustibles away.
Use only with equipment cleaned for oxygen service.
Store and use with adequate ventilation.
Do not get liquid in eyes, on skin or clothing.
For liquid withdrawal, wear face shield and gloves.
Do not drop. Use suitable hand truck for container movement.
Avoid spills. Do not walk on or roll equipment over spills.
Container temperature should not exceed 52°C (125°F).
Close valve after each use and when empty.
Use a back flow preventive device in the piping.
Use in accordance with the Material Safety Data Sheet (MSDS).
- ⚠ FIRST AID: IN CASE OF FROSTBITE,** obtain medical treatment immediately.
- ⚠ WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx Only.
Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.
Produced by Air Liquefaction
DO NOT REMOVE THIS PRODUCT LABEL.

res

OXYGEN				
oxygen gas				
Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:42887-001	
Route of Administration	RESPIRATORY (INHALATION)			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)		OXYGEN	99 L in 100 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42887-001-01	21 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2001	
2	NDC:42887-001-02	31 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2001	

3	NDC:42887-001-03	1180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2001	
4	NDC:42887-001-04	68155 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/2001	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/2001	

Labeler - North Central Respiratory, Inc (122649176)

Revised: 11/2024

North Central Respiratory, Inc