

**BIOCOF- dextromethorphan hydrobromide, guaifenesin, phenylephrine hcl liquid**

**Advanced Generic Corporation**

-----  
**AGC-Biocof 249**

<b>Active Ingredients (in each 5 mL tps.)</b>	<b>Purpose</b>
Dextromethorphan Hydrobromide.... 20 mg.....	Cough suppressant
Guaifenesin.... 400 mg.....	Expectorant
Phenylephrine HCL.....10 mg.....	Nasal Decogestant

**Uses:**

- temporary relieves cough due to minor throat and bronchial irritations as may occur with the common cold or inhaled irritants.
- Helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive temporarily relieves nasal congestion due to the common cold

**Warnings:**

**Ask a doctor before use if you have:**

- Heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to an enlarged prostate gland
- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis, or emphysema.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement or prostate gland
- a cough with too much phlegm (mucus)
- a persistent or chronic cough as occurs with smoking asthma, chronic bronchitis, or emphysema

**Ask a doctor or pharmacist before use** if you are taking any other nasal decongestant or stimulant.

**When using this product do not use more than directed.**

**Stop use and ask a doctor if:** you get nervous, dizzy, or sleepless; symptoms do not get better within 7 days, or are accompanied by fever

- cough lasts more than 7 days, comes back, or is accompanied by a fever, rash or

persistent headache. These could be signs of serious condition.

**Do not use:**

If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs of depression, psychiatric, or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains MAOI; ask your doctor or pharmacist before taking this product.

**Keep out of the reach of children.**In case of overdose, get medical help or contact a Poison Control Center right away.

**If pregnant or breast-feeding,**ask a health professional before use.

**Directions**Do not exceed more than 6 doses in any 24 hours period.

Adults and children 12 years of age and over.	Take 1 teaspoonful (5 mL) every 4 hours
Children under 12 years of age.	Consult a physician

**Uses**

- temporary relives cough due to minor throat and bronchial irritations as may occur with the common cold or inhaled irritants
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive temporarily relieves nasal congestion due to the common cold

**Inactive Ingredients:**Cherry flavor, Citric Acid, Glycerin, menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose, sucralose

**Questions or comments? 1-305-403-3788**

**Manufactured for:**Advanced Generic Corporation  
Miami, FL 33166

NDC 45737-249-16

# BIOCOF

- Cough Suppressant
- Expectorant
- Nasal Decongestant



Contains the same active ingredients as Tusicof<sup>®</sup> †

Cherry Flavor

Sugar FREE  
Alcohol FREE  
Dye FREE

16 fl. oz. (473 mL)

### Drug Facts

**Active ingredients (in each 5 mL tsp.)** **Purposes**  
 Dextromethorphan HBr, USP..... 20 mg „Cough Suppressant  
 Guaifenesin, USP..... 400 mg „Expectorant  
 Phenylephrine HCl, USP..... 10 mg „Nasal Decongestant

#### Uses

- temporarily relieves cough due to minor throat and bronchial irritations as may occur with the common cold or inhaled irritants.
- helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive.
- temporarily relieves nasal congestion due to the common cold.

#### Warnings:

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask your doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ difficulty in urination due to enlargement of prostate gland ■ a cough with too much phlegm (mucus) ■ a persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis, or emphysema.

**Ask a doctor or pharmacist before use if you are** ■ taking any other nasal decongestant or stimulant.

**When using this product do not use more than directed.**

† Tusicof<sup>®</sup> is a registered trademark of Kramer Novis. This product is not manufactured, distributed or marketed by Kramer Novis.

Code #: L-85

Rev: 05/23

Lot #:

Exp. Date:

### Drug Facts (continued)

**Stop use and ask a doctor if** ■ nervousness, dizziness, or sleeplessness occur ■ symptoms do not improve within 7 days or are accompanied by fever ■ cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

#### Directions

Do not exceed more than 6 doses in any 24-hour period.

adults and children 12 years of age and over	take 1 teaspoonful (5 mL) every 4 hours
children under 12 years of age	consult a physician

#### Other information

■ store at room temperature 15°- 30°C (59° - 86°F). ■ Tamper Evident Disclosure: Do not use this product if aluminum foil over bottle opening is torn, broken or missing.

**Pharmacist:** Preserve and dispense in tight, light-resistant container with a child resistant cap as defined in the USP.

#### Inactive ingredients

Cherry flavor, citric acid, glycerin, L-menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose.

#### Questions or comments?

1-305-403-3788

**Manufactured For:** Advanced Generic Corporation, Miami, FL 33147. www.advancedgeneric.com

**THIS IS A BULK CONTAINER NOT INTENDED FOR RETAIL**



## BIOCOF

dextromethorphan hydrobromide, guaifenesin, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:45737-249
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3Z D4)	
<b>WATER</b> (UNII: 059QF0KO0R)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY (Cherry flavor)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45737-249-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/01/2012	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/01/2012	

**Labeler** - Advanced Generic Corporation (831762971)

Revised: 12/2025

Advanced Generic Corporation