

**CARBON DIOXIDE/OXYGEN MIX- carbon dioxide/oxygen mix gas
NEXAIR, LLC**

carbon dioxide/oxygen mix

COMPRESSED GASES, OXIDIZING, N.O.S (OXYGEN, CARBON DIOXIDE)

UN3156

RX only

% CARBON DIOXIDE, USP

% OXYGEN, USP

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY INCREASE RESPIRATION AND HEART RATE. MAY CAUSE FROSTBITE. Do not get in eyes, on skin, or on clothing. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: OXYGEN 7782-44-7 CARBON DIOXIDE 124-38-9

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

NET CONTENTS

Contains Cubic Feet at 70 F and PSIG

DO NOT REMOVE THIS PRODUCT LABEL.

Distributed by nexAir

nexAir, LLC www.nexAir.com

1350 Concourse Ave., Suite 103 Memphis, TN 38104

888-639-2474

**COMPRESSED GASES,
OXIDIZING, N.O.S.**
(OXYGEN, CARBON DIOXIDE)
UN3156

2
R only
5.1

_____% CARBON DIOXIDE, USP
_____% OXYGEN, USP

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosage, methods and frequency and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

DANGER: MAY CAUSE OR INTENSIFY FIRE. COMBUSTIBLE GASES UNDER PRESSURE. MAY EXPLODE IF HEATED. MAY INCREASE RESPIRATION AND HEART RATE. MAY CAUSE FROSTBITE. Do not get in eyes, on skin, or on clothing. Do not handle with wet hands. Precautions have been met and understood. Keep well away from cooking and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop tank if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment designed for oxygen service. Open valves slowly. Close valve after each use and after empty. Protect from sunlight that ambient temperature exceeds 50 °C (120 °F). Read and follow the Safety Data Sheet (SDS) before use.

CAUTION: 7700-81-7 CARBON DIOXIDE (14-08-0)

FIRST AID: IF ON SKIN: Flush treated parts with lukewarm water. Do not rub affected area. Get immediate medical attention/attention.

NET CONTENTS
Contains _____ Cubic Feet at 70 °F and _____ PSIG

DO NOT REMOVE THIS PRODUCT LABEL.

Distributed by
nexAir
nexAir, LLC • www.nexair.com
1350 Commerce Ave., Suite 103 • Memphis, TN 38104
901-679-2474

CARBON DIOXIDE/OXYGEN MIX

carbon dioxide/oxygen mix gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:12213-800
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	50 mL in 1 L

Inactive Ingredients

Ingredient Name	Strength
CARBON DIOXIDE (UNII: 142M471B3J)	950 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:12213-800-14	6400 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
2	NDC:12213-800-58	708 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	01/25/2022
3	NDC:12213-800-01	6405 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	

4	NDC:12213-800-02	6374 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
5	NDC:12213-800-03	586 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
6	NDC:12213-800-04	705 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
7	NDC:12213-800-05	645.5 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	
8	NDC:12213-800-06	6020 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1996	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205849	06/01/1996	

Labeler - NEXAIR, LLC (927024422)

Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		010263301	manufacture(12213-800)

Establishment

Name	Address	ID/FEI	Business Operations
NEXAIR, LLC		927024422	manufacture(12213-800)

Revised: 10/2025

NEXAIR, LLC