CHILDRENS LORATADINE SUGAR FREE- loratadine solution CVS Pharmacy

Children's Loratadine Oral Solution Sugar Free

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours	
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours	
children under 2 years of age	ask a doctor	
consumans with liver or		

Other information

- do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.
- see bottom panel for lot number and expiration date
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

Questions?

Call 1-866-923-4914

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895

PRINCIPAL DISPLAY PANEL - 240 mL Bottle Carton

CVS

Health™

Compare to the active ingredient in Children's Claritin^{®†}

Indoor & Outdoor Allergies

NDC 69842-540-01

Children's Allergy

LORATADINE ORAL SOLUTION USP, 5 mg/5 mL (Antihis tamine) **ALLERGY** Non-Drowsy* 24

HOUR

• 24 hour relief of:

Sneezing; Runny nose; Itchy, watery eyes; Itchy throat or nose

- Sugar free & dye free
- Ages 2 yrs & older

*When taken as directed. See Drug Facts Panel.

DYE **FREE** **Grape Flavor**Dosing Cup Enclosed
Actual Product Size
on Back Panel

8 FL OZ (240 mL)



Indoor & Outdoor Allergies

Children's

NDC 69842-540-01

Allergy LORATADINE

ORAL SOLUTION USP, 5 mg/5 mL (Antihistamine) ALLERGY





Compare to the active ingredient in Children's Claritin®t

Indoor & Outdoor Allergies

NDC 69842-540-01

Health.

Compare to the active ingredient in Children's Claritin®t

> Indoor & Outdoor Allergies

> > NDC 69842-540-01

Children's

Allergy

LORATADINE

ORAL SOLUTION USP, 5 mg/5 mL (Antihistamine) ALLERGY Non-Drowsy*



- 24 hour relief of:
 - Sneezing; Runny nose; Itchy, watery eyes; Itchy throat or nose
- . Sugar free & dye free
- · Ages 2 yrs & older

*When taken as directed. See Drug Facts Panel.







Actual Product Size on Back Panel

8 FL 0Z (240 mL)

Children's

Allergy

LORATADINE

ORAL SOLUTION USP, 5 mg/5 mL (Antihistamine) ALLERGY Non-Drowsy*



- · 24 hour relief of:
- Sneezing; Runny nose; Itchy, watery eyes; Itchy throat or nose
- . Sugar free & dye free
- · Ages 2 yrs & older

"When taken as directed. See Drug Facts Panel.

DYE







Actual Product Size on Back Panel

8 FL 0Z (240 mL)

NO COPY ON THIS FLAP FOR LOT # AND EXPIRY T207



NO VARNISH ON THIS FLAP

Dosing Cup Enclosed

Dosing cup should be washed and left to air dry after each use.



†All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Children's Claritin®.

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2018 CVS/pharmacy CVS.com[®] 1-800-SHOP CVS

Made in Canada V-16793



Package Contains One Bottle

Actual Size

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient

Purpose

(in each 5 mL teaspoonful) Loratadine 5 mg.....

Antihistamine

Hees

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- · itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a dector if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

(1-800-222-1222)

Directions

. use only with enclosed dosing cup

use only with enclosed dosing cup		
adults and children 6 years and over	2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in 24 hours	
children 2 to under 6 years of age	1 teaspoonful (tsp) daily; do not take more than 1 teaspoonful (tsp) in 24 hours	
children under 2 years of age	ask a doctor	
consumers with liver or kidney disease	ask a doctor	

Other information

- do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.
- · see bottom panel for lot number and expiration date
- . store between 20° to 25°C (68° to 77°F)

Inactive ingredients

butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dhydrate, sorbitol solution, sucralose powder.

Questions? Call 1-866-923-4914

NO VARNISH ON THIS FLAP PPK-8639-0 1017-0 4

CHILDRENS LORATADINE SUGAR FREE

loratadine solution

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:69842-540

Route of Administration ORAL

Active Ingredient/Active Moiety

O .	· · · · · · · · · · · · · · · · · · ·		
	Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJO3B	O7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	5 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
butylated hydroxyanisole (UNII: REK4960K2U)		
glycerin (UNII: PDC6A3C0OX)		
SORBITOL (UNII: 506T60A25R)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
phosphoric acid (UNII: E4GA8884NN)		
propylene glycol (UNII: 6DC9Q167V3)		
water (UNII: 059QF0KO0R)		
sodium benzoate (UNII: OJ245FE5EU)		
SO DIUM PHO SPHATE, MO NO BASIC, DIHYDRATE (UNII: 5QWK665956)		

Product Characteristics			
Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-540-01	1 in 1 CARTON	11/10/2017	
1		240 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-540-08	1 in 1 CARTON	11/10/2017	
2		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA076805	03/17/2017		

Labeler - CVS Pharmacy (062312574)

Revised: 11/2017 CVS Pharmacy