

MICONAZOLE NITRATE- miconazole nitrate cream
Sun Pharmaceutical Industries, Inc.

Miconazole Nitrate

Drug Facts

Active ingredient

Miconazole nitrate USP 2% (100 mg in each applicatorful)

Purpose

Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- **symptoms do not get better in 3 days**
- **symptoms last more than 7 days**
- **you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.**

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- before using this product read the enclosed consumer information leaflet for complete directions and information
- adults and children 12 years of age and over:
 - **applicator:** insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. Wash applicator after use.
 - use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina (vulva). Use 2 times daily for up to 7 days as needed.
- **children under 12 years of age: ask a doctor**

Other information

- do not purchase if carton is opened
- do not use if seal over tube opening has been punctured or is not visible
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzoic acid (0.20%) as a preservative, butylated hydroxytoluene, mineral oil, oleoyl polyoxyglyceride, PEG-6-32 stearate/glycol stearate, and purified water.

Questions?

call **1-866-923-4914**

Distributed by:

Taro Pharmaceuticals U.S.A., Inc.

Hawthorne, NY 10532

PRINCIPAL DISPLAY PANEL - 45 g Tube Carton

CURES most vaginal YEAST INFECTIONS

Relieves associated external itching and irritation

NDC 51672-2035-6

7 Day Treatment

7 Day Vaginal Cream

Miconazole Nitrate Vaginal Cream USP (2%)
(Miconazole Nitrate 100 mg per application)
Vaginal Antifungal

One 45 g (1.5 oz) tube of Miconazole Nitrate Vaginal Cream USP (2%)
& 1 Reusable Applicator

Consumer Information Leaflet Enclosed

7 Day Treatment

Compare to the active ingredient in Monistat® 7*

Cures the infection
Relieves the symptoms **FAST!**



1 reusable applicator with original Rx strength cream

7 Day Vaginal Cream

7 Day Treatment

Miconazole Nitrate Vaginal Cream USP (2%)
(Miconazole Nitrate 100 mg per application)
Vaginal Antifungal

LPK-1385-6
0120-6
52

CURES most vaginal YEAST INFECTIONS
Relieves associated external itching and irritation

7 Day Treatment

7 Day Vaginal Cream

Miconazole Nitrate Vaginal Cream USP (2%)
(Miconazole Nitrate 100 mg per application)
Vaginal Antifungal

One 45 g (1.5 oz) tube of Miconazole Nitrate Vaginal Cream USP (2%)
& 1 Reusable Applicator

Consumer Information Leaflet Enclosed

NO VARNISH/NO AQ
NO COPY / NO COLOR
THIS FLAP FOR LOT #
AND EXP DATE PRINT

7 Day Vaginal Cream
Miconazole Nitrate Vaginal Cream USP (2%)
(Miconazole Nitrate 100 mg per application)
Vaginal Antifungal

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Monistat® 7.



Distributed by:
Taro Pharmaceuticals U.S.A., Inc.
Hawthorne, NY 10532
Made in Canada



T1288
B81.3
ENG19.33

NO VARNISH
ON THIS FLAP

NO VARNISH
ON THIS FLAP

Drug Facts

Active ingredient
Miconazole nitrate USP 2% (100 mg in each applicator), vaginal antifungal

Purpose
• relieves external itching and irritation due to a vaginal yeast infection

Warnings For vaginal use only
Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Uses • treats vaginal yeast infections
• relieves external itching and irritation due to a vaginal yeast infection

Ask a doctor before use if you have
• vaginal itching and discomfort for the first time
• lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
• vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
• been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur

When using this product
• do not use tampons, douches, spermicides, or other vaginal products, condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs)
• do not have vaginal intercourse

If you do not get complete relief ask a doctor before using another product

Other information
• do not use 1 seal over the opening has been punctured or is not visible
• store at 20° to 25°C (68° to 77°F)
• see carton or the applicator for lot number and expiration date

Inactive ingredients
benzocaine (0.20%), zinc preservative, purified hydroxybenzoin, mineral oil, croscarmellose sodium, polyoxymethylene, PEG-6-2 stearate, glycol stearate, and purified water.

Questions? call 1-866-923-4914

Drug Facts (continued)
Stop use and ask a doctor if
• symptoms do not get better in 3 days • symptoms last more than 7 days
• you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge.

Directions
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Complete directions and information
• adults and children 12 years of age and over:
• apply 1 applicator into the vagina at bedtime for 7 nights in a row. Wash applicator after use.
• use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip, apply to itching, irritated skin outside the vagina (vulva). Use 2 times daily for up to 7 days as needed.
• children under 12 years of age: ask a doctor

Before using this product read the enclosed consumer information leaflet for complete directions and information

7 Day Vaginal Cream
CURES most vaginal YEAST INFECTIONS
Relieves associated external itching and irritation

7 Day Treatment
Miconazole Nitrate Vaginal Cream USP (2%)
(Miconazole Nitrate 100 mg per application)
Vaginal Antifungal

MICONAZOLE NITRATE
miconazole nitrate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51672-2035
Route of Administration	VAGINAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII:7NNO0D7S5M)	MICONAZOLE NITRATE	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MINERAL OIL (UNII: T5L8T28FGP)	
WATER (UNII: 059QF0KO0R)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51672-2035-6	1 in 1 CARTON	01/13/1997	
1		45 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		
2	NDC:51672-2035-7	1 in 1 CARTON	01/13/1997	
2		45 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA074444	01/13/1997	

Labeler - Sun Pharmaceutical Industries, Inc. (146974886)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharma Canada Inc.		243339023	manufacture(51672-2035)

Revised: 5/2025

Sun Pharmaceutical Industries, Inc.