

**SOLIMO KIDS SUNSCREEN SPF 50- avobenzene, homosalate, octisalate, octocrylene, oxybenzone aerosol, spray**  
**Amazon.com Services LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Solimo Kids' Sunscreen SPF 50 Spray**

**Active ingredients**

Avobenzene 3.0%,

Homosalate 10.0%,

Octisalate 5.0%,

Octocrylene 4.0%,

Oxybenzone 5.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**FLAMMABLE:**

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

- keep away from face to avoid breathing it.
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120° F.

### **Stop use and ask doctor if**

- rash occurs .

### **Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

### **Other Information**

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### **Inactive ingredients**

alcohol denat. (73.2% v/v), acrylates/octylacrylamide copolymer, stearyoxytrimethylsilane, glycerin, diethylhexyl syringylidenemalonate, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride.

**Drug Facts**

Active Ingredients	Purpose
Avobenzone 3.0%	Sunscreen
Homosalate 10.0%	
Octisalate 5.0%	
Octocrylene 4.0%	
Oxybenzone 5.0%	

**Uses** • Helps prevent sunburn. • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
For external use only

**FLAMMABLE:**

- Do not use near heat, flame or while smoking.
- Avoid long term storage above 104°F (40°C).

**Do not use** • on damaged or broken skin.

**When using this product** • keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120°F.

**Stop use and ask a doctor if** • rash occurs.

**Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

- Spray liberally and spread evenly by hand 15 minutes before sun exposure.
- Hold can 4-6 inches away from the skin to spray.
- Do not spray directly into face. Spray into hands then apply to face.
- Do not apply in windy conditions.
- Use in a well-ventilated area.
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months of age, ask a doctor.
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. to 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses

**Other information**

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

**Inactive ingredients**

alcohol denat. (75.2% v/v), acrylates/crylamide copolymer, stearyltrimethylammonium, glycerin, diethylhexylglycerol, tocopherol (vitamin E), fragrance, retinyl palmitate (vitamin A palmitate), caprylic/capric triglyceride

**Questions or comments?**  
Call toll free 1-877-485-0385



**SOLIMO**

---

**Kids' Sunscreen Spray**

BROAD SPECTRUM  
SPF 50

*Water resistant (80 minutes)  
Hypoallergenic  
UVA/UVB protection*

NET WT 11 OZ (312 g)

DISTRIBUTED BY:  
Amazon.com Services, Inc.  
Seattle, WA 98109  
1-877-485-0385

© 2018 Amazon.com, Inc. or its affiliates.  
All rights reserved. Solimo and all related logos are trademarks of Amazon.com, Inc. or its affiliates.

DOT-SP 14786

**SOLIMO KIDS SUNSCREEN SPF 50**

avobenzone, homosalate, octisalate, octocrylene, oxybenzone aerosol, spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72288-108
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g
<b>OXYBENZONE</b> (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	50 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW)</b> (UNII: JU3XHR8VWK)	
<b>STEAROXYTRIMETHYLSILANE</b> (UNII: 9862TW94B2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIETHYLHEXYL SYRINGYLIDENEMALONATE</b> (UNII: 3V5U97P248)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-108-38	312 g in 1 CAN; Type 0: Not a Combination Product	05/02/2018	
2	NDC:72288-108-39	624 g in 1 CAN; Type 0: Not a Combination Product	05/02/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/02/2018	

**Labeler** - Amazon.com Services LLC (128990418)

Revised: 1/2022

Amazon.com Services LLC