

FIRST AID DIRECT ALLERGY RELIEF- loratadine tablets tablet
Cintas Corporation

First Aid Direct Allergy Relief

Active Ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you

have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs.

Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use

Keep out of reach of children.

In case of accidental overdose, contact a doctor or Poison Control Center immediately.

Directions

| | |
|---|--|
| adults and children 6 years and over | 1 tablet daily; not more than 1 tablet in 24 hours |
| children under 6 years of age | ask a doctor |
| consumers with liver or kidney disease | ask a doctor |

Other information

- store between 20°C to 25°C (68° to 77°F)
- protect from excessive moisture
- do not use if blister unit is torn or open

Inactive ingredients

lactose monohydrate, magnesium stearate, pregelatinized starch, sodium starch glycolate

Questions?

1-800-327-2704 Monday - Friday 8:00am - 5:00pm (CDT)

Principal Display Panel

Original Prescription Strength

Non-Drowsy*

Allergy Relief

Loratadine Tablets, 10 mg - Antihistamine

Indoor & Outdoor Allergies

†Compare to active ingredient of Claritin®

Relief of:

- sneezing
- runny nose
- itchy, watery eyes
- itchy throat or nose

24 Hour

Actual Size

20 TABLETS

*When taken as directed. See drug facts panel



FIRST AID DIRECT ALLERGY RELIEF

loratadine tablets tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:42961-120 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | |
|---|-------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN) | LORATADINE | 10 mg |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D) | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | 439 |
| Contains | | | |

| Packaging | | | | |
|-----------|------------------|---|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:42961-120-02 | 2 in 1 BOX | 10/20/2021 | |
| 1 | | 10 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

| Marketing Information | | | |
|-----------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| ANDA | ANDA210722 | 10/20/2021 | |

Labeler - Cintas Corporation (056481716)

| Establishment | | | |
|------------------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| Granules India Limited | | 918609236 | manufacture(42961-120) |