

**CLE DE PEAU BEAUTE RADIANT FOUNDATION IVORY- octinoxate stick**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION OCHER- octinoxate stick**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION MOCHA- octinoxate stick**  
**CLE DE PEAU BEAUTE RADIANT FOUNDATION BEIGE- octinoxate stick**  
**SHISEIDO AMERICAS CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**CLÉ DE PEAU BEAUTÉ RADIANT STICK FOUNDATION**

**Drug Facts**

**Active ingredients**

OCTINOXATE 3.4%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**Inactive Ingredients**

DIMETHICONE•WATER•DIPROPYLENE GLYCOL•JOJOBA  
ESTERS•TRIETHYLHEXANOIN•GLYCERIN•PEG-10  
DIMETHICONE•PARAFFIN•POLYETHYLENE•BARIUM SULFATE•TREHALOSE•PEG/PPG-14/7  
DIMETHYL ETHER•DIPEPTIDE-15•PAEONIA SUFFRUTICOSA ROOT EXTRACT•ROSA  
ROXBURGHII FRUIT EXTRACT•DIMETHICONE/VINYL DIMETHICONE  
CROSSPOLYMER•SODIUM ACETYLATED  
HYALURONATE•TRIMETHYLSILOXYSILICATE•HYDROLYZED SILK•POLYQUATERNIUM-  
51•HYDROLYZED CONCHIOLIN PROTEIN•SORBITAN  
SESQUIISOSTEARATE•MICROCRYSTALLINE WAX•PALMITIC ACID•ORYZA SATIVA (RICE)  
BRAN WAX•DISTEARYLDIMONIUM CHLORIDE•DISTEARDIMONIUM  
HECTORITE•TRISODIUM EDTA•HYDROGEN  
DIMETHICONE•POLYMETHYLSILSESQUIOXANE•SODIUM  
METAPHOSPHATE•ALUMINA•BHT•CELLULOSE GUM•BUTYLENE  
GLYCOL•ALCOHOL•ISOPROPYL ALCOHOL•TOCOPHEROL•VINYL  
DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER•SYNTHETIC  
FLUORPHLOGOPITE•PETROLATUM•POLYSILICONE-2•TRIETHOXSILYLETHYL  
POLYDIMETHYLSILOXYETHYL DIMETHICONE•DIPENTAERYTHRITYL  
HEXAHYDROXYSTEARATE•THEANINE•SILICA•ALUMINUM  
HYDROXIDE•METHICONE•TETRADECENE•METHYLPARABEN•ETHYLPARABEN•PHENOXYETHANOL•FRAGRANCE•TITANIUM

DIOXIDE•MICA•IRON OXIDES•

**Other information**

- protect this product in this container from excessive heat and direct sun.

**Questions or comments?**

Call toll free 1-800-906-7503

**PRINCIPAL DISPLAY PANEL - 9 g Bottle Carton - Ivory**

**clé de peau  
BEAUTÉ**

*radiant stick foundation*

**BROAD SPECTRUM  
SPF 17  
SUNSCREEN**

9g NET WT. .31 OZ.

radiant stick foundation

IVORY



radiant stick foundation

BROAD SPECTRUM  
SPF 17  
SUNSCREEN

9g NET WT. .31 OZ.

**Drug Facts**  
(continued)

**Inactive ingredients**

DIMETHICONE • WATER •  
DIPROPYLENE GLYCOL • JOJOBA ESTERS •  
TRIETHYLHEXANOIN • GLYCERIN •  
PEG-10 DIMETHICONE • PARAFFIN •  
POLYETHYLENE • BARIUM SULFATE •  
TREHALOSE •  
PEG/PPG-14/7 DIMETHYL ETHER •  
DIPEPTIDE-15 •  
PAEDONIA SUFFRUTICOSA ROOT EXTRACT •  
ROSA ROXBURGHII FRUIT EXTRACT •  
DIMETHICONE/VINYL DIMETHICONE  
CROSSPOLYMER •  
SODIUM ACETYLATED HYALURONATE •  
TRIMETHYLSILOXYSILICATE •  
HYDROLYZED SILK •  
POLYQUATERNIUM-51 •  
HYDROLYZED CONCHILIN PROTEIN •  
SORBITAN SESQUISOSEARATE •  
MICROCRYSTALLINE WAX •  
PALMITIC ACID •  
ORYZA SATIVA (RICE) BRAN WAX •  
DISTEARYL DIMONIUM CHLORIDE •  
DISTEARDIMONIUM HECTORITE •  
TRISODIUM EDTA •  
HYDROGEN DIMETHICONE •  
POLYMETHYLSILSESQUOXANE •  
SODIUM METAPHOSPHATE • ALUMINA •  
BHT • CELLULOSE GUM •  
BUTYLENE GLYCOL • ALCOHOL •  
ISOPROPYL ALCOHOL • TOCOPHEROL •  
VINYL DIMETHICONE/METHICONE  
SILSESQUOXANE CROSSPOLYMER •  
SYNTHETIC FLUORPHLOGOPYTE •  
PETROLATUM • POLYSILOXANE-2 •  
TRIETHOXYSILYLETHYL  
POLYDIMETHYLSILOXYETHYL  
DIMETHICONE •  
DIPENTAERYTHRITYL  
HEXAHYDROXYSTEARATE •  
THEANINE • SILICA •  
ALUMINUM HYDROXIDE • METHICONE •  
TETRADECENE • METHYL PARABEN •  
ETHYL PARABEN • PHENOXYETHANOL •  
FRAGRANCE • TITANIUM DIOXIDE • MICA •  
IRON OXIDES •

**Other Information**

■ protect this product in this  
container from excessive  
heat and direct sun.

**Questions or  
Comments?**

Call toll free 1-800-906-7503

7 30852 13280 1

13280-41-5040

AAA

clé de peau  
BEAUTÉ  
RADIANT STICK FOUNDATION  
BROAD SPECTRUM  
SPF 17  
SUNSCREEN

IVORY

**Drug Facts**

<b>Active Ingredient</b>	<b>Purpose</b>
OCTINOXATE 3.4% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

READ INSERTION.

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13280

[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

This package is made using bagasse paper (a non-wood paper).



PRINCIPAL DISPLAY PANEL - 9 g Bottle Carton - Ocher

clé de peau  
BEAUTÉ

*radiant stick foundation*

**BROAD SPECTRUM  
SPF 17  
SUNSCREEN**

9g NET WT. .31 OZ.

radiant stick foundation

OCHER



radiant stick foundation

BROAD SPECTRUM  
SPF 17  
SUNSCREEN

9g NET WT. .31 OZ.



7 30852 13281 8

13281-41-5040

**Drug Facts**  
(continued)

**Inactive ingredients**

DIMETHICONE - WATER -  
DIPROPYLENE GLYCOL - JUJUBA ESTERS -  
TRICETHYLHEXANOIN - GLYCERIN -  
PEG-10 DIMETHICONE - PARAFFIN -  
POLYETHYLENE - BARIUMSULFATE -  
TREHALOSE -  
PEG/PPG-14/7 DIMETHYL ETHER -  
DIPEPTIDE-15 -  
PACONIA SUFFRUTICOSAROOT EXTRACT -  
ROSA ROXBURGHII FRUIT EXTRACT -  
DIMETHICONE/VINYLDIMETHICONE  
CROSSPOLYMER -  
SODIUM ACETYLATED HYALURONATE -  
TRIMETHYLSILOXYSILICATE -  
HYDROLYZED SILK -  
POLYQUATERNIUM-51 -  
HYDROLYZED CONCHOLINPROTEIN -  
SORBITAN SESQUISTEARATE -  
MICROCRYSTALLINE WAX -  
PALMITICACID -  
ORYZA SATIVA (RICE) BRAN WAX -  
DISTEAROYL MONIUM CHLORIDE -  
DISTEAROYL MONIUM HECTORITE -  
TRISODIUMEDTA -  
HYDROGENDIMETHICONE -  
POLYMETHYLSILSESQUOXANE -  
SODIUM METAPHOSPHATE - ALUMINA -  
BHT - CELLULOSE GUM -  
BUTYLENEGLYCOL - ALCOHOL -  
ISOPROPYL ALCOHOL - TOCOPHEROL -  
VINYL DIMETHICONE/METHICONE  
SILSESQUOXANE CROSSPOLYMER -  
SYNTHETIC FLUORPHOSPHATE -  
PETROLATUM - POLYSILOXANE-2 -  
TRIETHOXYSILYLETHYL  
POLYDIMETHYLSILOXYETHYL  
DIMETHICONE -  
DIPENTAERYTHRITYL  
HEXAHYDROXYSTEARATE -  
THEANINE - SILICA -  
ALUMINUM HYDROXIDE - METHICONE -  
TETRADECENE - METHYLPARABEN -  
ETHYLPARABEN - PHENOXYETHANOL -  
FRAGRANCE - TITANIUMDIOXIDE - MICA -  
IRONOXIDES -

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

AAA

clé de peau  
BEAUTÉ  
RADIANT STICK FOUNDATION  
BROAD SPECTRUM  
SPF 17  
SUNSCREEN  
OCHER

**Drug Facts**

<b>Active Ingredient</b>	<b>Purpose</b>
OCTINOXATE 3.4% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

READ INSERTION.

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13281

[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

This package is made using bagasse paper (a non-wood paper).



**PRINCIPAL DISPLAY PANEL - 9 g Bottle Carton - Mocha**

clé de peau  
BEAUTÉ

*radiant stick foundation*

**BROAD SPECTRUM  
SPF 17  
SUNSCREEN**

9g NET WT. .31 OZ.

*radiant stick foundation*

**MOCHA**



**clé de peau**  
BEAUTÉ

*radiant stick foundation*

**BROAD SPECTRUM  
SPF 17  
SUNSCREEN**

9g NET WT. .31 OZ.



7 30852 13282 5

**Drug Facts**  
(continued)

**Inactive ingredients**

DIMETHICONE • WATER •  
DIPROPYLENE GLYCOL • JOJOBA ESTERS •  
TRIETHYLHEXANOIN • GLYCERIN •  
PEG-10 DIMETHICONE • PARAFFIN •  
POLYETHYLENE • BARIUMSULFATE •  
TRICHALOSE •  
PEG/PPG-14/7 DIMETHYL ETHER •  
DIPEPTIDE-15 •  
PAEONIA SUFFRUTICOSAROOT EXTRACT •  
ROSA ROSEGHI FRUIT EXTRACT •  
DIMETHICONE/VINYLDIMETHICONE  
CROSSPOLYMER •  
SODIUM ACETYLATED HYALURONATE •  
TRIMETHYLSILOXYSILICATE •  
HYDROLYZED SILK •  
POLYQUATERNIUM-51 •  
HYDROLYZED CON CHOLINPROTEIN •  
SORBITAN SESQUISTEARATE •  
MICROCRYSTALLINE WAX •  
PALMITICACID •  
ORYZA SATIVA (RICE) BRAN WAX •  
DISTEARYLDIMONIUM CHLORIDE •  
DISTEARYLDIMONIUM HECTORITE •  
TRISODIUM CITRATE •  
HYDROGENDIMETHICONE •  
POLYMETHYLSILSESQUOXANE •  
SODIUM METAPHOSPHATE • ALUMINA •  
BHT • CELLULOSE GUM •  
BUTYLENEGLYCOL • ALCOHOL •  
ISOPROPYLALCOHOL • TOCOPHEROL •  
VINYL DIMETHICONE/METHICONE  
SILSESQUOXANE CROSSPOLYMER •  
SYNTHETIC FLUORPHLOGORITE •  
PETROLATUM • POLYSILOXANE-2 •  
TRIETHOXYSIYLETHYL  
POLYDIMETHYLSILOXYETHYL  
DIMETHICONE •  
DIPENTAERYTHRITYL  
HEXAHYDROXYSTEARATE •  
THEANINE • SILICA •  
ALUMINUM HYDROXIDE • METHICONE •  
TETRADECENE • METHYLPARABEN •  
ETHYLPARABEN • PHENOXYETHANOL •  
FRAGRANCE • TITANIUMDIOXIDE • MICA •  
IRONOXIDES •

**Other Information**

■ protect this product in this  
container from excessive  
heat and direct sun.

**Questions or  
Comments?**

Call toll free 1-800-906-7503


AAA

clé de peau  
 BEAUTÉ  
 RADIANT STICK FOUNDATION  
 BROAD SPECTRUM  
 SPF 17  
 SUNSCREEN  
**MOCHA**

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
OCTINOXATE 3.4%	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>■ helps prevent sunburn</li> <li>■ if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
For sunscreen use:	
<ul style="list-style-type: none"> <li>■ apply liberally 15 minutes before sun exposure</li> <li>■ use a water resistant sunscreen if swimming or sweating</li> <li>■ reapply at least every 2 hours</li> <li>■ <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:                             <ul style="list-style-type: none"> <li>· limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>· wear long-sleeve shirts, pants, hats, and sunglasses</li> </ul> </li> <li>■ children under 6 months: Ask a doctor</li> </ul>	

READ INSERTION.  
 SHISEIDO AMERICAS  
 CORPORATION DIST.  
 NEW YORK, NY 10022  
 MADE IN U.S.A.  
 GLO. 13282  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

This package is made using bagasse paper (a non-wood paper).



**PRINCIPAL DISPLAY PANEL - 9 g Bottle Carton - Beige**

clé de peau  
 BEAUTÉ

*radiant stick foundation*

**BROAD SPECTRUM  
 SPF 17  
 SUNSCREEN**

9g NET WT. .31 OZ.



radiant stick foundation

BEIGE



radiant stick foundation

BROAD SPECTRUM  
SPF 17  
SUNSCREEN

9g NET WT. .31 OZ.

7 30852 1 3283 2

13283-41-5040

**Drug Facts**  
(continued)

**Inactive ingredients**

DIMETHICONE • WATER •  
DIPROPYLENE GLYCOL • JOJOBA ESTERS •  
TRIETHYLHEXANOIN • GLYCERIN •  
PEG-10 DIMETHICONE • PARAFFIN •  
POLYETHYLENE • BARIUM SULFATE •  
TREHALOSE •  
PEG/PPG-14/7 DIMETHYL ETHER •  
DIPEPTIDE-15 •  
PNAEMA SUFFRUTICOSAROOI EXTRACT •  
ROSA ROBURGHI FRUIT EXTRACT •  
DIMETHICONE/VINYL DIMETHICONE  
CROSSPOLYMER •  
SODIUM ACETYLATED HYALURONATE •  
TRIMETHYLSILOXYSILICATE •  
HYDROLYZED SILK •  
POLYQUATERNIUM-SI •  
HYDROLYZED CONCHOLINPROTEIN •  
SORBITAN SESQUISOSEARATE •  
MICROCRYSTALLINE WAX •  
PALMITIC ACID •  
ORYZA SATIVA (RICE) BRAN WAX •  
DISTEARLDIMONIUM CHLORIDE •  
DISTEARDOMONIUM HECTORITE •  
TRISODIUM EDTA •  
HYDROGEN DIMETHICONE •  
POLYMETHYLSILSESQUOXANE •  
SODIUM METAPHOSPHATE • ALUMINA •  
BHT • CELLULOSE GUM •  
BUTYLENEGLYCOL • ALCOHOL •  
ISOPROPYL ALCOHOL • TOCOPHEROL •  
VINYL DIMETHICONE/METHICONE  
SILSESQUOXANE CROSSPOLYMER •  
SYNTHETIC FLUOROPHOSPHITE •  
PETROLATUM • POLYSILOXANE-2 •  
TRITHOXYSILYLETHYL  
POLYDIMETHYLSILOXYETHYL  
DIMETHICONE •  
DIPENTAERYTHRITYL  
HEXAHYDROXYSTEARATE •  
THEANINE • SILICA •  
ALUMINUM HYDROXIDE • METHICONE •  
TETRADECENE • METHYL PARABEN •  
ETHYL PARABEN • PHENOXYETHANOL •  
FRAGRANCE • TITANIUM DIOXIDE • MICA •  
IRON OXIDES •

**Other Information**

■ protect this product in this  
container from excessive  
heat and direct sun.

**Questions or  
Comments?**


Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
RADIANT STICK FOUNDATION  
BROAD SPECTRUM  
SPF 17  
SUNSCREEN  
**BEIGE**

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
OCTINOXATE 3.4% .....	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>■ helps prevent sunburn</li> <li>■ if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
For sunscreen use:	
<ul style="list-style-type: none"> <li>■ apply liberally 15 minutes before sun exposure</li> <li>■ use a water resistant sunscreen if swimming or sweating</li> <li>■ reapply at least every 2 hours</li> <li>■ <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>· limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>· wear long-sleeve shirts, pants, hats, and sunglasses</li> </ul> </li> <li>■ children under 6 months: Ask a doctor</li> </ul>	

READ INSERTION.  
SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13283  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

This package is made using bagasse paper (a non-wood paper).


**CLE DE PEAU BEAUTE RADIANT FOUNDATION IVORY**

octinoxate stick

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-284
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	306 mg in 9 g

**Inactive Ingredients**

Ingredient Name	Strength

DIMETHICONE (UNII: 92RU3N3Y1O)
WATER (UNII: 059QF0KO0R)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)
GLYCERIN (UNII: PDC6A3C0OX)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
PARAFFIN (UNII: I9O0E3H2ZE)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
BIARIUM SULFATE (UNII: 25BB7EKE2E)
TREHALOSE (UNII: B8WCK70T7I)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
DIGLYCINE (UNII: 10525P2U0)
PAEONIA SUFFRUTICOSA ROOT (UNII: 7M7E9A2C8J)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4C00W6C5)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
PALMITIC ACID (UNII: 2V16EO95HI)
RICE BRAN (UNII: R60QEP13IC)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
EDETATE TRISODIUM (UNII: 420IP921MB)
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
ALUMINUM OXIDE (UNII: LM26O6933)
BUTYLATED HYDROXYTOLUENE (UNII: IP9D0Z171K)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ALCOHOL (UNII: 3K9958V90M)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NHIUDD2RR)
PETROLATUM (UNII: 4T6H12BN9U)
DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE (UNII: 74J1X57U42)
THEANINE (UNII: 8021PR16QO)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
METHICONE (20 CST) (UNII: 6777U11MKT)
TETRADECENE (UNII: FW23481S7S)
METHYL PARABEN (UNII: A2B8C7H9T)
ETHYL PARABEN (UNII: 14255EXE39)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-284-10	1 in 1 CARTON	02/01/2017	
1		9 g in 1 BOTTLE; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

### CLE DE PEAU BEAUTE RADIANT FOUNDATION OCHER

octinoxate stick

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-285	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	306 mg in 9 g	
Inactive Ingredients				
Ingredient Name			Strength	
DIMETHICONE (UNII: 92RU3N3Y10)				
WATER (UNII: 059QF0KO0R)				
DIPROPYLENE GLYCOL (UNII: E107L85C40)				
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)				
GLYCERIN (UNII: PDC6A3C00X)				
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)				
PARAFFIN (UNII: I9O0E3H2ZE)				
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)				
BARIUM SULFATE (UNII: 25BB7EKE2E)				
TREHALOSE (UNII: B8WCK70T7I)				
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)				
DIGLYCINE (UNII: 10525P22U0)				
PAEONIA SUFFRUTICOSA ROOT (UNII: 7M7E9A2C8J)				
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4C00W6C5)				
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)				
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)				
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)				
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)				
PALMITIC ACID (UNII: 2V16E095HI)				
RICE BRAN (UNII: R60QEP13IC)				
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)				
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)				
EDETATE TRISODIUM (UNII: 420IP921MB)				
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2Y0I)				
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)				
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)				
ALUMINUM OXIDE (UNII: LM26O6933)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
ALCOHOL (UNII: 3K9958V90M)				
ISOPROPYL ALCOHOL (UNII: ND2M416302)				
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)				
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NHIUDD2RR)				
PETROLATUM (UNII: 4T6H12BN9U)				
DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE (UNII: 74J1X57U42)				
THEANINE (UNII: 8021PR16QO)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)				
METHICONE (20 CST) (UNII: 6777U11MKT)				
TETRADECENE (UNII: FW23481S7S)				
METHYLPARABEN (UNII: A2B8C7H9T)				
ETHYLPARABEN (UNII: 14255EXE39)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
MICA (UNII: V8A1AW0880)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
FERROUS FERRIC OXIDE (UNII: XM0M87F357)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:58411-285-10	1 in 1 CARTON	02/01/2017
1		9 g in 1 BOTTLE; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

## CLE DE PEAU BEAUTE RADIANT FOUNDATION MOCHA

octinoxate stick

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-286
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	306 mg in 9 g

### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
GLYCERIN (UNII: PDC6A3C00X)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PARAFFIN (UNII: I9O0E3H2ZE)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TREHALOSE (UNII: B8WCK70T7I)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
DIGLYCINE (UNII: 10525P22U0)	
PAEONIA SUFFRUTICOSA ROOT (UNII: 7M7E9A2C8J)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4C00W6C5)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
PALMITIC ACID (UNII: 2V16E095HI)	
RICE BRAN (UNII: R60QEP13IC)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALCOHOL (UNII: 3K9958V90M)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NHIUDD2RR)	
PETROLATUM (UNII: 4T6H12BN9U)	
DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE (UNII: 74J1X57U42)	
THEANINE (UNII: 8021PR16QO)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
METHICONE (20 CST) (UNII: 6777U11MKT)	

TETRADECENE (UNII: FW23481S7S)
METHYL PARABEN (UNII: A218C7H9T)
ETHYL PARABEN (UNII: 14255EXE39)
PHENOXYETHANOL (UNII: H1E492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-286-10	1 in 1 CARTON	02/01/2017	
1		9 g in 1 BOTTLE; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

### CLE DE PEAU BEAUTE RADIANT FOUNDATION BEIGE

octinoxate stick

#### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-287
Route of Administration	TOPICAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	306 mg in 9 g

#### Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
PARAFFIN (UNII: 19O0E3H2ZE)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TREHALOSE (UNII: B8WCK70T7I)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
DIGLYCINE (UNII: 10525P22U0)	
PAEONIA SUFFRUTICOSA ROOT (UNII: 7M7E9A2C8J)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4C00W6C5)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
PALMITIC ACID (UNII: 2V16EO95H1)	
RICE BRAN (UNII: R60QEP13IC)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2Y0I)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
ALUMINUM OXIDE (UNII: LM26O6933)	

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ALCOHOL (UNII: 3K9958V90M)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NHIUDD2RR)
PETROLATUM (UNII: 4T6H12BN9U)
DIPENTAERYTHRITYL HEXAHYDROXYSTEARATE (UNII: 74J1X57U42)
THEANINE (UNII: 8021PR16QO)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
METHICONE (20 CST) (UNII: 6777U11MKT)
TETRADECENE (UNII: FW23481S7S)
METHYL PARABEN (UNII: A2B8C7HI9T)
ETHYL PARABEN (UNII: I4255EXE39)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MICA (UNII: V8A1AW0880)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-287-10	1 in 1 CARTON	02/01/2017	
1		9 g in 1 BOTTLE; Type 0: Not a Combination Product		

#### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/01/2017	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

#### Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-284, 58411-285, 58411-286, 58411-287) , analysis(58411-284, 58411-285, 58411-286, 58411-287)

Revised: 12/2018

SHISEIDO AMERICAS CORPORATION