

**ZANTAC 75- ranitidine tablet, coated**  
**Carilion Materials Management**

-----  
**Zantac 75<sup>®</sup> Drug Facts**

***Drug Facts***

---

<b><i>Active ingredient (in each tablet)</i></b>	<b><i>Purpose</i></b>
Ranitidine 75 mg (as ranitidine hydrochloride 84 mg) .....	Acid reducer
.....	

---

***Uses***

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

***Warnings***

**Allergy alert:** Do not use if you are allergic to ranitidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water
  - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
  - do not chew tablet
- children under 12 years: ask a doctor

### ***Other information***

- do not use if printed foil under bottle cap is open or torn (bottles)
- do not use if individual blister unit is open or torn (blisters)
- do not use if individual foil packet is open or torn (pouch)
- store at 20-25°C (68-77°F)
- avoid excessive heat or humidity
- this product is sodium and sugar free

### ***Inactive ingredients***

hypromellose, magnesium stearate, microcrystalline cellulose, iron oxide, titanium dioxide, triacetin

### ***Questions?***

call **1-888-285-9159** (English/Spanish) M – F, 8:30 – 5 EST, or visit **www.zantacotc.com**

**Read the directions, consumer information leaflet and warnings before use. Keep the carton. It contains important information.**

Distributed by: Boehringer Ingelheim (BI) Consumer Health Care Products  
Division of BI Pharmaceuticals, Inc., Ridgefield, CT 06877  
© 2016, BI Pharmaceuticals, Inc. All rights reserved.  
Product of Spain. Manufactured in Mexico.

### **HOW SUPPLIED**

Product: 68151-2584

NDC: 68151-2584-0 1 TABLET, COATED in a PACKAGE

### **Ranitidine HCL 75 mg tabs**



# ZANTAC 75

ranitidine tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68151-2584(NDC:0597-0122)
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7)	RANITIDINE	75 mg

## Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
magnesium stearate (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
ferric oxide red (UNII: 1K09F3G675)	
titanium dioxide (UNII: 15FIX9V2JP)	
triacetin (UNII: XHX3C3X673)	

## Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	PENTAGON (5 sided)	<b>Size</b>	3mm
<b>Flavor</b>		<b>Imprint Code</b>	Z;75
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68151-2584-0	1 in 1 PACKAGE; Type 0: Not a Combination Product	12/21/2006	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA020520	12/21/2006	

**Labeler** - Carilion Materials Management (079239644)

## Establishment

Name	Address	ID/FEI	Business Operations
Carilion Materials Management		079239644	REPACK(68151-2584)

