ECO WHITENING - hydrogen peroxide gel JN Pharm

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Drug Facts

Hydrogen Peroxide

Polyvinylpyrrolidone, Ethanol, Glycerin, Dipotassium Glycyrrhizate, Polyoxyethylene Hydrogenated Castor Oil, Methylparaben, sodium Saccharin, Mentha oil, Purified water

teeth whitening

keep out or reach of the children

- -After getting rid of excess moisture on your teeth, apply a suitable amount of gel onto your teeth.
- -Do not close your mouth until the gel is completely dried. (It takes about $30\sim60$ sec until it is evaporated).
- -Rinse out with water after 30 minutes.
- -Twice a day(in the morning and the evening), do the followings for two weeks
- *Be careful if you are with these troubles below.
- -Allergic to hydrogen peroxide
- -Infection in the mouth, damages on your teeth, gum diseases
- -Teeth Calibration in progress
- *Specific Caution:
- -If you have a toothache, reduce the usage to once a day. If your toothache lasts longer, stop using it for 2~3 days and start using it again.
- -If gum diseases or intraoral troubles, stop using it.
- -If you have a toothache continuously, then go to see a dentist.
- -Use the appropriate amount of the product.
- -Do not swallow.
- -In case of accidental ingestion, seek professional assistance.
- -When pregnant or lactating women use the product, check with a doctor before using it.
- -In case of the usage by kids under 12 years of age, seek for professional assistance first.
- -While the gel is applied onto your teeth, do not eat, drink, smoke, or wash your face.
- Be careful not to make clothes to be stained with the gel.

dental use only

ECO WHITENING

hydrogen peroxide gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62040-1001

Route of Administration DENTAL

Active Ingredient/Active Moiety

Active ingredictionative windery			
Ingredient Name	Basis of Strength	Strength	
	HYDRO GEN PERO XIDE	8.57 g in 100 mL	

Inactive Ingredients Ingredient Name Strength WATER (UNII: 059QF0KO0R) GLYCERIN (UNII: PDC6A3C0OX)

GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)

Packaging

_	i uchuging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62040-1001-2	3 in 1 PACKAGE		
1	NDC:62040-1001-1	2 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		02/08/2014	

Labeler - JN Pharm (689048618)

Registrant - JN Pharm (689048618)

Establishment				
Name	Address	ID/FEI	Business Operations	
JN Pharm		689048618	manufacture(62040-1001)	

Revised: 2/2014 JN Pharm