SUN-KISSED SUNCREAM- octinoxate, octisalate, zinc oxide cream LEE & GEN GLOBAL CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

78493-001 Sun-Kissed Suncream

OCTINOXATE 7.5% OCTISALATE 3.0% ZINC OXIDE 8.0%

Sunscreen

Helps prevent sunburn

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating, immediately after towel drying, at least every 2 hours.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove. Stop using and ask a doctor if rash occurs.

Keep out of reach of the children. If product is swallowed, get medical help or contact a poison control center right away.

Water, Cyclopentasiloxane, Ethylhexyl Isononanoate, Butylene Glycol, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Dimethicone, Phenoxyethanol, Sodium Chloride, Triethoxycaprylylsilane, Dimethicone/PEG-10/15 Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Iodopropynyl Butylcarbamate, Ascorbyl Palmitate, BHT, Retinyl Palmitate, Dipropylene Glycol, Zea Mays (Corn) Oil, Tocopherol

Protect the product in this container from excessive heat and direct sunlight



HYDRATING + SOFTNESS NO WHITE CAST

A fast-absorbing, lightweight sun cream. Creates a powerful shield to protect skin from the sun. Helps keep your skin smooth, soft, and healthy without leaving a white cast.

Drug Facts

Active Ingredients Purpose

Uses

· helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove Stop use and ask a doctor if rash occurs Keep out of reach of children. If

swallowed, get medical help or contact a Poison Control Center right away

Directions

- apply liberally 15 minutes before sun
- exposure
 reapply:
 after 80 minutes of swimming or
- sweating
 immediately after towel drying
- immediately after towel drying
 at least every 2 hours
 Sun Protection Measures. Spending
 time in the sun increases your risk of
 skin cancer and early skin aging. To
 decrease this risk, regularly use a
 sunscreen with a Broad Spectrum
 SPF value of 15 or higher and other
 sun protection measures including:
 Ilmit time in the sun, especially from
 10 a.m. 2 p.m.
 wear long-sleeved shirts, pants, hats,
 and sunglasses
 children under 6 months of age: Ask

- children under 6 months of age: Ask

Other information

protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Inactive Ingredients
Water, Cyclopentasiloxane, Ethylhexyl
Isononanoate, Butylene Glycol, Lauryl
PEG-9 Polydimethylsiloxyethyl Dimethi-cone, Dimethicone, Plenonsyethanol,
Sodium Chloride, Triethoxycaprylysi-lane, Dimethicone/PEG-10/15 Crosspo-lymer, Dimethicone/Vinyl Dimethicone
Crosspolymer, Iodopropynyl Butylcar-barnate, Ascorbyl Palmitate, BHT,
Retinyl Palmitate, Dipropylene Glycol,
Zea Mays (Corn) Oil, Tocopherol

Distributed by I-World Co. Cerritos, CA 90703, USA www.iworldus.com



Made in USA with thoughtfully sourced global ingredients and materials.





SUNSCREEN **BROAD SPECTRUM SPF 40** WATER RESISTANT (80 MINUTES)

FOR FACE

Skin that fits YOU

88.7 ml / 3.0 oz





PHTHALATES FREE









The "F" and "FILA" trademarks are registered trademarks of FILA Luxembourg Sårl used herein under license.



SUN-KISSED SUNCREAM

octinoxate, octisalate, zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78493-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	8 g in 100 mL	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
ETHYLHEXYL ISONONANOATE (UNII: 16KB4GE3K4)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNQ)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
CORN OIL (UNII: 8470G57WFM)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78493-001- 02	1 in 1 CARTON	05/04/2022	
1	NDC:78493-001- 01	88.7 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	05/04/2022	

Labeler - LEE & GEN GLOBAL CORPORATION (038129947)

Registrant - LEE & GEN GLOBAL CORPORATION (038129947)

Establishment				
Name	Address	ID/FEI	Business Operations	
Swiss-American CDMO, LLC		080170933	manufacture(78493-001)	

Revised: 5/2022 LEE & GEN GLOBAL CORPORATION