

**TOPCARE CHILDRENS ALLERGY- diphenhydramine hydrochloride solution**  
**Topco Associates LLC**

-----  
**Topco Associates LLC. Children's Allergy Liquid Drug Facts**

**Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itching of the nose or throat
  - runny nose
  - itchy, watery eyes

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

**Attention:** use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

## Other information

- **each 5 mL contains:** sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- **do not use if printed neckband is broken or missing**

## Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

## Questions or comments?

**1-888-423-0139**

## Principal Display Panel

TopCare® health

COMPARE TO CHILDREN'S BENADRYL® ALLERGY LIQUID ACTIVE INGREDIENT

children's Allergy Liquid

ANTIHISTAMINE

DIPHENHYDRAMINE HCl

12.5 mg/5 mL ORAL SOLUTION

4-6 HOURS/DOSE

RELIEF OF:

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat or Nose

Alcohol Free

Ages 6 to 11 Years

CHERRY FLAVOR

4 FL OZ (118 mL)



## TOPCARE CHILDRENS ALLERGY

diphenhydramine hydrochloride solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-379
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)				
SORBITOL SOLUTION (UNII: 8KW3E207O2)				
GLYCERIN (UNII: PDC6A3C0OX)				
Product Characteristics				
Color	RED (Bluish-Red)	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-379-26	1 in 1 CARTON	12/15/1987	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:36800-379-34	1 in 1 CARTON	11/18/2003	
2		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	12/15/1987		

**Labeler** - Topco Associates LLC (006935977)