

REFRESH RELIEVA- carboxymethylcellulose sodium, glycerin solution/ drops
Allergan, Inc.

REFRESH RELIEVA®
Drug Facts

Active ingredients

Carboxymethylcellulose sodium 0.5%

Glycerin 0.9%

Purpose

Eye lubricant

Eye lubricant

Uses

- For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun.
- May be used as a protectant against further irritation.

Warnings

- **For external use only.**
- **To avoid contamination, do not touch tip of container to any surface.**
Replace cap after using.
- **If solution changes color, do not use.**

Stop use and ask a doctor if

you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Instill 1 or 2 drops in the affected eye(s) as needed.

Other information

- Use only if tape seals on top and bottom flaps are intact.
- Use before expiration date marked on container.
- Discard 90 days after opening.

- Store at 59°-77°F (15°-25°C).
- RETAIN THIS CARTON FOR FUTURE REFERENCE.

Inactive ingredients

Boric acid; calcium chloride dihydrate; erythritol; magnesium chloride hexahydrate; potassium chloride; purified water; PURITE® (stabilized oxychloro complex); sodium borate decahydrate; sodium citrate dihydrate; and sodium hyaluronate. May contain hydrochloric acid and/or sodium hydroxide (to adjust pH).

Questions or comments?

1.800.678.1605

refreshbrand.com

v1.0DFL6630

PRINCIPAL DISPLAY PANEL

NDC 0023-6630-10

Refresh®

RELIEVA®

Lubricates and

Protects

0.33 fl oz (10 mL) Sterile



REFRESH RELIEVA

carboxymethylcellulose sodium, glycerin solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0023-6630
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) (CARBOXYMETHYLCELLULOSE - UNII:05JZI7B19X)	CARBOXYMETHYLCELLULOSE SODIUM	5 mg in 1 mL
GLYCERIN (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X)	GLYCERIN	9 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)	
ERYTHRITOL (UNII: RA96B954X6)	
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)	
POTASSIUM CHLORIDE (UNII: 660YQ98I10)	
WATER (UNII: 059QF0KO0R)	
SODIUM CHLORITE (UNII: G538EBV4VF)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
HYDROCHLORIC ACID (UNII: QTT17582CB)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0023-6630-10	1 in 1 CARTON	07/22/2019	
1		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:0023-6630-03	1 in 1 CARTON	07/22/2019	
2		3 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	07/22/2019	

Labeler - Allergan, Inc. (144796497)

Revised: 12/2022

Allergan, Inc.