NEUTROGENA BEACH DEFENSE WATER PLUS SUN PROTECTION SUNSCREEN BROAD SPECTRUM SPF 30- avobenzone, homosalate, octisalate, and octocrylene spray Johnson & Johnson Consumer Inc.

Neutrogena $^{\text{@}}$ Beach Defense $^{\text{@}}$ water + sun protection sunscreen spray BROAD SPECTRUM SPF30

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 8%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product
- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it
- Stop use and ask a doctor if rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away
- Danger: Flammable. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions
- use in a well-ventilated area

- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate

Questions or Comments?

Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 240 g Can Label

VALUE SIZE

30% MORE ★

Neutrogena ®

DERMATOLOGIST RECOMMENDED BRAND

Beach

Defense ®

water + sun

protection

sunscreen spray

BROAD SPECTRUM SPF 30

helioplex ®

broad spectrum uva•uvb

oxybenzone free water resistant (80 minutes) NET WT. 8.5 OZ. (240 g)



Neutrogena[®]

Beach-strength uva/uvb sun protection



DERMATOLOGIST RECOMMENDED BRAND

Beach Defense*

water+sun protection

sunscreen spray

BROAD SPECTRUM SPF 30

helioplex®

broad spectrum uva•uvb

oxybenzone free water resistant (80 minutes)

NET WT. 8.5 OZ. (240 g)

Drug Facts

Active ingredients

Avobenzone (3%), Homosalate (8%), Octisalate (5%), Octocrylene (8%)

Purpose

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

■ For external use only ■ Do not use on damaged or broken skin
■ When using this product ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it ■ Stop use and ask a doctor if rash occurs = Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away = Danger: Flammable. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed, Intentional misuse by deliberately consequence of incinerate to so he beared or state. concentrating and inhaling the contents can be harmful or fatal.

Directions ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4-6 inches from the skin to apply. Rub in. ■ do not spray directly into face. Spray on hands and then apply to face. Rub in. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after lowel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Brand Spectrum SPE value of 15 pr. hipher and use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats and sunglasses
 children under 6 months of age: Ask a doctor

Other information • protect this product from excessive heat and direct sun ■ may stain

Inactive ingredients Alcohol Denat., Isobutane, Dicaprylyl Carbonate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance,

Questions or Comments? Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com

JOHNSON & JOHNSON CONSUMER INC. ©J&JCI 2022 Pat. www.jjcipats.com DOT 2Q M5706



680

avobenzone, homosalate, octisalate, and octocrylene spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0561
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	80 mg in 1 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
ALCOHOL (UNII: 3K9958V90M)		
ISOBUTANE (UNII: BXR49TP611)		
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)		
POLYESTER-7 (UNII: 0841698D2F)		
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)		
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968- 0561-9	240 g in 1 CAN; Type 0: Not a Combination Product	09/01/2019	
2	NDC:69968- 0561-7	184 g in 1 CAN; Type 0: Not a Combination Product	09/01/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/01/2019	

Labeler - Johnson & Johnson Consumer Inc. (118772437)