NEONATAL COMPLETE- vitamin c, calcium, iron, vitamin d3, vitamin e, thiamin, riboflavin, niacinamide, vitamin b6, folic acid, iodine, zinc, copper, docusate sodium tablet SLV PHARMACEUTICALS LLC DBA AUM PHARMACEUTICALS

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

NEONATAL COMPLETE

WARNING: Accidental overdose of **iron-containing** products is a leading cause of fatal poisoning in children under 6. KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

DESCRIPTION

Each tablet contains:	
VITAMIN A (AS BETA CAROTENE)	1200 MCG
VITAMIN C (ASCORBIC ACID)	120 MG
VITAMIN D3 (AS CHOLECALCIFEROL)	25 MCG
VITAMIN E (AS DL-ALPHA TOCOPHEROL ACETATE)	18.4 MG
VITAMIN B1 (AS THIAMINE MONONITRATE)	3 MG
VITAMIN B2 (AS RIBOFLAVIN)	3 MG
VITAMIN B3 (AS NIACINAMIDE)	20 MG
VITAMIN B6 (AS PYRIDOXINE HCL)	3 MG
FOLIC ACID	1000 MCG
VITAMIN B12 (AS CYANOCOBALAMIN)	8 MCG
CALCIUM (AS CALCIUM CARBONATE)	200 MG
IRON (AS FERROUS FUMARATE)	29 MG
ZINC (AS ZINC OXIDE)	15 MG
COPPER (AS CUPRIX OXIDE)	3 MG
BIOTIN	30 MCG
PANTOTHENIC ACID (AS CALCIUM-D- PANTOTHENATE	7 MG
MAGNESIUM (AS MAGNESIUM OXIDE)	100 MG
IODINE (AS POTASSIUM IODIDE)	150 MCG

Other Ingredients: microcrystalline cellulose, stearic acid, croscarmellose sodium, silicon dioxide, magnesium stearate, HPMC E15, HPMC E5/E6,titanium dioxide, PEG-8000, Talc.

INDICATIONS

NEONATAL Complete is a multi-vitamin/mineral prescription drug indicated for use in improving the nutritional status of women prior to conception, throughout pregnancy, and in the postnatal period for both lactating and nonlactating mothers.

CONTRAINDICATIONS

This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING

Ingestion of more than 3 grams of omega-3 fatty acids per day has been shown to have potential antithrombotic effects, including an increased bleeding time and INR. Administration of omega-3 fatty acids should be avoided in patients on anticoagulants and in those known to have an inherited or acquired bleeding diathesis.

WARNING: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B ₁₂ is deficient.

PRECAUTIONS

Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

ADVERSE REACTIONS

Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION

One tablet and one capsule daily or as directed by a physician.

STORAGE

Store at 15°C to 30°C (69°F to 86°F). [See USP Controlled Room Temperature]. Protect from light and moisture. Dispense in a tight, light-resistant container.

NOTICE: Contact with moisture may produce surface discoloration or erosion of tablet.

HOW SUPPLIED

100 Prenatal Vitamin Tablets - NDC 73317-8286-1.

To report a serious adverse event or obtain product information, call 1-866-760-6565.


Please consult your health care provider with any dietary concerns.

Call your licensed medical practitioner about side effect.

Manufactured for and Distributed by:

AUM Pharmaceuticals Hauppauge, NY 11788.

Made in USA



Each prenatal tablet contains the following ingredients for nutritional supplement

Vitamin A (As Beta Carotene)		1200	MCG
Vitamin C (Ascorbic Acid)		1.20	MG
Vitamin D3 (As Cholecaldferol)		25	MCG
Vitamin E (As DI-Alphe Tocopheryl Acetate)		18.4	MG
Vitamin B1 (As Thiamine Mononitrate)		3	MG
Vitamin B2 (Riboflavin)		3	MG
Vitamin B3 (As Niednemide)	-	20	MG
Vitamin B6 (As Pyridoxine Hd)		3	MG
Folic Acid		1,000	MCG
Vitamin 812 (As Cyanocobalamin) On DCP	-	8	MCG
Calcium (As Calcium Carbonata)	-	200	MG
Iron (As Ferrous Furnarete)		29	MG
Zinc (As Zinc Oxide)		15	MG
Copper (As Cupric Oxide)		3	MG
Biotin		30	MCG
Pantothenic Acid (As Calcium-D-Pantotheni	te)	7	MG
Magnesium Oxide (As Magnesium Oxide)		100	MG
lodine (As Potassium Iodide)	-	150	MCG

alm.

OTHER INGREDIENTS
MICROCRYSTALLINE CELLULOSE, STEARIC ACID, MAGNESIUM STEARATE,
CROSCARMELLOSE SODIUM, SILICON DIOXIDE,
HPMC E15, HPMC E5/E6, PEG. 8000, TALC

NEONATAL COMPLETE

vitamin c, calcium, iron, vitamin d3, vitamin e, thiamin, riboflavin, niacinamide, vitamin b6, folic acid, iodine, zinc, copper, docusate sodium tablet

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:73317-8286
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BETA CARO TENE (UNII: 01YAE03M7J) (.BETACARO TENE - UNII:01YAE03M7J)	BETA CAROTENE	1200 ug
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	120 mg
CHOLECALCIFEROL (UNII: 1C6 V77QF41) (CHOLECALCIFEROL - UNII:1C6 V77QF41)	CHOLECALCIFEROL	25 ug
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8) (.ALPHATOCOPHEROL, DL UNII:7QWA1RIO01)	.ALPHATOCOPHEROL, DL-	18.4 mg
THIAMINE MO NO NITRATE (UNII: 8 K0 I0 49 19 X) (THIAMINE ION - UNII:4ABT0 J9 45J)	THIAMINE	3 mg
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	3 mg
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	20 mg
PYRIDO XINE HYDRO CHLO RIDE (UNII: 68 Y4CF58 BV) (PYRIDO XINE - UNII: KV2JZ1BI6Z)	PYRIDO XINE HYDRO CHLO RIDE	3 mg
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	1000 ug
CYANO COBALAMIN (UNII: P6 YC3EG204) (CYANOCOBALAMIN - UNII:P6 YC3EG204)	CYANOCOBALAMIN	8 ug
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	200 mg
FERROUS FUMARATE (UNII: R5L488RY0Q) (FERROUS CATION - UNII:GW895810WR)	FERROUS CATION	29 mg
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	15 mg
CUPRIC OXIDE (UNII: V1XJQ704R4) (CUPRIC CATION - UNII:8CBV67279L)	CUPRIC CATION	3 mg
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	30 ug
CALCIUM PANTO THENATE (UNII: 568ET80C3D) (PANTO THENIC ACID - UNII: 19 F5HK2737)	PANTOTHENIC ACID	7 mg
MAGNESIUM O XIDE (UNII: 3A3U0 GI71G) (MAGNESIUM CATION - UNII:T6 V3LHY838)	MAGNESIUM CATION	100 mg
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	150 ug

Inactive Ingredients		
Ingredient Name	Strength	
MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
POLYETHYLENE GLYCOL 8000 (UNII: Q662QK8M3B)		
TALC (UNII: 7SEV7J4R1U)		

Product Characteristics				
Color	white	Score	no score	
Shape	CAPSULE	Size	6mm	
Flavor		Imprint Code		
Contains				

ı	Pac	ckaging			
l	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 N	DC:73317-8286-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	09/15/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/15/2020		

Labeler - SLV PHARMACEUTICALS LLC DBA AUM PHARMACEUTICALS (081225162)

Registrant - SLV PHARMACEUTICALS LLC DBA AUM PHARMACEUTICALS (081225162)

Establishment			
Name	Address	ID/FEI	Business Operations
SLV PHARMACEUTICALS LLC DBA AUM PHARMACEUTICALS		081225162	manufacture(73317-8286)

Revised: 9/2020 SLV PHARMACEUTICALS LLC DBA AUM PHARMACEUTICALS