

**PLUSPHARMA EXTRA STRENGTH PAIN RELIEVER, FEVER REDUCER 500 MG-  
acetaminophen tablet  
NuCare Pharmaceuticals, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Acetaminophen 500 mg

**Purposes**

Pain reliever/fever reducer

**Uses**

- for the temporary relief of minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
  - temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000 mg) in 24 hours. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Do not use**

- with any other drug containing acetaminophen (prescription or non prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease.

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

pain gets worse or lasts more than 10 days

fever gets worse or lasts more than 3 days

new symptoms occur

redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose Warning:** Taking more than the recommended dose (overdose) may cause liver damage. In the case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

**Do not take more than directed (see overdose warning)**

**Adults and children 12 years and over:**

- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor.

**Children under 12 years:** ask a doctor.

**Other information**

- **Do not use if imprinted safety seal under cap is broken or missing**
- Store at room temperature


**Inactive ingredients**

Povidone, Pregelatinized Starch, Sodium Starch Glycolate, Stearic Acid.

**Questions?**

If you have any questions or comments, or to report an adverse event, please contact (800) 795-9775.

# Principal Display Panel


NuCare Pharmaceuticals, Inc.

NDC: 68071-4423-3

## Acetaminophen 500mg #30 Tablets

Each tablet contains Acetaminophen 500mg Pain reliever/fever reducer  
Warnings: Liver Warning: This product contains acetaminophen. The maximum daily dose of this product is 6 tablets (3,000mg) in 24 hours. Severe liver damage may occur if you take, more than 4,000mg of acetaminophen in 24 hours, with other drugs containing acetaminophen, 3 or more alcoholic drinks every day while using this product. Do not use, with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist, if you are allergic to acetaminophen or any of the inactive ingredients in this product. Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin. Round White Scored Tablet  
Debossed: "GPI A5" on the scored side.

Product #: P0005030

**Acetaminophen 500mg**  
Lot: 000000 NDC: 68071-4423-03  
MFR NDC: 51645-706-10 Exp.: 00-00

---

**Acetaminophen 500mg**  
Lot: 000000 NDC: 68071-4423-03  
MFR NDC: 51645-706-10 Exp.: 00-00

GTIN 00368071442335  
Serial# 00000000002  
Exp. Date 00-00  
LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Packaged By: NuCare Pharmaceuticals, Inc. Orange, CA 92867

Distributed by: Plus Pharma Commack, NY 11725

Take \_\_\_\_\_ times a day, every \_\_\_\_\_ hours

Patient Instructions

Rev 01/01/19

WARNING: KEEP OUT OF REACH OF CHILDREN

STORE AT CONTROLLED TEMPERATURE 59-86°F.

PLUSPHARMA EXTRA STRENGTH PAIN RELIEVER, FEVER REDUCER 500 MG			
acetaminophen tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-4423(NDC:51645-706)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg	
Inactive Ingredients			
Ingredient Name	Strength		
POVIDONE (UNII: FZ989GH94E)			
STARCH, CORN (UNII: O8232NY3SJ)			
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
Product Characteristics			
Color	white	Score	2 pieces
Shape	ROUND (round flat faced beveled edge)	Size	12mm
Flavor		Imprint Code	GPI;A5
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-4423-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	05/09/2018	
2	NDC:68071-4423-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	05/09/2018	
3	NDC:68071-4423-9	90 in 1 BOTTLE; Type 0: Not a Combination Product	05/09/2018	
4	NDC:68071-4423-5	45 in 1 BOTTLE; Type 0: Not a Combination Product	05/09/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	03/27/2006	

**Labeler** - NuCare Pharmaceuticals, Inc. (010632300)

## Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	repack(68071-4423)

Revised: 4/2022

NuCare Pharmaceuticals, Inc.