

**GERI-DRYL- diphenhydramine hydrochloride liquid**  
**GERI-CARE PHARMACEUTICALS, CORP**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**GC 780-16**

***Drug Facts***

**Active ingredient (in each 5 mL teaspoonful)**

Diphenhydramine HCl, 12.5 mg.

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if you have**

- a breathing problem or chronic cough that lasts, such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- a sodium restricted diet
- trouble urinating due to enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take every 4 to 6 hours as needed, or as directed by a doctor
- do not take more than 6 doses in 24 hours
- do not exceed recommended dose
- adults and children 12 years and over: 10-20 mL (2 to 4 teaspoonsful)
- children under 12 years: consult a doctor

**Other information**

- each 5 mL teaspoonful contains: sodium 16 mg
- store at room temperature 15°C-30°C (59°F-86°F)
- do not freeze
- protect from light

**Inactive ingredients**

citric acid, D & C Red #33, FD & C Red #40, flavor, sodium benzoate, sodium citrate, sodium saccharin, sorbitol, sucrose, water.

**PRINCIPAL DISPLAY PANEL**

NDC 57896-780-16

**GERI CARE**

**GERI-DRYL**

**Liquid Allergy Relief  
Antihistamine**

**Diphenhydramine HCl 12.5 mg / 5 mL**

Compare to the active ingredient in  
Benadryl® Allergy Liquid \*

**Relieves:**

- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Runny Nose
- ✓ Itchy Throat

**PACKAGE NOT CHILD RESISTANT  
This Package is Not for Households  
With Young Children**

**Alcohol Free**

**TAMPER EVIDENT:** Do not use if breakaway  
band on cap is broken or missing.

**16 FL OZ (473 mL)**

**Drug Facts**

Active ingredient (in each 5 mL teaspoonful)	Purpose
Diphenhydramine HCl 12.5mg.....	Antihistamine

**Uses** • temporarily relieves these symptoms of hayfever or other upper respiratory allergies: • runny nose • itchy nose or throat • sneezing • itchy, watery eyes

**Warnings**

**Do not use** • with any other product containing diphenhydramine, including one used on the skin • to make a child sleepy

**Ask a doctor before use if you have** • a breathing problem or chronic cough that lasts, such as occurs with smoking, asthma, chronic bronchitis, or emphysema • a sodium restricted diet • trouble urinating due to enlarged prostate gland • glaucoma

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product** • excitability may occur, especially in children • marked drowsiness may occur • be careful when driving a motor vehicle or operating machinery • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** • take every 4 to 6 hours as needed, or as directed by a doctor • do not take more than 6 doses in 24 hours • do not exceed recommended dose • adults and children 12 years and over: 10-20 mL (2 to 4 teaspoonsful) • children under 12 years: consult a doctor

**Other information**

- each 5 mL teaspoonful contains: sodium 16 mg
- store at room temperature 15°C-30°C (59°F-86°F)
- do not freeze • protect from light

**Inactive ingredients** citric acid, D&C Red #33, FD&C Red #40, flavor, sodium benzoate, sodium citrate, sodium saccharin, sorbitol, sucrose, water.

Dist. by: GERI-CARE Pharmaceutical Corp.  
1650 63rd Street, Brooklyn, NY 11204

REV 0816



**GERI-DRYL**

diphenhydramine hydrochloride liquid

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-780
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE	DIPHENHYDRAMINE	12.5 mg

- UNII:8GTS82S83M)	HYDROCHLORIDE	in 5 mL
--------------------	---------------	---------

### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0K00R)	

### Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-780-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2016	07/31/2020

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/01/2016	07/31/2020

**Labeler** - GERI-CARE PHARMACEUTICALS, CORP (611196254)

**Registrant** - GERI-CARE PHARMACEUTICALS, CORP (611196254)