

**OXYGEN- oxygen gas**  
**OXYGEN- oxygen gas**  
**I.D.M. Medical Supply Company Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Oxygen Compressed USP**

OXYGEN COMPRESSED USP UN1072 OXYGEN-2

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION.

WARNING: HIGH PRESSURE GAS VIGOROUSLY ACCELERATES COMBUSTION. KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. STORE AND USE WITH ADEQUATE VENTILATION. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. CYLINDER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS) CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.



**Oxygen Refrigerated Liquid USP**

OXYGEN REFRIGERATED LIQUID USP UN1073 CONTENTS \_\_\_\_\_ LITERS ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS. EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY

ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. KEEP OIL, GREASE AND COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. STORE AND USE WITH ADEQUATE VENTILATION. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. FOR LIQUID WITHDRAWAL, WEAR FACE SHIELD AND GLOVES. DO NOT DROP. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. AVOID SPILLS. DO NOT WALK OR ROLL EQUIPMENT OVER SPILLS. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52C (125 F) CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. USE A BACK FLOW PREVENTATIVE DEVICE IN THE PIPING. USE IN ACCORDANCE WITH THE MATERIAL SAFETY DATA SHEET (MSDS)

FIRST AID: IN CASE OF FROSTBITE OBTAIN MEDICAL TREATMENT IMMEDIATELY.

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT. PRODUCED BY AIR LIQUEFACTION. DO NOT REMOVE THIS PRODUCT LABEL.

# OXYGEN, REFRIGERATED LIQUID

**USP  
UN1073**



**CONTENTS:** \_\_\_\_\_ **LITERS**

**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑**

**△ WARNING:** EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION.

COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away.

Use only with equipment cleaned for oxygen service.

Store and use with adequate ventilation.

Do not get liquid in eyes, on skin or clothing.

For liquid withdrawal, wear face shield and gloves.

Do not drop. Use hand truck for container movement.

Avoid spills. Do not walk on or roll equipment over spills.

Container temperature should not exceed 52°C (125°F).

Close valve after each use and when empty.

Use in accordance with the Material Safety Data Sheet (MSDS).

**△ FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately.

**△ WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **R<sub>x</sub> Only.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

**DO NOT REMOVE THIS PRODUCT LABEL.**

CAS NO: 7782-44-7

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:49944-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49944-001-01	103 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	
2	NDC:49944-001-02	150 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	
3	NDC:49944-001-03	255 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	
4	NDC:49944-001-04	426 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	
5	NDC:49944-001-05	671 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	
6	NDC:49944-001-06	3462 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	
7	NDC:49944-001-07	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	
8	NDC:49944-001-08	9310 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1983	

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:49944-010	
<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)		OXYGEN	99 L in 100 L	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:49944-010-01	160 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1983	
2	NDC:49944-010-02	180 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1983	
3	NDC:49944-010-03	169 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1983	
4	NDC:49944-010-04	181 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1983	
5	NDC:49944-010-05	183 L in 1 DEWAR; Type 0: Not a Combination Product	01/01/1983	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
unapproved medical gas		01/01/1983		

**Labeler** - I.D.M. Medical Supply Company Inc. (117325266)

**Registrant** - I.D.M. Medical Supply Company Inc. (117325266)

### Establishment

Name	Address	ID/FEI	Business Operations
I.D.M. Medical Supply Company Inc.		117325266	manufacture(49944-001, 49944-010)

Revised: 12/2025

I.D.M. Medical Supply Company Inc.