

**MICONAZOLE NITRATE- antifungal miconazole liquid continuous spray aerosol, spray**

**Meijer Distribution Inc**

-----

**Meijer Antifungal Miconazole Liquid Continuous Spray**

***Active ingredient***

Miconazole nitrate 2%

***Purpose***

Antifungal

***Uses***

- cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- relieves itching, burning and scaling

***Warnings***

**For external use only.**

**Extremely flammable:**

Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**When using this product**

- avoid contact with the eyes or mouth
- use only as directed

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks for athlete's foot and ringworm, and 2 weeks for jock itch

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and

night) or as directed by a doctor

- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, consult a doctor
- this product is not effective on the scalp or nails

### ***Other information***

store between 20° and 30°C (68°F and 86°F)

### ***Inactive ingredients***

acetone, ethoxydiglycol, propylene glycol, SD alcohol 40-B (74%w/w), tocopheryl acetate

### ***Questions?***

**Call 1-866-964-0939**

### **Principal Display Panel**

meijer

MEDICATED

athlete's foot

Miconazole Nitrate | Antifungal

Liquid Spray

CONTINUOUS

Cures most athlete's foot

Relieves itching, scaling & burning

NET WT 5.3 OZ (150 g)

NDC 41250-098-53

Compare to Lotrimin® AF  
Athlete's Foot Liquid Spray  
active ingredient\*

## MEDICATED athlete's foot

Miconazole Nitrate | Antifungal

### Liquid Spray

CONTINUOUS

Cures most athlete's foot  
Relieves itching, scaling  
& burning

NET WT 5.3 OZ (150 g)

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Lotrimin®.

| Drug Facts  |                |
|---|----------------|
| <b>Active ingredient</b>  | <b>Purpose</b> |
| Miconazole nitrate 2%.....  | Antifungal     |
| <b>Uses</b>   |                |
| <ul style="list-style-type: none"> <li>■ cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)</li> <li>■ relieves itching, burning and scaling</li> </ul>  |                |
| <b>Warnings</b>   |                |
| For external use only.  |                |
| <b>Extremely flammable:</b> Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.  |                |
| Do not use on children under 2 years of age unless directed by a doctor.  |                |
| When using this product ■ avoid contact with the eyes or mouth<br>■ use only as directed  |                |
| Stop use and ask a doctor if ■ irritation occurs ■ no improvement within 4 weeks for athlete's foot and ringworm, and 2 weeks for jock itch   |                |
| <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.   |                |
| <b>Directions</b>   |                |
| <ul style="list-style-type: none"> <li>■ wash affected area and dry thoroughly</li> <li>■ shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor</li> <li>■ supervise children in the use of this product</li> <li>■ for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily</li> <li>■ for athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks</li> <li>■ if condition persists longer, consult a doctor</li> <li>■ this product is not effective on the scalp or nails</li> </ul> |                |
| <b>Other information</b>  |                |
| ■ store between 20° and 30°C (68° and 86°F)   |                |
| <b>Inactive ingredients</b> acetone, ethoxycyglycol, propylene glycol, SD alcohol 40-B (74% w/w), tocopheryl acetate  |                |
| <b>Questions? Call 1-866-964-0939</b>   |                |

DIST. BY MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com  
MADE IN USA WITH U.S.  
AND IMPORTED PARTS

7 13733 21539 8

PID 2871389

50-069ME-01

## MICONAZOLE NITRATE

antifungal miconazole liquid continuous spray aerosol, spray

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:41250-098 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength  | Strength     |
|---|--------------------|--------------|
| MICONAZOLE NITRATE (UNII: VW4H1CYW1K) (MICONAZOLE - UNII: 7NNO0D7S5M) | MICONAZOLE NITRATE | 3 g in 150 g |

### Inactive Ingredients

| Ingredient Name                                     | Strength |
|---|----------|
| ACETONE (UNII: 1364PS73AF)                          |          |
| DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A18X02B) |          |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3)                 |          |
| ALCOHOL (UNII: 3K9958V90M)                          |          |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)       |          |

**Packaging**

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:41250-098-53 | 150 g in 1 CANISTER; Type 0: Not a Combination Product | 04/13/2012           | 05/31/2027         |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M005                                     | 04/13/2012           | 05/31/2027         |

**Labeler** - Meijer Distribution Inc (006959555)

Revised: 10/2024

Meijer Distribution Inc