

**MUCUS RELIEF DM- dextromethorphan hbr 20mg guaifenesin 400mg tablet
NUVICARE LLC**

Mucus Relief DM

Active Ingredient (in each tablet)

Dextromethorphan HBr 20 mg

Guaifenesin 400mg

Purpose

Dextromethorphan HBr 20 mg Cough suppressant
Guaifenesin 400mg Expectorant

USES:

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - o cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - o the intensity of coughing
 - o the impulse to cough to help you get to sleep

WARNINGS:

Do not use

- for children under 12 year of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be sign of serious illness.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222).

DIRECTIONS:

Adults and children 12 years of age and older: Take 1 tablet every 4 hours with a full glass of water. Do not exceed 6 doses in 24 hours.

Children under 12 years of age: Do not use

OTHER INFORMATION:

Store between 20°C-25°C (68°F-77°F).

- Keep in a dry place and do not expose to heat
- do not use if imprinted safety seal under cap is broken or missing.

INACTIVE INGREDIENTS:

microcrystalline cellulose, sodium starch glycolate, stearic acid powder, colloidal silicon dioxide, magnesium stearate, hypromellose, polyethylene glycol, D&C yellow

QUESTIONS OR COMMENTS?

Call 1 (718) 337-8733 or email: support@nuvicare.com

This product is not manufactured or distributed by Reckitt Benckiser's, owner of the registered trademark MUCINEX DM[®] Tablets.

nuvi+care Compare to Mucinex[®] DM[®] active ingredients.

cough suppressant /expectorant

Mucus Relief DM

Dextromethorphan HBr 20 mg + Guaifenesin 400mg

- ✓ Controls Cough
- ✓ Thins & Loosens Mucus
- ✓ Relieves Chest Congestion

100 tablets not actual size

NDC: 84324-035-01

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.

Drug Facts

Purpose Cough suppressant /Expectorant

Active ingredient (in each tablet) Dextromethorphan HBr 20 mg, Guaifenesin 400mg

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
- the intensity of coughing
- the impulse to cough to help you get to sleep

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product do not use more than directed

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash, or persistent headache. These could be sign of serious illness.

(continued under label)

Distributed by: **NuviCare LLC**, Brooklyn, NY
www.nuviCare.com
PL0290-00

PEEL HERE

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.
KEEP OUT OF REACH OF CHILDREN. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222)

Directions

Adults and children 12 years of age & older: Take 1 tablet every 4 hour with a full glass of water. Do not exceed 6 doses in 24 hours.

Children under 12 years of age: Do not use

Other Information

- Store between 20°C-25°C (68°F-77°F).
- Keep in a dry place and do not expose to heat
- do not use if imprinted safety seal under cap is broken or missing.

Inactive Ingredients: microcrystalline cellulose, sodium starch glycolate, stearic acid powder, colloidal silicon dioxide, magnesium stearate, hypromellose, polyethylene glycol, D&C yellow

Questions?
Call 1 (718) 337-3733 or email: support@nuviCare.com

This product is not manufactured or distributed by Reckitt Benckiser's, owner of the registered trademark MUCINEX DM[®] Tablets.

MUCUS RELIEF DM			
dextromethorphan hbr 20mg guaifenesin 400mg tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84324-035
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	20 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	400 mg
Inactive Ingredients			
Ingredient Name			Strength
microcrystalline cellulose (UNII: OP1R32D61U)			
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)			
STEARIC ACID (UNII: 4ELV7Z 65AP)			
SILICON DIOXIDE (UNII: ETJ7Z 6XBU4)			

MAGNESIUM STEARATE (UNII: 70097M6I30)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	ET16
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84324-035-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	02/02/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/02/2026	

Labeler - NUVICARE LLC (119257565)

Revised: 3/2026

NUVICARE LLC