#### NEUTROGENA ULTRA SHEER BODY MIST SUNSCREEN BROAD SPECTRUM SPF 70- avobenzone, homosalate, octisalate, octocrylene, and oxybenzone aerosol, spray Kenvue Brands LLC

-----

## Neutrogena <sup>®</sup> Ultra Sheer <sup>®</sup> BODY MIST SUNSCREEN Broad Spectrum SPF 70 Drug Facts

Active ingredients	Purpose
Avobenzone (3%)	Sunscreen
Homosalate (15%)	Sunscreen
Octisalate (5%)	Sunscreen
Octocrylene (4%)	Sunscreen
Oxybenzone (6%)	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

### For external use only

- Do not use on damaged or broken skin
- When using this product
  - keep out of eyes. Rinse with water to remove.
  - keep away from face to avoid breathing it
- Stop use and ask a doctor if rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.
- Danger: Flammable. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

#### **Directions**

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions

- use in a well-ventilated area
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.-2 p.m.
  - wear long-sleeved shirts, pants hats, and sunglasses
- children under 6 months of age: Ask a doctor

#### Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

#### **Inactive ingredients**

Alcohol Denat., Isobutane, Butyloctyl Salicylate, Acrylates/ Octylacrylamide Copolymer, Diethylhexyl 2,6 - Naphthalate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate, Retinyl Palmitate, Tocopherol

#### **Questions or Comments?**

Call toll-free **800-299-4786** or **215-273-8755** (collect). www.neutrogena.com

## PRINCIPAL DISPLAY PANEL - 141 g Can Label

Neutrogena ® #1 DERMATOLOGIST RECOMMENDED BRAND

Ultra sheer <sup>®</sup> body mist sunscreen

#### **BROAD SPECTRUM SPF 70**

70

helioplex <sup>®</sup> broad spectrum uva•uvb

weightless clean feel non-greasy water resistant (80 minutes)

NET WT 5.0 OZ (141 g)

# Neutrogena<sup>®</sup>

Neutrogena® Ultra Sheer Body Mist SPF 70

#1 DERMATOLOGIST RECOMMENDED BRAND

# Ultra Sheer® body mist

sunscreen

**BROAD SPECTRUM SPF 70** 

70



weightless clean feel non-greasy water resistant (80 minutes)

NET WT 5.0 OZ (141 g)

Neutrogena® Ultra Sheer® Body Mist with Helioplex® provides superior broad-spectrum protection against skin aging UVA and burning UVB rays with an ultra-light, non-greasy feel.

# 3004

#### Drug Facts

#### Active ingredients

Purpose

Avobenzone (3%), Homosalate (15%), 'Octisalate (5%), Octocrylene (4%), Oxybenzone (6%)

.... Sunscreen

USES ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

■ For external use only ■ Do not use on damaged or broken skin ■ When using this product ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away ■ Danger: Flammable. Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed, Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4-6 inches from the skin to apply, Rub in, ■ do not spray directly into face. Spray on hands and then apply to face. Rub in, ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ children under 6 months of age: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive ingredients Alcohol Denat., Isobutane, Butyloctyl Salicytate, Acrylates/Octylacrylamide Copolymer, Diethylhexyl 2,6-Naphthalate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate, Retinyl Palmitate, Tocopherol

Questions or Comments? Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com

Distributed by: JOHNSON & JOHNSON CONSUMER INC, Skillman, NJ 08558 
© J&JCI 2019 DOT 20 M5706



avobenzone, homosalate, octisalate, octocrylene, and oxybenzone aerosol, spray

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69968-0171

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g		
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	40 mg in 1 g		
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZ ONE	60 mg in 1 g		

Inactive Ingredients			
Ingredient Name	Strength		
ALCOHOL (UNII: 3K9958V90M)			
ASCORBYL PALMITATE (UNII: QN83US2B0N)			
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)			
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: IODQJ7YGXM)			
ISOBUTANE (UNII: BXR49TP611)			
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)			
TOCOPHEROL (UNII: R0ZB2556P8)			
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:69968- 0171-5	141 g in 1 CAN; Type 0: Not a Combination Product	10/05/2007			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	10/05/2007		

# Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024 Kenvue Brands LLC