

SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) I00- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) I20- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) I40- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) I60- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) B20- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) B40- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) B60- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) O20- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) O40- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) O60- octinoxate and titanium dioxide powder  
SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION  
(REFILL) O80- octinoxate and titanium dioxide powder  
SHISEIDO CO., LTD.

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**PERFECT SMOOTHING COMPACT FOUNDATION (Refill)**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
OCTINOXATE 1.4%	Sunscreen
TITANIUM DIOXIDE 2.5%	Sunscreen

**Use**

- helps prevent sunburn

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### **Inactive Ingredients**

BARIUM SULFATE • TALC • TITANIUM DIOXIDE • MICA • VINYL  
 DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER • SYNTHETIC  
 FLUORPHLOGOPITE • IRON OXIDES • ZINC MYRISTATE • DIMETHICONE • BORON  
 NITRIDE • DIISOSTEARYL MALATE • PETROLATUM • SQUALANE • ZINC OXIDE •  
 SORBITAN SESQUIISOSTEARATE • POLYSILICONE-2 • ALUMINUM HYDROXIDE •  
 ALUMINUM DISTEARATE • ETHYLHEXYLGLYCERIN • PEG/PPG-36/41 DIMETHYL ETHER •  
 ALCOHOL • WATER • TOCOPHEROL • POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE  
 • FRAGRANCE • PHENOXYETHANOL • ALUMINA • BHT • ROYAL JELLY EXTRACT

### **Other information**

protect this product in this container from excessive heat and direct sun.

### **Questions or comments?**

Call toll free 1-800-906-7503

Manufactured by  
 SHISEIDO CO., LTD. 7-5-5 GINZA TOKYO

### **PRINCIPAL DISPLAY PANEL - 10g Tray Carton (I 00)**

**SHI SEIDO**

**I 00**

#### **The Makeup**

Perfect Smoothing  
 Compact Foundation  
 (Refill)

BROAD SPECTRUM  
 SPF 16  
 sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

VERY LIGHT IVORY **100**

G.L.O. 53723

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

SHISEIDO

**100**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53723 1

7K227-400

JAC

Specially Formulated By Shiseido Laboratories, Japan. Printed on recycled paper.

**Drug Facts**  
(continued)

**Inactive ingredients**

BARIUM SULFATE • TALC • VINYL DIMETHACRYLATE/METHACRYLATE COPOLYMER • SILSESQUOXANE COPOLYMER • SYNTHETIC FLUORPHOSPHATE • ZINC MYRISTATE • DIMETHACRYLATE • BORON NITRIDE • DIMETHACRYLATE MALATE • SQUALANE • PEG/PPG-33/41 DIMETHYL ETHER • POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE • ROYAL JELLY EXTRACT • PETROLATUM • POLYSILOXANE-2 • SORBITAN SESQUISOOSTEARATE • ALUMINUM HYDROXIDE • ALUMINUM OXIDE • ETHYLHEXYLGLYCERIN • ALCOHOL • WATER • TOCOPHEROL • ALUMINA • BHT • PHENOXYETHANOL • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

**Drug Facts**

Active ingredients	Purpose
OCTINOXATE 1.4%	Sunscreen
TITANIUM DIOXIDE 2.5%	Sunscreen

**Use**

■ helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

Manufactured by SHISEIDO CO., LTD. 7-5-5 GINZA TOKYO MADE IN JAPAN www.shiseido.com



57x25x71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (I 20)**

**SHI SEIDO**

**I 20**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

**BROAD SPECTRUM**

**SPF 16**

sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

NATURAL LIGHT IVORY **I 20**

GLO. 53724

**I 20**

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

**SHISEIDO**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53724 8

7K228-400

JAC

Specially Formulated By  
Shiseido Laboratories,  
Japan.  
Printed on recycled paper.

### Drug Facts (continued)

#### Inactive ingredients

BAZILUMSULFATE • TAIC •  
VINYL DIMETHACRYL METHACRYLATE •  
SILSESQUOXANE CROSSPOLYMER •  
SYNTHETIC FLUORPHOSPHITE • ZINC MYRISTATE •  
DIMETHICONE • BORON NITRIDE •  
DISODIUM STEAROYL MALATE • SQUALANE •  
PEG-PPG-33/11 DIMETHYL ETHER •  
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE •  
ROYAL JELLY EXTRACT • PETROLATUM •  
POLYSILOXANE-2 •  
SORBITAN SESQUISOOSTEARATE •  
ALUMINUM HYDROXIDE •  
ALUMINUM OXIDE • ETHYLHEXYLGLYCERIN •  
ALCOHOL • WATER • TOCOPHEROL • ALUMINA •  
BHT • PHENOXYETHANOL • FRAGRANCE • MICA •  
TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE •

#### Other Information

■ protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

### PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 1.4% .....	Sunscreen
TITANIUM DIOXIDE 2.5% .....	Sunscreen

#### Use

■ helps prevent sunburn

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is  
swallowed, get medical help or contact a Poison  
Control Center right away. ▶

Manufactured by  
SHISEIDO CO., LTD. 7-5-5 GINZA TOKYO  
MADE IN JAPAN

www.shiseido.com



57X25X71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (I 40)**

**SHI SEIDO**

**I 40**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

**BROAD SPECTRUM**

**SPF 16**

sunscreen

10g NET WT. .35 OZ.





Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

NATURAL FAIR IVORY **I 40**

G.L.O. 53725

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

**SHISEIDO**

**I 40**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53725 5

7K229-400

JAC

Specially Formulated By  
Shiseido  
Laboratories,  
Japan.  
Printed on  
recycled paper.

### Drug Facts (continued)

#### Inactive ingredients

BARIUM SULFATE • TALC •  
VINYL DIMETHACRYLATE/METHACRYLONITRILE COPOLYMER •  
SILSESQUOXANE CROSSPOLYMER •  
SYNTHETIC FLUOROPHOSPHITE • ZINC MYRISTATE •  
DIMETHICONE • BORON NITRIDE •  
DIISOSTEARYL MALATE • SQUALANE •  
PEG/PPG-33/41 DIMETHYL ETHER •  
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE •  
ROYAL JELLY EXTRACT • PETROLATUM •  
POLYSILOXANE-2 •  
SORBITAN SESQUISOOSTEARATE •  
ALUMINUM HYDROXIDE •  
ALUMINUM OSTEARATE • ETHYLHEXYL GLYCERIN •  
ALCOHOL • WATER • TOCOPHEROL • ALUMINA •  
BHT • PHENOXYETHANOL • FRAGRANCE • IMCA •  
TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE •

#### Other Information

■ protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

### PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

○ Spreads on smoothly with a soft touch, even on dry and coarse skin.

○ NON-COMEDOGENIC.

○ DERMATOLOGIST-TESTED.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 1.4% .....	Sunscreen
TITANIUM DIOXIDE 2.5% .....	Sunscreen

#### Use

■ helps prevent sunburn

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

Manufactured by  
SHISEIDO CO., LTD. 7-5-5 GINZA TOKYO  
MADE IN JAPAN  
[www.shiseido.com](http://www.shiseido.com)



57x25x71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (I 60)**

**SHI SEIDO**

**I 60**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM

SPF 16

sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

NATURAL DEEP IVORY **I 60**

GLO. 53726

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

**SHISEIDO**

**I 60**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53726 2

7K230-400

JAC

Specially Formulated By  
Shiseido  
Laboratories,  
Japan.  
Printed on  
recycled paper.

**Drug Facts**  
(continued)

**Inactive ingredients**

BARIUM SULFATE • TALC •  
VINYL DIMETHACRYLATE •  
SILSESQUOXANE CROSSPOLYMER •  
SYNTHETIC FLUORPHOSPHITE • ZINC MYRISTATE •  
DIMETHICONE • BORON NITRIDE •  
DIOCTEARYL MALATE • SQUALANE •  
PEG/PPG-33/41 DIMETHYL ETHER •  
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE •  
ROYAL JELLY EXTRACT • FETROLATUM •  
POLYSILOXANE-2 •  
SORBITAN SESQUIOLEATE •  
ALUMINUM HYDROXIDE •  
ALUMINUM OLEATE • ETHYLHEXYLGLYCERIN •  
ALCOHOL • WATER • TOCOPHEROL • ALUMINA •  
BHT • PHENOXYETHANOL • FRAGRANCE • MICA •  
TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this  
container from excessive  
heat and direct sun.

**Questions or  
Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

**PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)**

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

**Drug Facts**

Active ingredients	Purpose
OCTINOXATE 1.4% .....	Sunscreen
TITANIUM DIOXIDE 2.5% .....	Sunscreen

**Use**

■ helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is  
swallowed, get medical help or contact a Poison  
Control Center right away. ▶

Manufactured by  
SHISEIDO CO., LTD. 7-5-5 GINZA TOKYO  
MADE IN JAPAN

www.shiseido.com



57x25x71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (B 20)**

**SHI SEIDO**

**B 20**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION:

NATURAL LIGHT BEIGE **B 20**

G.L.O. 53727

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

**SHISEIDO**

**B 20**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53727 9

7K231-400

JAC

Specially Formulated By  
Shiseido  
Laboratories,  
Japan.  
Printed on  
recycled paper.

### Drug Facts (continued)

#### Inactive ingredients

BARIUM SULFATE • TALC •  
VINYL DIMETHICONE METHICONE  
SILSESQUOXANE CROSSPOLYMER •  
SYNTHETIC FLUORPHOSPHITE • ZINC MYRISTATE •  
DIMETHICONE • BORON NITRIDE •  
DISOSTEARYL MALATE • SQUALANE •  
PEG/PPG-33/41 DIMETHYL ETHER •  
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE •  
ROYAL JELLY EXTRACT • PETROLATUM •  
POLYSILOXANE-2 •  
SORBITAN SESQUISOOSTEARATE •  
ALUMINUM HYDROXIDE •  
ALUMINUM OOSTEARATE • ETHYLHEXYLGLYCERIN •  
ALCOHOL • WATER • TOCOPHEROL • ALUMINA •  
BHT • PHENOXYETHANOL • FRAGRANCE • IMCA •  
TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

#### Other Information

■ protect this product in this  
container from excessive  
heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

### PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

### Drug Facts

#### Active ingredients

#### Purpose

OCTINOXATE 1.4% .....	Sunscreen
TITANIUM DIOXIDE 2.5% .....	Sunscreen

#### Use

■ helps prevent sunburn

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is  
swallowed, get medical help or contact a Poison  
Control Center right away. ▶

Manufactured by  
SHISEIDO CO., LTD. 7-5-5 CINZA TOKYO  
MADE IN JAPAN

www.shiseido.com



57x25x71



**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (B 40)**

**SHI SEIDO**

**B 40**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

NATURAL FAIR BEIGE **B 40**

G.L.O. 53728

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours

■ **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

- children under 6 months: Ask a doctor

**SHISEIDO**

**B 40**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53728 6

7K232-400

JAC

Specially Formulated By  
Shiseido  
Laboratories,  
Japan.  
Printed on  
recycled paper.

### Drug Facts (continued)

#### Inactive ingredients

BARIUM SULFATE • TALC •  
VINYL DIMETHACRYLATE/METHACRYLONITRILE COPOLYMER •  
SILSESQUOXIDE CROSSPOLYMER •  
SYNTHETIC FLUOROPHOSPHITE • ZINC MYRISTATE •  
DIMETHACRYLATE • BORON NITRIDE •  
DISOCTEARYL MALATE • SQUALANE •  
PEG/PPG-33/41 DIMETHYL ETHER •  
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE •  
ROYAL JELLY EXTRACT • PETROLATUM •  
POLYSILOXANE-2 •  
SORBITAN SESQUISOOSTEARATE •  
ALUMINUM HYDROXIDE •  
ALUMINUM OOSTEARATE • ETHYLHEXYLGLYCERIN •  
ALCOHOL • WATER • TOCOPHEROL • ALUMINA •  
BHT • PHENOXYETHANOL • FRAGRANCE • IMCA •  
TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE •

#### Other Information

■ protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

### PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 1.4%	Sunscreen
TITANIUM DIOXIDE 2.5%	Sunscreen

#### Use

■ helps prevent sunburn

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is  
swallowed, get medical help or contact a Poison  
Control Center right away. ▶

Manufactured by  
SHISEIDO CO., LTD. 7-5-3 GINZA TOKYO  
MADE IN JAPAN  
[www.shiseido.com](http://www.shiseido.com)



57x25x71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (B 60)**

**SHI SEIDO**

**B 60**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

**BROAD SPECTRUM**

**SPF 16**

sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

NATURAL DEEP BEIGE **B 60**

GLO: 53729

**B 60**

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

**SHISEIDO**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53729 3

7K233-400

JAC

Specially Formulated By Shiseido Laboratories, Japan. Printed on recycled paper.

**Drug Facts (continued)**

**Inactive ingredients**

BARIUM SULFATE • TALC • VINYL DIMETHACRYLATE/METHACRYLATE COPOLYMER • SILSESQUOXANE COPOLYMER • SYNTHETIC FLUOROPHOSPHATE • ZINC MYRISTATE • DIMETHICONE • BORON NITRIDE • DIISOSTEARYL MALATE • SQUALANE • PEG/PPG-33/11 DIMETHYL ETHER • POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE • ROYAL JELLY EXTRACT • PETROLATUM • POLYSILOXANE-2 • SORBITAN SESQUISOOSTEARATE • ALUMINUM HYDROXIDE • ALUMINUM OXIDE • ETHYLHEXYLGLYCERIN • ALCOHOL • WATER • TOCOPHEROL • ALUMINA • BHT • PHENOXYETHANOL • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO THE MAKEUP

**PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)**

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

**Drug Facts**

Active ingredients	Purpose
OCTINOXATE 1.4%	Sunscreen
TITANIUM DIOXIDE 2.5%	Sunscreen

**Use**

helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Manufactured by SHISEIDO CO., LTD. 7-5-3 CINZA TOKYO, JAPAN

www.shiseido.com



57x25x71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (O 20)**

**SHI SEIDO**

**O 20**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

NATURAL LIGHT OCHRE **O20**

GLO 53732

**O20**

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor 

**SHISEIDO**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53732 3



7K234-400

JAC

Specially Formulated By  
Shiseido Laboratories,  
Japan.  
Printed on recycled paper.

**Drug Facts**  
(continued)

**Inactive ingredients**

BARIUM SULFATE • TALC •  
VINYL DIMETHACRYLATE/METHACRYLONITRILE COPOLYMER •  
SILSESQUOXIDANE COPOLYMER •  
SYNTHETIC FLUOROPHOSPHITE • ZINC MYRISTATE •  
DIMETHICONE • BORON NITRIDE •  
DISOSTEARYL MALATE • SQUALANE •  
PEG/PPG-38/41 DIMETHYL ETHER •  
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE •  
ROYAL JELLY EXTRACT • PETROLATUM •  
POLYSILOXANE-2 •  
SORBITAN SESQUISOSEARATE •  
ALUMINUM HYDROXIDE •  
ALUMINUM OXIDE • ETHYLHEXYLGLYCERIN •  
ALCOHOL • WATER • TOCOPHEROL • ALUMINA •  
BHT • PHENOXYETHANOL • FRAGRANCE • MICA •  
TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

**Drug Facts**

Active ingredients	Purpose
OCTINOXATE 1.4% .....	Sunscreen
TITANIUM DIOXIDE 2.5% .....	Sunscreen

**Use**

■ helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is  
swallowed, get medical help or contact a Poison  
Control Center right away. ▶

Manufactured by  
SHISEIDO CO., LTD. 7-8-5 GINZA TOKYO  
MADE IN JAPAN  
www.shiseido.com



57x25x71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (O 40)**

**SHI SEIDO**

**O 40**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

NATURAL FAIR OCHRE

O 40

GLO 53733

O 40

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

SHISEIDO

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53733 0

7K235-400

JAC

Specially Formulated By  
Shiseido  
Laboratories,  
Japan.  
Printed on  
recycled paper.

### Drug Facts (continued)

#### Inactive ingredients

BARIUM SULFATE • TALC •  
VINYL DIMETHACRYLATE/METHACRYLONITRILE COPOLYMER •  
SILSESQUOXANE COPOLYMER •  
SYNTHETIC FLUORPHOSPHATE • ZINC MYRISTATE •  
DIMETHICONE • BORON NITRIDE •  
DIOCTYL SEBACATE • SQUALANE •  
PEG (PPG-33/41 DIMETHYL ETHER) •  
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE •  
ROYAL JELLY EXTRACT • PETROLATUM •  
POLYSILOXANE-2 •  
SORBITAN SESQUISOBEATE •  
ALUMINUM HYDROXIDE •  
ALUMINUM OXIDE • ETHYLHEXYLGLYCERIN •  
ALCOHOL • WATER • TOCOPHEROL • ALUMINA •  
BHT • PHENOXYETHANOL • FRAGRANCE • MICA •  
TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

#### Other Information

■ protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

### PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 1.4% .....	Sunscreen
TITANIUM DIOXIDE 2.5% .....	Sunscreen

#### Use

■ helps prevent sunburn

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is  
swallowed, get medical help or contact a Poison  
Control Center right away. ▶

Manufactured by  
SHISEIDO CO., LTD. 7-5-5 GINZA TOKYO  
MADE IN JAPAN  
www.shiseido.com



57X25X71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (O 60)**

**SHI SEIDO**

**O 60**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION:

NATURAL DEEP OCHRE

O 60

G.L.O. 53734

O 60

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

SHISEIDO

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53734 7

7K236-400

JAC

Specially Formulated By Shiseido Laboratories, Japan. Printed on recycled paper.

**Drug Facts**  
(continued)

**Inactive ingredients**

BARIUM SULFATE • TALC • VINYL DIMETHICONE METHICONE SILSESQUOXANE COPOLYMER • SYNTHETIC FLUOROPHOSPHITE • ZINC MYRISTATE • DIMETHICONE • BORON NITRIDE • DIOCTEARYL MALATE • SQUALANE • PEG/PPG-33/41 DIMETHYL ETHER • POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE • ROYAL JELLY EXTRACT • PETROLATUM • POLYSILOXANE-2 • SORBITAN SESQUISOOSTEARATE • ALUMINUM HYDROXIDE • ALUMINUM OOSTEARATE • ETHYLHEXYLGLYCERIN • ALCOHOL • WATER • TOCOPHEROL • ALUMINA • BHT • PHENOXYETHANOL • FRAGRANCE • MICA • TITANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

**Drug Facts**

Active ingredients	Purpose
OCTINOXATE 1.4%	Sunscreen
TITANIUM DIOXIDE 2.5%	Sunscreen

**Use**

■ helps prevent sunburn

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

Manufactured by SHISEIDO CO., LTD. 7-5-3 JINZA TOKYO MADE IN JAPAN

www.shiseido.com



57X25X71

**PRINCIPAL DISPLAY PANEL - 10g Tray Carton (O 80)**

**SHI SEIDO**

**O 80**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

**BROAD SPECTRUM**

**SPF 16**

sunscreen

10g NET WT. .35 OZ.





Perfect Smoothing  
Compact Foundation (Refill)

Coverage: Medium

Finish: Matte

Skin Type: All skin types

READ INSERTION.

DEEP OCHRE **O 80**

G.L.O. 53735

**O 80**

**Drug Facts**  
(continued)

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor ▶

**SHISEIDO**

**The Makeup**

Perfect Smoothing  
Compact Foundation  
(Refill)

BROAD SPECTRUM  
SPF 16  
sunscreen

10g NET WT. .35 OZ.



7 29238 53735 4

7K237-400

JAB

Specially Formulated By  
Shiseido  
Laboratories,  
Japan.  
Printed on  
recycled paper.

### Drug Facts (continued)

#### Inactive ingredients

BARIUM SULFATE • TALC •  
VINYL DIMETHACRYLATE/METHACRYLATE  
POLYSILOXANE COPOLYMER •  
SYNTHETIC FLUOROPHOSPHATE • ZINC NYRISTATE •  
DIMETHICONE • BORON NITRIDE •  
DIOCTEARYL MALATE • SQUALANE •  
PEG/PPG-18/41 DIMETHYL ETHER •  
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE •  
ROYAL JELLY EXTRACT • PETROLATUM •  
POLYSILOXANE-2 •  
SORBITAN SESQUISOSEARATE •  
ALUMINUM HYDROXIDE •  
ALUMINUM DISTEARATE • ETHYLHEXYLGLYCERIN •  
ALCOHOL • WATER • TOCOPHEROL • ALUMINA •  
BHT • PHENOXYETHANOL • FRAGRANCE • NIACA-  
TANIUM DIOXIDE • IRON OXIDES • ZINC OXIDE •

#### Other Information

■ protect this product in this  
container from excessive  
heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO  
THE MAKEUP

### PERFECT SMOOTHING COMPACT FOUNDATION (REFILL)

A long-lasting powdery-type foundation that melts smoothly into skin with a highly refined finish. Dry use only.

- Spreads on smoothly with a soft touch, even on dry and coarse skin.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

### Drug Facts

Active ingredients	Purpose
OCTINOXATE 1.4% .....	Sunscreen
TITANIUM DIOXIDE 2.5% .....	Sunscreen

#### Use

■ helps prevent sunburn

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.  
Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is  
swallowed, get medical help or contact a Poison  
Control Center right away. ▶

Manufactured by  
SHISEIDO CO., LTD. 7-3-5 GINZA TOKYO  
MADE IN JAPAN

www.shiseido.com



57x25x71

# SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) I00

octinoxate and titanium dioxide powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-433
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

## Inactive Ingredients

Ingredient Name	Strength
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ZINC MYRISTATE</b> (UNII: K09A9E2GGO)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ALUMINUM DISTEARATE</b> (UNII: 7P1HP1B9UI)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM ASCORBYL 2-O-CYCLOHEXYLPHOSPHATE</b> (UNII: 61R4GJ48ER)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ROYAL JELLY</b> (UNII: L497I37F0C)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-433-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) I20

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-434
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

### Inactive Ingredients

Ingredient Name	Strength
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TALC (UNII: 7SEV7J4R1U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC MYRISTATE (UNII: K09A9E2GGO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PETROLATUM (UNII: 4T6H12BN9U)	
SQUALANE (UNII: GW89575KF9)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE (UNII: 61R4GJ48ER)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

ROYAL JELLY (UNII: L497I37F0C)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-434-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) I40

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-435
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

### Inactive Ingredients

Ingredient Name	Strength
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TALC (UNII: 7SEV7J4R1U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC MYRISTATE (UNII: K09A9E2GGO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PETROLATUM (UNII: 4T6H12BN9U)	
SQUALANE (UNII: GW89575KF9)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE (UNII: 61R4GJ48ER)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ROYAL JELLY (UNII: L497I37F0C)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-435-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) I60

octinoxate and titanium dioxide powder

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-436
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

Inactive Ingredients	
Ingredient Name	Strength
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TALC (UNII: 7SEV7J4R1U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC MYRISTATE (UNII: K09A9E2GGO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

BORON NITRIDE (UNII: 2U4T60A6YD)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PETROLATUM (UNII: 4T6H12BN9U)	
SQUALANE (UNII: GW89575KF9)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9UT)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM ASCORBYL 2-TOCOPHERYL PHOSPHATE (UNII: 61R4GJ48ER)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ROYAL JELLY (UNII: L497I37F0C)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-436-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) B20

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-437
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

### Inactive Ingredients

Ingredient Name	Strength
BARIUM SULFATE (UNII: 25BB7EKE2E)	

TALC (UNII: 7SEV7J4R1U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC MYRISTATE (UNII: K09A9E2GG0)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PETROLATUM (UNII: 4T6H12BN9U)	
SQUALANE (UNII: GW89575KF9)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0K00R)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE (UNII: 61R4GJ48ER)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ROYAL JELLY (UNII: L497I37F0C)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-437-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) B40

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-438
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------



<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

### Inactive Ingredients

Ingredient Name	Strength
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ZINC MYRISTATE</b> (UNII: K09A9E2GGO)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ALUMINUM DISTEARATE</b> (UNII: 7P1HP1B9U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE</b> (UNII: 61R4GJ48ER)	
<b>PHENOXYETHANOL</b> (UNII: HE492ZZ3T)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ROYAL JELLY</b> (UNII: L497I37F0C)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-438-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) B60

octinoxate and titanium dioxide powder

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-439
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ZINC MYRISTATE</b> (UNII: K09A9E2GGO)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ALUMINUM DISTEARATE</b> (UNII: 7P1HP1B9U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE</b> (UNII: 61R4GJ48ER)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ROYAL JELLY</b> (UNII: L497I37F0C)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-439-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

# SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) O20

octinoxate and titanium dioxide powder

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52685-440
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

## Inactive Ingredients

Ingredient Name	Strength
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ZINC MYRISTATE</b> (UNII: K09A9E2GGO)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BORON NITRIDE</b> (UNII: 2U4T60A6YD)	
<b>DIISOSTEARYL MALATE</b> (UNII: QBS8A3XZGQ)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>SQUALANE</b> (UNII: GW89575KF9)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>ALUMINUM DISTEARATE</b> (UNII: 7P1HP1B9U)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE</b> (UNII: 61R4GJ48ER)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>ROYAL JELLY</b> (UNII: L497I37F0C)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-440-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) O40

octinoxate and titanium dioxide powder

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-441
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

Inactive Ingredients	
Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	
SQUALANE (UNII: GW89575KF9)	
ZINC OXIDE (UNII: SOI2LOH54Z)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE (UNII: 61R4GJ48ER)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ROYAL JELLY (UNII: L497I37F0C)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TALC (UNII: 7SEV7J4R1U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

ZINC MYRISTATE (UNII: K09A9E2GGO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-441-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) O60

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-442
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

### Inactive Ingredients

Ingredient Name	Strength
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TALC (UNII: 7SEV7J4R1U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
ZINC MYRISTATE (UNII: K09A9E2GGO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BORON NITRIDE (UNII: 2U4T60A6YD)	
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)	
PETROLATUM (UNII: 4T6H12BN9U)	
SQUALANE (UNII: GW89575KF9)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0)	
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE (UNII: 61R4GJ48ER)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ROYAL JELLY (UNII: L497I37F0C)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-442-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

## SHISEIDO THE MAKEUP PERFECT SMOOTHING COMPACT FOUNDATION (REFILL) O80

octinoxate and titanium dioxide powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52685-443
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	140 mg in 10 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	250 mg in 10 g

### Inactive Ingredients

Ingredient Name	Strength
BARIUM SULFATE (UNII: 25BB7EKE2E)	
TALC (UNII: 7SEV7J4R1U)	
MICA (UNII: V8A1AW0880)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

FERROSO FERRIC OXIDE (UNII: XM0M87F357)
ZINC MYRISTATE (UNII: K09A9E2GGO)
DIMETHICONE (UNII: 92RU3N3Y1O)
BORON NITRIDE (UNII: 2U4T60A6YD)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
PETROLATUM (UNII: 4T6H12BN9U)
SQUALANE (UNII: GW89575KF9)
ZINC OXIDE (UNII: SOI2LOH54Z)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
ALUMINUM DISTEARATE (UNII: 7P1HP1B9U)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ALCOHOL (UNII: 3K9958V90M)
WATER (UNII: 059QF0K00R)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
POTASSIUM ASCORBYL TOCOPHERYL PHOSPHATE (UNII: 61R4GJ48ER)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
ALUMINUM OXIDE (UNII: LM26O6933)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
ROYAL JELLY (UNII: L497I37F0C)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52685-443-30	1 in 1 CARTON	09/01/2008	
1		10 g in 1 TRAY; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	09/01/2008	

**Labeler** - SHISEIDO CO., LTD. (690536453)

### Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(52685-433, 52685-434, 52685-435, 52685-436, 52685-437, 52685-438, 52685-439, 52685-440, 52685-441, 52685-442, 52685-443) , analysis(52685-433, 52685-434, 52685-435, 52685-436, 52685-437, 52685-438, 52685-439, 52685-440, 52685-441, 52685-442, 52685-443)

Revised: 12/2018

SHISEIDO CO., LTD.