

DAYTIME SEVERE COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet, coated
DISCOUNT DRUG MART

1178-DDM-2022-0809

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves common cold/flu symptoms:
 - nasal congestion
 - sinus congestion and pressure
 - cough due to minor throat & bronchial irritation
 - minor aches and pains
 - headache
 - fever
 - sore throat
- reduces swelling of nasal passages
- temporarily restores freer breathing through the nose
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed (see overdose warning)
- do not exceed 4 doses per 24 hours

adults and children 12 years and

take 2 caplets every 4 hours

over	take 2 caplets every 4 hours
children 4 to under 12 years	ask a doctor
children under 4 years	do not use

Other information

- store between 20-25°C (68-77°F) in a dry place
- retain carton for complete product information

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

PRINCIPAL DISPLAY PANEL

DISCOUNT drug mart FOOD MARKET

NDC 53943-178-03

†Compare to the active ingredients in Vicks® DayQuil® Severe Cold & Flu Caplet

DAYTIME SEVERE COLD & FLU

MAXIMUM STRENGTH

Acetaminophen, Phenylephrine HCl, Dextromethorphan HBr, Guaifenesin

Pain Reliever/Fever Reducer, Nasal Decongestant, Cough Suppressant, Expectorant

Headache, Fever, Sore Throat, Minor Aches & Pains

Nasal/Sinus Congestion & Sinus Pressure

Cough

Chest Congestion

Actual Size

24 CAPLETS

Drug Facts (continued)

Take only as directed (see overdose warning)

do not exceed 4 doses per 24 hours

adults and children 12 years and over
take 2 caplets every 4 hours

children 4 to under 12 years
ask a doctor

children under 4 years
do not use

Other information

store between 20-25°C (68-77°F) in a dry place

retain carton for complete product information and warnings

Inactive ingredients

colloidal silicon dioxide, #40 aluminum lake, FD&C yellow #6 aluminum lake, croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, corn starch, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Drug Facts (continued)

Purpose

Pain reliever/fever reducer

Cough suppressant

Expectorant

Nasal decongestant

congestion and pressure

fever

sore throat

les nasal and/or sinus drainage

if bothersome mucus and

rash

blisters

if you are not followed by fever,

MAOI drug, if you are taking this product.

thyroid disease

phlegm (mucus)

asthma

or lasts more than 3 days

in rash or headache that lasts

erbose, get medical help or for adults as well as for

Drug Facts (con)

magnesium stearate, maltodextrin, polyethylene glycol, polyvinyl alcohol, stearic acid, talc, titanium dioxide

Questions or call

1-844-705-4384

(continued)
dextalin, microcrystalline cellulose,
xyloitol, povidone, pregelatinized
talcum dioxide

**DO NOT USE IF BLISTER UNITS ARE
TORN OR BROKEN**

Distributed by: Drug Mart - Food Fair
211 Commerce Drive, Medina, OH 44256

SATISFACTION GUARANTEED
IF DISSESSED, RETURN UNUSED PORTION AND PACKAGING TO STORE
WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON
FOR DISSATISFACTION, NAME, ADDRESS AND EIGHT PACKETS TO:
DISCOUNT DRUG MART, 211 COMMERCE DRIVE, MEDINA, OHIO 44256

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Guaifenesin 200 mg
Phenylephrine HCl 5 mg

Uses ■ temporarily relieves common cold/flu symptoms: ■ nasal congestion ■ sinus ■ cough due to minor throat & bronchial irritation ■ minor aches and pains ■ headache ■ reduces swelling of nasal passages ■ temporarily restores freer breathing through the nose ■ promotes ■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways ■ make coughs more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 8 caplets in 24 hours, which is the maximum daily amount

■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while u
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin red if a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription) sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the

do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking

Ask a doctor before use if you have ■ liver disease ■ heart disease ■ high blood pressure ■ trouble urinating due to an enlarged prostate gland ■ cough that occurs with too mu

■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema ■ Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not use more than directed.

Stop use and ask a doctor if ■ you get nervous, dizzy, or sleepless ■ pain, nasal congestion, or cough gets worse or lasts more than 7 days ■ fever gets worse ■ redness or swelling is present ■ new symptoms occur ■ cough comes back or occurs with

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than directed can cause serious health problems. In case of overdose contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical children even if you do not notice any signs or symptoms.

†This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® Dayquil® Severe Cold & Flu.



F117803DDM_R1



DAYTIME SEVERE COLD & FLU

MAXIMUM STRENGTH

NDX 53943-178-03

†Compare to the active ingredients in Vicks® Dayquil® Severe Cold & Flu



DAYTIME SEVERE COLD & FLU

MAXIMUM STRENGTH

Acetaminophen, Phenylephrine HCl, Dextromethorphan HBr, Guaifenesin
Pain Reliever / Fever Reducer, Nasal Decongestant, Cough Suppressant, Expectorant

Headache, Fever, Sore Throat,
Minor Aches & Pains
Nasal/Sinus Congestion & Sinus Pressure
Cough
Chest Congestion

Actual Size



24 CAPLETS

NC

NC

NC

DAYTIME SEVERE COLD AND FLU

acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-178
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CROSPVIDONE (UNII: 2S7830E561)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WQ0SDW1A)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	19mm
Flavor		Imprint Code	AAA;1178
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:53943-178-03	2 in 1 CARTON	08/18/2014	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/18/2014	

Labeler - DISCOUNT DRUG MART (047741335)

Revised: 10/2024

DISCOUNT DRUG MART