

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 8S PORCELAIN- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 12B FAIR BEIGE- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 12N FAIR NEUTRAL- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 14S FAIR-LIGHT SAND- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 15N FAIR-LIGHT NEUTRAL- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 22N LIGHT NEUTRAL- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 22S LIGHT SAND- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 22H LIGHT HONEY- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 22G LIGHT GOLDEN- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 27S LIGHT-MEDIUM SAND- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 27B LIGHT-MEDIUM BEIGE- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 27H LIGHT-MEDIUM HONEY- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 29N LIGHT-MEDIUM NEUTRAL- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 29G LIGHT-MEDIUM GOLDEN- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 32S MEDIUM SAND- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 32H MEDIUM HONEY- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 32N MEDIUM NEUTRAL- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 32G MEDIUM GOLDEN- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 37S MEDIUM-TAN SAND- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 39G MEDIUM-TAN GOLDEN- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 42N TAN NEUTRAL- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 42S TAN SAND- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 46S TAN-DEEP SAND- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 48G TAN-DEEP GOLDEN- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 51H DEEP HONEY- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 51S DEEP SAND- titanium dioxide and zinc oxide liquid**

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 53G DEEP GOLDEN- titanium dioxide and zinc oxide liquid
RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 57N RICH NEUTRAL- titanium dioxide and zinc oxide liquid
RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 57S RICH SAND- titanium dioxide and zinc oxide liquid
RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 61H MAHOGANY- titanium dioxide and zinc oxide liquid**

Tarte, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rainforest of the Sea™ water foundation Broad Spectrum SPF 15 Sunscreen

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium Dioxide 6.22%	Sunscreen
Zinc Oxide 3.83%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxylethyl dimethicone, alumina, silica, sorbitan isostearate, stearylalkonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

Dist. by tarte, Inc. New York, NY
10018.

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 8S porcelain

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen

85
porcelain

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals®

RAINFOREST
OF THE
Sea™

water foundation
Broad Spectrum
SPF 15 Sunscreen



crueltyfree
andvegan

FG03468-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 12B fair beige

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

12B
fair beige

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylkonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG03469-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 12N fair neutral

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen

12N
fair neutral

Drug Facts

Active ingredients

Purpose
Titanium Dioxide 6.22%, Sunscreen
Zinc Oxide 3.83%, Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxylethyl dimethicone, alumina, silica, sorbitan isostearate, stearylalmonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation
Broad Spectrum
SPF 15 Sunscreen



FG02746-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 14S fair-light sand

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

145
fair-light sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%.....Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylkonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG03470-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 15N fair-light neutral

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

15N
fair-light neutral

Drug Facts

Active ingredients

Purpose
Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Keep out of the reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, octyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algæ extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea

water foundation
Broad Spectrum
SPF 15 Sunscreen



FG02597-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22N light neutral

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

22N
light neutral

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG02747-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22S light sand

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

225
light sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclodextrin, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylalkonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thalassus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE

Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG02598-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22H light honey

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

22H
light honey

Drug Facts

Active ingredients

Purpose
Titanium Dioxide 6.22%.....Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylkonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG03471-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 22G light golden

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

22G
light golden

Drug Facts

Active ingredients

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Purpose

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thalassus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG04662-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 27S light-medium sand

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

275
light-medium sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG03472-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 27B light-medium beige

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

27B
light-medium beige

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclodextrin, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylalcohol, hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG02599-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 27H light-medium honey

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

27H
light-medium honey

Drug Facts

Active ingredients

Purpose
Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearyltrimethylammonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea

water foundation
Broad Spectrum
SPF 15 Sunscreen



FG02748-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 29N light-medium neutral

tarte

high-performance naturals™

RAINFOREST


OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen



Drug Facts

Active ingredients

Purpose
Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222.

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylkonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX1:1FLC00421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croylene 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

29N
light-medium neutral

tarte
high-performance naturals*

RAINFORREST
OF THE
Sea

water foundation
Broad Spectrum
SPF 15 Sunscreen



FG02416-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 29G light-medium golden

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

29G
light-medium golden

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%... Sunscreen
Zinc Oxide 3.83%..... Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylalcohol, hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius SpA, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG04663-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 32S medium sand

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

32S
medium sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Crooyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation
Broad Spectrum
SPF 15 Sunscreen



FG03473-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 32H medium honey

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

32H
medium honey

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylalmonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius SpA, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



crueltyfree
andvegan

FG02749-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 32N medium neutral

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

32N
medium neutral

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%... Sunscreen
Zinc Oxide 3.83%..... Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG02600-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 32G medium golden

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

32G
medium golden

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylalmonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals®

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



crueltyfree
andvegan

FG04664-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 37S medium-tan sand

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

37S
medium-tan sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylalkonium hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thalassus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croiyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



crueltyfree
andvegan

FG02415-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 39G medium-tan golden

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

39G
medium-tan golden

Drug Facts

Active ingredients

Purpose
Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, isododecane, phenyl trimethicone, cyclopentasiloxane, glycerin, nylon-12, cyclohexasiloxane, alcohol denat., lauryl PEG-9 polydimethylsiloxyethyl dimethicone, dipropylene glycol, magnesium sulfate, butylene glycol, aluminum starch octenylsuccinate, caprylic/capric triglyceride, aluminum hydroxide, sorbitan isostearate, stearic acid, alumina, silica, triethoxycaprylylsilane, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, polyglyceryl-4 isostearate, caprylyl glycol, phenoxyethanol, stearylalkonium hecrite, tocopheryl acetate, 1,2-hexanediol, propylene carbonate, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides.
EX111FL000431.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



crueltyfree
andvegan

FG04665-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 42N tan neutral

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

42N
tan neutral

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE
Sea

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG04972-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 42S tan sand

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

425
tan sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclodextrin, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



crueltyfree
andvegan

FG02750-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 46S tan-deep sand

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

465
tan-deep sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, glycerin, isododecane, cyclopentasiloxane, phenyl trimethicone, nylon-12, dipropylene glycol, caprylic/capric triglyceride, alcohol denat., cyclohexasiloxane, butylene glycol, aluminum starch octenylsuccinate, cetyl PEG/PPG-10/1 dimethicone, magnesium sulfate, PEG-9 polydimethylsiloxyethyl dimethicone, alumina, silica, sorbitan isostearate, stearylaluminum hectorite, polyglyceryl-4 isostearate, hexyl laurate, stearic acid, aluminum hydroxide, triethoxycaprylsilane, propylene carbonate, caprylyl glycol, dimethicone, phenoxyethanol, tocopheryl acetate, 1,2-hexanediol, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides. EX111FL000421.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



crueltyfree
andvegan

FG04973-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 48G tan-deep golden

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

48G
tan-deep golden

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%... Sunscreen
Zinc Oxide 3.83%... Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, isododecane, phenyl trimethicone, cyclopentasiloxane, glycerin, nylon-12, cyclohexasiloxane, alcohol denat., lauryl PEG-9 polydimethylsiloxyethyl dimethicone, dipropylene glycol, magnesium sulfate, butylene glycol, aluminum starch octenylsuccinate, caprylic/capric triglyceride, aluminum hydroxide, sorbitan isostearate, stearic acid, alumina, silica, triethoxycaprylylsilane, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, polyglyceryl-4 isostearate, caprylyl glycol, phenoxyethanol, stearylalkonium hectorite, tocopheryl acetate, 1,2-hexanediol, propylene carbonate, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides.
EX111FL000431.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE

Sea

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG04666-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 51H deep honey

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

51H
deep honey

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, isododecane, phenyl trimethicone, cyclopentasiloxane, glycerin, nylon-12, cyclohexasiloxane, alcohol denat., lauryl PEG-9 polydimethylsiloxyethyl dimethicone, dipropylene glycol, magnesium sulfate, butylene glycol, aluminum starch octenylsuccinate, caprylic/capric triglyceride, aluminum hydroxide, sorbitan isostearate, stearic acid, alumina, silica, triethoxycaprylylsilane, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, polyglyceryl-4 isostearate, caprylyl glycol, phenoxyethanol, stearylalkonium hectorite, tocopheryl acetate, 1,2-hexanediol, propylene carbonate, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides.
EX111FL000431.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Bionus Sprl, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE

Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG02751-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 51S deep sand

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen

515
deep sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, isododecane, phenyl trimethicone, cyclopentasiloxane, glycerin, nylon-12, cyclohexasiloxane, alcohol denat., lauryl PEG-9 polydimethylsiloxyethyl dimethicone, dipropylene glycol, magnesium sulfate, butylene glycol, aluminum starch octenylsuccinate, caprylic/capric triglyceride, aluminum hydroxide, sorbitan isostearate, stearic acid, alumina, silica, triethoxycaprylylsilane, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, polyglyceryl-4 isostearate, caprylyl glycol, phenoxyethanol, stearylalkonium hecrite, tocopheryl acetate, 1,2-hexanediol, propylene carbonate, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides.
EX111FL000431.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Spri, Rue de la Croix 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE

Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG03474-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 53G deep golden

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation

Broad Spectrum
SPF 15 Sunscreen

53G
deep golden

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, isododecane, phenyl trimethicone, cyclopentasiloxane, glycerin, nylon-12, cyclohexasiloxane, alcohol denat., lauryl PEG-9 polydimethylsiloxyethyl dimethicone, dipropylene glycol, magnesium sulfate, butylene glycol, aluminum starch octenylsuccinate, caprylic/capric triglyceride, aluminum hydroxide, sorbitan isostearate, stearic acid, alumina, silica, triethoxycaprylylsilane, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, polyglyceryl-4 isostearate, caprylyl glycol, phenoxyethanol, stearylalkonium hectorite, tocopheryl acetate, 1,2-hexanediol, propylene carbonate, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides.
EX111FL000431.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. 81oritus Sprl, Rue de la Croiyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation
Broad Spectrum
SPF 15 Sunscreen



FG04667-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 57N rich neutral

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

57N
rich neutral

Drug Facts

Active ingredients

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Purpose

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, isododecane, phenyl trimethicone, cyclopentasiloxane, glycerin, nylon-12, cyclohexasiloxane, alcohol denat., lauryl PEG-9 polydimethylsiloxyethyl dimethicone, dipropylene glycol, magnesium sulfate, butylene glycol, aluminum starch octenylsuccinate, caprylic/capric triglyceride, aluminum hydroxide, sorbitan isostearate, stearic acid, alumina, silica, triethoxycaprylylsilane, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, polyglyceryl-4 isostearate, caprylyl glycol, phenoxyethanol, stearylalkonium hecrite, tocopheryl acetate, 1,2-hexanediol, propylene carbonate, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides.
EX111FL000431.

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea

water foundation

**Broad Spectrum
SPF 15 Sunscreen**

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY
10018. All rights reserved. Biorius
Sprl, Rue de la Croiyere 10A, B-7170
Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com



FG04974-01



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 57S rich sand

tarte

high-performance naturals™

RAINFOREST

OF THE

Sea™

water foundation

Broad Spectrum

SPF 15 Sunscreen

57S
rich sand

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, isododecane, phenyl trimethicone, cyclopentasiloxane, glycerin, nylon-12, cyclohexasiloxane, alcohol denat., lauryl PEG-9 polydimethylsiloxyethyl dimethicone, dipropylene glycol, magnesium sulfate, butylene glycol, aluminum starch octenylsuccinate, caprylic/capric triglyceride, aluminum hydroxide, sorbitan isostearate, stearic acid, alumina, silica, triethoxycaprylylsilane, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, polyglyceryl-4 isostearate, caprylyl glycol, phenoxyethanol, stearylalkonium hectorite, tocopheryl acetate, 1,2-hexanediol, propylene carbonate, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides.
EX111FL000431.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea

water foundation

Broad Spectrum
SPF 15 Sunscreen



FG03475-02



PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 61H mahogany

tarte
high-performance naturals™

RAINFOREST
OF THE
Sea™

water foundation
Broad Spectrum
SPF 15 Sunscreen

61H
mahogany

Drug Facts

Active ingredients

Purpose

Titanium Dioxide 6.22%...Sunscreen
Zinc Oxide 3.83%.....Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Stop use and ask doctor if rash occurs.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m.-2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sunlight.
- You may report a serious adverse reaction to: tarte c/o Report Reaction, LLC, P.O. Box 22, Plainsboro, NJ 08536-0222. ▶

Drug Facts (continued)

Inactive ingredients

Water, isododecane, phenyl trimethicone, cyclopentasiloxane, glycerin, nylon-12, cyclohexasiloxane, alcohol denat., lauryl PEG-9 polydimethylsiloxyethyl dimethicone, dipropylene glycol, magnesium sulfate, butylene glycol, aluminum starch octenylsuccinate, caprylic/capric triglyceride, aluminum hydroxide, sorbitan isostearate, stearic acid, alumina, silica, triethoxycaprylylsilane, cetyl PEG/PPG-10/1 dimethicone, hexyl laurate, polyglyceryl-4 isostearate, caprylyl glycol, phenoxyethanol, stearylalkonium heclobrite, tocopheryl acetate, 1,2-hexanediol, propylene carbonate, cocos nucifera (coconut) oil, algae extract/sargassum pacificum thallus extract, gardenia taitensis flower extract, tocopherol, iron oxides.
EX111FL000431.

net 30 mL / 1 Fl. Oz. Made in USA.
Dist. by tarte, Inc. New York, NY 10018. All rights reserved. Biorius Sprl, Rue de la Croyere 10A, B-7170 Manage, BE.

#marinepowered

@tartecosmetics

www.tarte.com

tarte

high-performance naturals™

RAINFOREST
OF THE
Sea

water foundation

Broad Spectrum
SPF 15 Sunscreen



crueltyfree
andvegan

FG03476-02



RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 8S PORCELAIN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-167
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	

COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-167-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 12B FAIR BEIGE

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-168
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	

PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-168-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 12N FAIR NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-169
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-169-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 14S FAIR-LIGHT SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-170
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYL SUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	

FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-170-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 15N FAIR-LIGHT NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-171
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	

STEARALKONIUM HECTORITE (UNII: O LX698 AH5P)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820 DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-171-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22N LIGHT NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-172
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-172-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22S LIGHT SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-173
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-173-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22H LIGHT HONEY
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-174
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-174-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 22G LIGHT GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-175
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	

NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-175-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 27S LIGHT-MEDIUM SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-176
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-176-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 27B LIGHT-MEDIUM BEIGE

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-177
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-177-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 27H LIGHT-MEDIUM HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-178
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THF5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-178-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 29N LIGHT-MEDIUM NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-179
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-179-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 29G LIGHT-MEDIUM GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-180
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	

COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-180-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 32S MEDIUM SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-181
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	

ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIMETHICONE (UNII: 92RU3N3Y10)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-181-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 32H MEDIUM HONEY

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-182
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-182-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15

SUNSCREEN 32N MEDIUM NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-183
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y10)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-183-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 32G MEDIUM GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-184
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	

POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-184-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 37S MEDIUM-TAN SAND

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-185
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

ISODODECANE (UNII: A8289P68Y2)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
NYLON-12 (UNII: 446U8J075B)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-185-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 39G MEDIUM-TAN GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-186
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-186-01	1 in 1 CARTON	11/01/2018	

1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 42N TAN NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-187
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
	Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL
Inactive Ingredients			
	Ingredient Name		Strength
	WATER (UNII: 059QF0KO0R)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	ISODODECANE (UNII: A8289P68Y2)		
	CYCLOMETHICONE 5 (UNII: 0THT5PC10R)		
	PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)		
	NYLON-12 (UNII: 446U8J075B)		
	DIPROPYLENE GLYCOL (UNII: E107L85C40)		
	MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
	CYCLOMETHICONE 6 (UNII: XHK3U310BA)		
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
	ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)		
	MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)		
	PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)		
	ALUMINUM OXIDE (UNII: LM26O6933)		
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)		
	STEARALKONIUM HECTORITE (UNII: O LX698AH5P)		
	POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)		
	HEXYL LAURATE (UNII: 4CG9F9W01Q)		
	STEARIC ACID (UNII: 4ELV7Z65AP)		
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
	TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		

PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-187-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 42S TAN SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-188
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIMETHICONE (UNII: 92RU3N3Y1O)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-188-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 46S TAN-DEEP SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-189
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISODODECANE (UNII: A8289P68Y2)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
NYLON-12 (UNII: 446U8J075B)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-189-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 48G TAN-DEEP GOLDEN

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-190
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 5 (UNII: 0THI5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-190-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	11/01/2018		

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 51H DEEP HONEY

titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-191
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ISODODECANE (UNII: A8289P68Y2)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	

ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYL YLSILANE (UNII: LDC331P08E)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-191-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 51S DEEP SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-192
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 5 (UNII: 0TH5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-192-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

**RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15
SUNSCREEN 53G DEEP GOLDEN**

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-193
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-193-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 57N RICH NEUTRAL

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-194
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

HEXYL LAURATE (UNII: 4CG9F9W01Q)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-194-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 57S RICH SAND

titanium dioxide and zinc oxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-195
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	

NYLON-12 (UNII: 446U8J075B)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
STEARIC ACID (UNII: 4ELV7Z65AP)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
HEXYL LAURATE (UNII: 4CG9F9W01Q)
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
COCONUT OIL (UNII: Q9L0O73W7L)
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)
TOCOPHEROL (UNII: R0ZB2556P8)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-195-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

RAINFOREST OF THE SEA WATER FOUNDATION BROAD SPECTRUM SPF 15 SUNSCREEN 61H MAHOGANY
titanium dioxide and zinc oxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51060-196
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	62.2 mg in 1 mL
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	38.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
COCONUT OIL (UNII: Q9L0O73W7L)	
GARDENIA TAITENSIS FLOWER (UNII: T0OCU8201Y)	
TOCOPHEROL (UNII: R0ZB2556P8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51060-196-01	1 in 1 CARTON	11/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	11/01/2018	

Labeler - Tarte, Inc (027905186)

Revised: 12/2018

Tarte, Inc