

**STOOL SOFTENER PLUS STIMULANT- docusate sodium and sennosides tablet**  
**United Natural Foods, Inc. dba UNFI**

-----  
**Drug Facts**

**Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

**Purpose**

Stool softener

Stimulant laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

## Other information

- **each tablet contains:** calcium 21 mg
- **each tablet contains:** sodium 5 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

## Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

## Questions or comments?

Call toll free 1-855-423-2630

## Principal Display Panel

compare to Colace® 2-IN-1 active ingredients\*

### Stool Softener + Stimulant Laxative

docusate sodium 50 mg/

sennosides 8.6 mg

- gentle, dependable
- relief in 6-12 hours

tablets

\*This product is not manufactured or distributed by AVrio Health L.P., distributor of Colace® 2-IN1

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**DISTRIBUTED BY: UNFI**

PROVIDENCE, RI 02908 USA

Product Label

**compare to Colace® 2-IN-1 active ingredients\* NDC 41163-778-10**

**EQUALINE®**

**stool softener + stimulant laxative**

docusate sodium 50mg/  
sennosides 8.6mg

• gentle, dependable  
• relief in 6-12 hours

**100 tablets** actual size

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**Drug Facts**

**Active ingredients (in each tablet)**  
Docusate sodium 50 mg.....Stool softener  
Sennosides 8.6 mg.....Stimulant laxative

**Uses**  
■ relieves occasional constipation (irregularity)  
■ generally produces bowel movement in 6 to 12 hours

**Warnings**  
**Do not use**  
■ laxative products for longer than 1 week unless directed by a doctor  
■ if you are presently taking mineral oil, unless told to do so by a doctor

**Drug Facts (continued under label)**

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace® 2-IN-1.

**DISTRIBUTED BY UNF**  
PROVIDENCE, RI 02908 USA  
855-423-2630

PLD-I677A Lot No.: Exp. Date:  
LBO07878  
0 41163 25695 8

**PEEL HERE**

**Drug Facts (continued)**

**Ask a doctor before use if you have**  
 stomach pain    nausea    vomiting  
 noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor if you have** rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**  
 ■ each tablet contains: calcium 21 mg  
 ■ each tablet contains: sodium 5 mg VERY LOW SODIUM  
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

**Questions or comments?**  
Call toll free 1-855-423-2630

**EQUALINE Stool Softener**

**STOOL SOFTENER PLUS STIMULANT**

docusate sodium and sennosides tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-778
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg	
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg	
Inactive Ingredients			

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL097
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-778-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/25/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	06/25/2021	

**Labeler** - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 6/2024

United Natural Foods, Inc. dba UNFI