

**GOODYS EXTRA STRENGTH HEADACHE MIXED FRUIT BLAST- acetaminophen, aspirin, and caffeine powder
Medtech Products Inc.**

Goodys Extra Strength Headache Powder

Drug Facts

Active ingredients

(in each powder):

Acetaminophen 325 mg

Aspirin (NSAID*) 500 mg

Caffeine 65 mg

*nonsteroidal anti-inflammatory drug

Purposes

Pain reliever

Pain reliever

Pain reliever aid

Uses

Temporarily relieves minor aches and pains due to:

- headache
- minor arthritis pain
- muscular aches
- a cold
- backache
- toothache
- menstrual cramps

Warnings:

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause severe allergic reaction which may include:

■ hives ■ facial swelling ■ shock ■ asthma (wheezing).

Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away.

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 packs in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Stomach bleeding warning: This product contains a NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or non-prescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed.

Caffeine warning: This product contains caffeine. Limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

Do not use

- if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

- you have liver disease
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking

- a prescription drug for diabetes, gout, or arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away
 - you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stool
 - have stomach pain that does not get better
 - pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - redness or swelling is present
 - any new symptoms appear
 - ringing in the ears or a loss of hearing occurs
- These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed** (see overdose warning)
- **adults and children 12 years and over:** open 1 pack, place powder on tongue every 6 hours, while symptoms persist. Drink a full glass of water with each dose, or may stir powder into a glass of water or other liquid.
- do not take more than 4 packs in 24 hours unless directed by a doctor.
- **children under 12 years of age:** ask a doctor.

Other information

- store below 25°C (77°F)

Inactive ingredients

colloidal silicon dioxide, flavors, guar gum, mannitol, microcrystalline cellulose, sucralose

Questions?

1-866-255-5197 goodyspowder.com

PRINCIPAL DISPLAY PANEL

Goody's Mixed Fruit Blast
Acetaminophen/ Aspirin (NSAID)/ Caffeine
Pain reliever/ Pain Reliever Aid

24 POWDERS



PRINCIPAL DISPLAY PANEL

Goody's Mixed Fruit Blast
Acetaminophen/ Aspirin (NSAID)/ Caffeine
Pain reliever/ Pain Reliever Aid

4 POWDERS

<p>Drug Facts (continued) 5</p> <p>■ ringing in the ears or a loss of hearing occurs. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.</p> <p>Keep out of reach of children.</p> <p>Overdose warning: Taking more than the recommended dose can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	<p>Drug Facts (continued) 6</p> <p>Directions</p> <p>■ do not take more than directed (see overdose warning). ■ adults and children 12 years and over: open 1 pack, place powder on tongue every 6 hours, while symptoms persist. Drink a full glass of water with each dose, or stir powder into a glass of water or other liquid. ■ do not take more than 4 packs in 24 hours unless directed by a doctor. ■ children under 12 years: ask a doctor.</p> <p>Other information Store below 25°C (77°F)</p> <p>Inactive ingredients colloidal silicon dioxide, flavors, guar gum, mannitol, microcrystalline cellulose, sucralose</p> <p>Questions? 1-866-255-5197 goodyspowder.com</p>
---	---



GOODYS EXTRA STRENGTH HEADACHE MIXED FRUIT BLAST

acetaminophen, aspirin, and caffeine powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-664
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	500 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
GUAR GUM (UNII: E89I1637KE)	
MANNITOL (UNII: 3OWL53L36A)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	FRUIT (Mixed Fruit)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-664-04	4 in 1 CARTON; Type 0: Not a Combination Product	08/01/2015	
2	NDC:63029-664-24	24 in 1 CARTON; Type 0: Not a Combination Product	08/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/01/2015	

Labeler - Medtech Products Inc. (122715688)

Revised: 10/2025

Medtech Products Inc.