

SENNA S- sennosides and docusate sodium tablet, coated
Medline Industries

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

989 Senna S Sennosides 8.6mg and Docusate Sodium 50mg

Active ingredient (in each tablet)

- Docusate sodium 50 mg
- Sennosides 8.6 mg

Purpose

Stool softener laxative

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6 -12 hours

Warnings

Do not use

- this product if you are presently taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel movements that persists over 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor
 - if you do not have a comfortable bowel movement by the second day, increase dose by one tablet (do not exceed maximum dosage) or decrease dose until you are comfortable
-

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:** calcium 20 mg, sodium 6 mg (VERY LOW SODIUM)
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, D&C yellow#10 aluminum lake, FD&C yellow#6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

Questions or comments?


Call toll free **1-800-MEDLINE (633-5463)**
Monday-Friday 9AM-5PM CST

Package Label



NDC: 53329-989-30

†Compare to the active ingredient in Senokot-S®



Senna S

Natural Vegetable Stimulant Laxative & Stool Softener Laxative
 Docusate Sodium, 50 mg
 Sennosides, 8.6 mg

Gently relieves constipation overnight

60 Tablets

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each tablet)
 Docusate sodium 50 mg Stool softener laxative
 Sennosides 8.6 mg Stimulant laxative

Uses
 ■ relieves occasional constipation (irregularity)
 ■ generally produces a bowel movement in 6-12 hours

Warnings
 Do not use ■ this product if you are presently taking mineral oil, unless directed by a doctor
 ■ laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have
 ■ stomach pain ■ nausea ■ vomiting
 ■ a sudden change in bowel movements that persists over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These

www.medline.com Made in the USA with U.S. and Foreign Components
 Copyright © 2011 Medline Industries, Inc., Norwood, IL 60093
 REF ID: A1800-MEDLINE

This product is not tamper-evident or tamper-evident. It is the property of Medline Industries, Inc., Norwood, IL 60093, registered trademark Senokot-S®.



Lot # & Expiration Date will be Imprinted at time of manufacture.

PEEL HERE

1 inch Copy Free Area Needed for Hinge

Drug Facts (continued) could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions ■ take preferably at bedtime or as directed by a doctor ■ if you do not have a comfortable bowel movement by the second day, increase dose by one tablet (do not exceed maximum dosage) or decrease dose until you are comfortable.	
age	starting dosage maximum dosage
adults and children 12 years of age and over	2 tablets once a day 4 tablets twice a day
children 6 to under 12 years	1 tablet once a day 2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day 1 tablet twice a day
children under 2 years	ask a doctor ask a doctor
Other information ■ each tablet contains: calcium 20 mg, sodium 6 mg (VERY LOW SODIUM) ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)	
Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, D&C yellow#10 aluminum lake, FD&C yellow#6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide	
Questions or comments? Call toll free 1-800-MEDLINE (633-5463) Monday-Friday 9AM-5PM CST	

SENNAS

sennosides and docusate sodium tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53329-989
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	

HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	orange	Score	score with uneven pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	TCL;081
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53329-989-30	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/22/2018	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	05/22/2018	

Labeler - Medline Industries (025460908)

Establishment

Name	Address	ID/FEI	Business Operations
Medline Industries		079800021	repack(53329-989)

Revised: 1/2020

Medline Industries