

**SOLAR SPF 40 BROAD SPECTRUM SPF 40 WATER RESISTANT (80 MIN)
MINERAL SUNCREEN- titanium dioxide and zinc oxide stick
MDSolarSciences**

**Solar Stick™ SPF 40
Broad Spectrum SPF 40 Water Resistant (80 min) Mineral Sunscreen**

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium Dioxide 8.1%	Sunscreen
Zinc Oxide 6%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

Stop use and ask a doctor if rash occurs

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- **Reapply:**
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10a.m.-2p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses

Other Information

Rub in well.

- Protect the product in this container from excessive heat and direct sunlight
- May stain some fabrics
- You may report serious adverse reactions to: Report Reaction LLC PO Box 611, Pompton Plains, NJ 07444

Inactive Ingredients

Polyethylene, Dimethicone, Butyloctyl Salicylate, Petrolatum, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Methyl Dihydroabietate, Acrylates/ Ethylhexyl Acrylate/Dimethicone Methacrylate Copolymer, Octyldodecanol, Tetrahexyldecyl Ascorbate (Vitamin C), Tocopherol (Vitamin E), Behenyl Olivatate, Aluminum Hydroxide, Stearic Acid, Sorbitan Sesquioleate, Glyceryl Isostearate, Polyhydroxystearic Acid, Citric Acid, Benzylidene Dimethoxydimethylindanone

**DISTRIBUTED BY
MDSOLARSCIENCES CORP.
GREENS FARMS, CT 06838**

PRINCIPAL DISPLAY PANEL - 17 G Tube Carton

MDSOLARSCIENCES ®

SOLAR STICK™

Broad Spectrum SPF 40
Water Resistant (80 Min)
Mineral Sunscreen

SPF 40

Sheer, lightweight
portable protection

DERMATOLOGIST DEVELOPED
With Vitamins C + E

0.6 OZ / 17 G



FOLLOW US:
@mdsolarsciences

PROTECT & NOURISH

Drug Facts

Active Ingredients..... Purpose
Titanium Dioxide 8.1%..... Sunscreen
Zinc Oxide 6%..... Sunscreen

Uses • Helps prevent sunburn
• If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only
Do not use on damaged or broken skin
Stop use and ask a doctor if rash occurs
When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Apply liberally 15 minutes before sun exposure • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Children under 6 months: Ask a doctor
• Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease the risk, regularly use a sunscreen with Broad Spectrum SPF of 15 or higher and other sun protection measures including:
• Limit time in the sun, especially from 10 a.m.-2 p.m.
• Wear long-sleeved shirts, pants, hats and sunglasses

FOR ALL SKIN TYPES INCLUDING ACNE, ROSACEA PRONE & SENSITIVE SKIN

 OCTINOXATE & OXYBENZONE FREE

 CLINICALLY PROVEN

 HYPO-ALLERGENIC

 NON-COMEDOGENIC

PARABEN FREE
FRAGRANCE FREE



REEF SAFE



ANIMAL TEST-FREE
VEGAN



MDSOLARSCIENCES®

SOLAR STICK™

Broad Spectrum SPF 40
Water Resistant (80 Min)
Mineral Sunscreen

SPF 40

Sheer, lightweight
portable protection

DERMATOLOGIST DEVELOPED
With Vitamins C + E

0.6 OZ / 17 G

Drug Facts (continued)

Other Information

Rub in well.
• Protect the product in this container from excessive heat and direct sunlight
• May stain some fabrics
• You may report serious adverse reactions to: Report Reaction LLC PO Box 611, Pompton Plains, NJ 07444

Inactive Ingredients

Polyethylene, Dimethicone, Butyloctyl Salicylate, Petrolatum, Butyrospermum Parkii (Shea) Butter, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Methyl Dihydroabietate, Acrylates/Ethylhexyl Acrylate/Dimethicone Methacrylate Copolymer, Octyldodecanol, Tetrahexyldecyl Ascorbate (Vitamin C), Tocopherol (Vitamin E), Behenyl Olivatate, Aluminum Hydroxide, Stearic Acid, Sorbitan Sesquiolate, Glyceryl Isostearate, Polyhydroxystearic Acid, Citric Acid, Benzylidene Dimethoxydimethylindanone

MDSOLARSCIENCES.COM



SUSTAINABLE FORESTRY INITIATIVE

Certified Sourcing

www.sfiprogram.org
SFI-00631

DISTRIBUTED BY
MDSOLARSCIENCES CORP.
GREENS FARMS, CT 06838
MADE IN USA



Please recycle to keep our environment beautiful for generations to come.

FG#140001
140800 c
9025E2



8 55438 00227 1

SOLAR SPF 40 BROAD SPECTRUM SPF 40 WATER RESISTANT (80 MIN) MINERAL SUNCREEN

titanium dioxide and zinc oxide stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49358-577
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	81 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	60 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PETROLATUM (UNII: 4T6H12BN9U)	
SHEA BUTTER (UNII: K49155WL9Y)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
2-ETHYLHEXYL ACRYLATE, METHACRYLATE, METHYL METHACRYLATE, OR BUTYL METHACRYLATE/HYDROXYPROPYL DIMETHICONE COPOLYMER (30000-300000 MW) (UNII: S7ZA3CCJ4M)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BEHENYL OLIVATE (UNII: NGS1GGK4GW)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
BENZYLIDENE DIMETHOXYDIMETHYLINDANONE (UNII: 75HIF3C97L)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49358-577-01	1 in 1 CARTON	07/01/2023	
1		17 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2023	

Labeler - MDSolarSciences (013647301)

Revised: 6/2025

MDSolarSciences