DAYTIME MULTI-SYMPTOM COLD/FLU RELIEF- acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled Greenbrier International

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Daytime

Multi-Symptom Cold/Flu Relief Capsules

Drug Facts

Active ingredients

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

Purpose

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen

• 3 or more alcoholic drinks daily while using this product

Sore throat warning

If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, see a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product, do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms get worse or last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed see Overdose Warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 LiquiCaps with water every 4 hrs
children 4 to under 12 yrs	ask a doctor

Other information

• store at room temperature

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, methyl paraben, polyethylene glycol, povidone, propylene glycol, propyl paraben, purified water, sorbitol, titanium dioxide

Questions?

1-866-467-2748

Distributed by:

Greenbrier International, Inc.

Chesapeake, VA 23320

PRINCIPAL DISPLAY PANEL - 10 Softgel Carton

Multi-Symptom

DayTime

Liquid Capsules

Acetaminophen, Dextromethorphan hydrobromide, Phenylephrine HCl

Cold/Flu Relief

- Pain Reliever
- Fever Reducer
- Nasal Decongestant
- Cough Suppressant

10 Softgels

Compare to the active ingredient in Vicks Dayquil®

Multi-Symptom Liquid Capsules

Cold/Flu Relief

- Aches, Fever & Sore Throat
 Nasal Decongestant
 Cough

10 SOFTGELS

NDC 33992-0611-0

*Compare to the active ingredients in Vicks DayQuil®



Multi-Symptom

ASSURED

Liquid Capsules

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl

Cold/Flu Relief

- Aches, Fever & Sore Throat
- Nasal Decongestant
- Cough

Non-Drowsv



10 SOFTGELS

to

Multi-Symptom

Liquid Capsules

Cold/Flu Relief

- Aches, Fever & Sore ThroatNasal DecongestantCough

10 SOFTGELS

distributor of Vickse Dayquille Cold & Au Liqui Capse This product is not manufactured or distributed by Procter & Gamble,

Questions or comments? 1-866-467-2748

No. 6, gelatin, glycerin, methylparaben, polyethylene glyc ol, polylobna, propylane glycd, propylparaben, purified water, sorbilol, life nim glypho Inactive ingredients FD&C Red No. 40, FD&C Yellow

Other information = store at room temperature

esn ton ob	children under 4 years
saka doctor	children 4 to under 12 years
2 softgels with water every 4 hours	adults and children 12 years and over

 qo uoq exceed 4 apses bet 54 ponts DIFECTIONS = take only as directed - see Overdose warning

children, even if you do not notice any signs or symptoms. overdose, get medical help or contact a Poison Control Center मेवीन रामकार Guck medical attention is critical for adults & more than directed can cause serious health problems, In case Keep out ofreach of children. Overdose warning: Taking

blood fhinning drug warfarin. Ask a doctor or pharmacist before use if you are taking the

or emphysema becajateut or chronic cough as occurs with smoking asthma

- confly just ocions with too much philegm (mucus)
- frouble uninating due to enlarged prostate gland
- peart disease ≡ thyroid disease diabetes high blood pressure As k a doctor before use if you have ■ liver disease

prescription drug contains an MAOI, ask a doctor or pharmackst before taking this product. after stopping the MAOI drugs. If you do not know if your emotional conditions, or Parkinson's disease), or for 2 weeks drug contains acetamhophen, sek adoctor or pharmacist mityou are now taking a prescription monoamine oxidase inholitor (MAOI) (certaindrugs for depress on, psychiatrior (prescription or nonprescription). If you are not sure whether a Do not use with any other products containing a ceta minophen

rasm, nausea, or vormiting, see a coctor promptly. Sore throat warning: It sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, 3 or more alcoholic drinks dally while using this product

 with other drugs containing aceteminophen hours, which is the maximum daily amount for this product Iver damage may oc cur if you take in more than 4 doses in 24 Liver warming: This product contains acetaminophen. Severe

TAMPER EVIDENT: This package is safety sealed & child resistant.
Use only if blisters are intact.
If difficult to open, use scissors.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Distributed by: Greenbrier International, Inc. Chesapeake, VA 23320

Exp

If ure unantor breast-feeding seks besith or descional before use Warnings redness or swelling is present ■ new symptoms occur
 m cough comes back, or occurs with reshor headsche that lasts.
 These could be signs of a serbus condition. ■ sore throat ■ headache ■ minor aches and pains ■ fever ■ nasal congestion
 ■ cough due to minor throat & bronchial inflation ■ fever gets worse or lasts more than 3 days USes temporarily refleves common cold'flus ymptoms: or 7 days (adults) Shop use sandask a dochor if ■ youge thervous, dzzy or sleepless ■ symptoms gatwo teeor bastmore than 5 days (children) this table decongest ant Phenylephrine HCl 5 mg. nse sendque riguoo. Dextromethorphan HBr 10 mg...... Active ingredients (in each softgel) Purposes When using this product, do not use more than directed. Drug Facts Drug Facts (continued) Failure to follow these warnings could result in serious consequences.

DAYTIME MULTI-SYMPTOM COLD/FLU RELIEF

acetaminophen, dextromethorphan hydrobromide, and phenylephrine hydrochloride capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:33992-0611
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (UNII: 36209 ITL9D) (ACETAMINO PHEN - UNII: 36209 ITL9D)	ACETAMINOPHEN	325 mg	
Dextromethorphan Hydrobromide (UNII: 9D2RTI9KYH) (Dextromethorphan - UNII:7355X3ROTS)	De xtro me tho rphan Hydro bro mide	10 mg	
Phenylephrine Hydrochloride (UNII: 04JA59TNSJ) (Phenylephrine - UNII:1WS297W6MV)	Phenylephrine Hydrochloride	5 mg	

Inactive Ingredients			
Ingredient Name	Strength		
FD&C Red No. 40 (UNII: WZB9127XOA)			
FD&C Yellow No. 6 (UNII: H77VEI93A8)			
gelatin (UNII: 2G86QN327L)			
glycerin (UNII: PDC6A3C0OX)			
METHYLPARABEN (UNII: A218 C7HI9T)			
polyethylene glycols (UNII: 3WJQ0SDW1A)			
PO VIDO NES (UNII: FZ989 GH9 4E)			
propylene glycol (UNII: 6DC9Q167V3)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
water (UNII: 059QF0KO0R)			
sorbitol (UNII: 506T60A25R)			
titanium dioxide (UNII: 15FIX9V2JP)			

Product Characteristics			
Color	ORANGE	Score	no score
Shape	OVAL	Size	21mm

Flavor	Imprint Code	RP061
Contains		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:33992-0611-0	1 in 1 CARTON		
1	10 in 1 BLISTER PACK		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/01/2013	

Labeler - Greenbrier International (610322518)

Revised: 7/2012 Greenbrier International