FAMILY CARE NASAL RELIEF- oxymetazoline hydrochloride spray United Exchange Corp

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Family Care Nasal Spray Severe Congestion 0.5 oz NBE Afrin Severe Congestion 571 ZDP

Active ingredient

Purpose

Oxymetazoline HCl 0.05%......Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
- hay fever
- upper respiratory allergies
- temprarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 6 to 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 does in any 24-hour period.
- children under 6 years of age: ask a doctor. Shake well before use. Remove safety seal. To open, rotate cap to align the marks. Squeeze cap on both sides in a counterclockwise turn and pull off to remove. To spray, remove clamp and hold bottle with

thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap onto bottle.

Other information

• store between 20° and 25°C (66° and 77°F)

Inactive ingredients benzalkonium chloride, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, polysorbate 80, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic monohydrate

Distributed by:

United Exchange Corp Cypress, CA 90630 USA 1-888-645-8204 Made in China



Drug Facts (continued)

Other information

store at room temperature 20-25°C (68-77°F)

Inactive ingredients

benzalkonium chloride, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, polysorbate 80, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic monohydrate

Questions or comments? Call 1-888-645-8204 Monday-Friday 9AM-5PM (PST)

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL AROUND PUMP AND CAP IS BROKEN OR MISSING.

Distributed By: UNITED EXCHANGE CORP. Cypress, CA. 906 1-888-645-8204

Made In China

571-ZDP-BX-R2 NAS-MD-ZDP101-R2

Compare to **AFRIN**® Severe Congestion active ingredient*

CHILD SAFETY CAP



Medicated

Oxymetazoline HCl 0.05% (Nasal Decongestant)

Pump Mist Spray

Features:

- Fast & Powerful **Congestion Relief**
- Maximum Strength with Menthol

SEVERE

0.5 FL OZ (15 ML)

FAMILY CARE

FULL DIRECTIONS IN DRUG FACTS PANEL

DIRECTIONS FOR USE:

STEP 1: To open, rotate cap to align the marks. Squeeze cap on both sides in a counterclockwise turn and pull off to remove. To spray, remove clamp.

STEP 2: Use as directed. STEP 3: Wipe nozzle clean after use and snap





Drug Facts

Active ingredient Oxymetazoline hydrochloride 0.05%

Purpose . Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
- common cold
 hay fever
 upper respiratory allergies
- temporarily relieves sinus congestion and pressure shrinks swollen nasal membranes so you can breathe more

Warnings

Ask a doctor before use if you have

- heart disease
 high blood pressure
 thyroid disease
 diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

do not use more than directed

- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist.

If pregnant or breast-feeding, ask a health professional

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- = children under 6 years of age: consult a doctor
 = shake well before use. Remove safety seal. To open, rotate cap to align the marks. Squeeze cap on both sides in a counter-clockwise turn and pull off to remove. To spray, remove clamp and hold bottle with thumb at base and nozzle between first and second fingers. Without tilting the head, insert nozzle into nostril. Fully depress rim with a firm, even stroke and sniff deeply. Wipe nozzle clean after use and snap cap onto bottle

FAMILY CARE NASAL RELIEF

oxymetazoline hydrochloride spray

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:65923-571

Route	 A -I	 	-:

NASAL

Active	Ingredient/Active	Moiety
--------	-------------------	--------

Active ingredicity Active Profety		
Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (UNII:8VLN5B44ZY)	OXYMETAZ OLINE - OXYMETAZ OLINE HYDROCHLORIDE	5 g in 100 mL

Inactive Ingredients			
Ingredient Name	Strength		
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)			
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)			
EUCALYPTOL (UNII: RV6J6604TK)			
WATER (UNII: 059QF0KO0R)			
BENZYL ALCOHOL (UNII: LKG8494WBH)			
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)			
POLYSORBATE 80 (UNII: 6OZP39ZG8H)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
MENTHOL (UNII: L7T10EIP3A)			
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)			
EDETATE DISODIUM (UNII: 7FLD91C86K)			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:65923- 571-15	1 in 1 CARTON	05/25/2018		
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	05/31/2013		

Labeler - United Exchange Corp (840130579)

Revised: 3/2022 United Exchange Corp