

ANTIFUNGAL FOOT CARE- tolnaftate spray

Rite Aid Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Rite Aid Corporation Antifungal Liquid Spray Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use

on children under 2 years of age unless directed by a doctor

When using this product

- avoid contact with the eyes
- use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

alcohol denat., butylated hydroxytoluene, isobutane, polyethylene glycol 300, polysorbate 20

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient of Tinactin® Antifungal Liquid Spray

ANTIFUNGAL LIQUID SPRAY

tolnaftate 1%

cools the burn

relieves itching and burning

cures and prevents most athlete's foot

NET WT 5.3 OZ (150 g)

Compare to the active ingredient
of Tinactin® Antifungal Liquid Spray*

ANTIFUNGAL LIQUID SPRAY

tolnaftate 1%

**cools the burn
relieves itching and burning
cures and prevents
most athlete's foot**



NET WT 5.3 OZ (150 g)

Drug Facts

Active ingredient

Tolnaftate 1%.....Antifungal

Purpose

Antifungal

Uses

- proven clinically effective in the treatment of most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- helps prevent most athlete's foot with daily use
- for effective relief of itching, burning and cracking

Warnings

For external use only

Flammable: Do not use while smoking or near heat or flame

Do not use on children under 2 years of age unless directed by a doctor

When using this product ■ avoid contact with the eyes

■ use only as directed. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F (49°C).

Stop use and ask a doctor if ■ irritation occurs ■ there is no improvement within 4 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if condition persists longer, ask a doctor
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredients alcohol denat., butylated hydroxytoluene, isobutane, polyethylene glycol 300, polysorbate 20

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of Tinactin® Antifungal Liquid Spray.

DISTRIBUTED BY: RITE AID
30 HUNTER LANE, CAMP HILL, PA 17011 WWW.RITEAID.COM

SATISFACTION GUARANTEE:

If you're not satisfied, we'll happily refund your money.

DOT 2P : 15473 83 FL



ANTIFUNGAL FOOT CARE

tolnaftate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0154
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0154-1	150 g in 1 CAN; Type 0: Not a Combination Product	09/24/2004	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	09/24/2004	

Labeler - Rite Aid Corporation (014578892)

Revised: 4/2019

Rite Aid Corporation