

PREMIER VALUE NIGHTTIME SLEEP-AID LIQUID SLEEP-AID- diphenhydramine hydrochloride liquid
Chain Drug Consortium

Premier Value Nighttime Sleep-Aid

Drug Facts

Active ingredients (in each 30 mL dose cup or 2 tablespoons)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin
- with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema, or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- heart disease

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers or any other sleep aid

When using this product

- avoid alcoholic beverages and other drugs that cause drowsiness
- drowsiness will occur
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if sleeplessness persists continuously for more than 2

weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only one dose per day (24 hours) - see Overdose warning
- use dose cup or tablespoon

adults & children 12 yrs & over	One Dose = 30 mL (2 tablespoons) at bed time if needed or as directed by a doctor
---------------------------------	---

Other information

- **each 30 mL dose (2 tablespoons) contains:** sodium 23 mg
- store at room temperature
- protect from light. Does not meet USP <671>.

Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue 1, FD&C red 40, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose.

Failure to follow these warnings could result in serious consequences

TAMPER EVIDENT: This package is safety sealed & child resistant. Use only if blisters are intact. If difficult to open, use scissors.

This product is not manufactured or distributed by Procter & Gamble, the distributor of ZzzQuil™.

Distributed by:

Chain Drug Consortium LLC.

3301 N.W. Boca Raton Blvd.

Suite 101, Boca Raton FL 33431

PRINCIPAL DISPLAY PANEL - 354 ml Bottle Label

Premier Value
Nighttime

Sleep-Aid

Diphenhydramine HCl /

- Non-Habit Forming

Berry Flavor

Not for treating Cold or Flu

See Warnings

12 FL OZ (354 ml)

TAMPER EVIDENT: Do not use if printed shrink band is missing or broken

Drug Facts (continued)

than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. 1-800-222-1222

Directions ■ take only one dose per day (24 hours) - see Overdose warning ■ use dose cup or tablespoon

adults & children 12 yrs & over One Dose - 30 mL (2 tablespoons) at bed time if needed or as directed by a doctor

Other information

■ each 30 mL dose (2 tablespoons) contains: sodium 23 mg

■ store at room temperature

■ protect from light. Does not meet USP <671>.

Inactive ingredients anhydrous citric acid, FD&C blue 1, FD&C red 40, flavor, glycerin, potassium citrate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum.

Distributed By:
Chain Drug Consortium, LLC.
3301 N.W. Boca Raton Blvd.,
Suite 101, Boca Raton, FL 33431

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.

73012PVLR



8 40986 02953 0

LOT:
EXP:


NDC 68016-219-12
COMPARE TO ZZZOIL®
ACTIVE INGREDIENT*



Nighttime Sleep-Aid

Diphenhydramine HCl
Non-Habit Forming

BERRY



Not for treating Cold or Flu
See Warnings

12 FL OZ (354 ml)



Failure to follow these warnings could result in serious consequences.

Drug Facts

Active ingredient	Purpose
(in each 30mL dose cup or 2 tablespoons)	
Diphenhydramine HCl 50 mg.....	Nighttime sleep-aid

Uses ■ for the relief of occasional sleeplessness

■ reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

■ for children under 12 years of age

■ with any other product containing diphenhydramine, even one used on skin

■ with other drugs that cause drowsiness such as antihistamines and nighttime cold/flu products

Ask a doctor before use if you have

■ a breathing problem such as asthma, emphysema, or chronic bronchitis

■ glaucoma

■ difficulty in urination due to enlargement of the prostate gland

■ heart disease

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers or any other sleep-aid.

When using this product ■ avoid alcoholic beverages and other drugs that cause drowsiness ■ drowsiness will occur

■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if sleeplessness persists continuously for more than two weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: Taking more ▶

PREMIER VALUE NIGHTTIME SLEEP-AID LIQUID SLEEP-AID

diphenhydramine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-219
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZ B9127XOA)	

GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-219-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/10/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	12/10/2012	

Labeler - Chain Drug Consortium (101668460)