

NATAL PNV- ascorbic acid, cholecalciferol, thiamine hydrochloride, riboflavin, pyridoxal phosphate, levomefolate glucosamine, folic acid, methylcobalamin, calcium carbonate, ferrous gluconate, potassium iodide tablet, film coated
Carwin Pharmaceutical Associates, LLC

Natal PNV Tablets

Dispensed by Prescription

Serving Size: 2 tablets

Servings per container: 30

Amount Per Serving (Pregnant and Lactating Women)

%DV

Vitamin C (as ascorbic acid)	130 mg	108%
Vitamin D (as cholecalciferol)	15 mg (600 U)	100%
Thiamin (as thiamin HCl)	1.4 mg	100%
Riboflavin	1.6 mg	100%
Vitamin B6 (as pyridoxol-5-phosphate)	2.5 mg	125%
Folate	1667 mcg, 1 mg folic acid	278%
methyltetrafolate, glucosamine salt, molar equivalent to 432 mcg Folic Acid), and 568 mcg of folic acid)		
Vitamin B12 (as methylcobalamin)	30 mcg	1,071%
Calcium (from calcium carbonate)	200 mg	15%
Iron (as ferrous gluconate)	12 mg	44%
Iodine (as potassium iodide)	150 mcg	52%

OTHER INGREDIENTS: Microcrystalline Cellulose, Powdered Cellulose, Polyvinyl Alcohol, Polyethylene Glycol, Talc, Titanium Dioxide, Silicon Dioxide, Stearic Acid, Croscarmellose Sodium, Magnesium Stearate, Carmine, FD&C Blue #1, FD&C Blue #2

DESCRIPTION

Natal PNV Tablets is a prescription dietary supplement for use throughout pregnancy, during the postnatal period for both lactating and non-lactating mothers, and throughout the childbearing years. Natal PNV Tablets may be useful in improving the

nutritional status of women prior to conception.

CONTRADINDICATIONS

Natal PNV Tablets are contraindicated in patients with a known hypersensitivity to any of the ingredients. Do not take this product if you are presently taking mineral oil, unless directed by a doctor.

WARNING

Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS

Allergic sensitization has been reported following both oral and parenteral administration of folic acid. You may report side effects by calling Carwin Pharmaceutical Associates at 1-844-700-5011 or the FDA by calling 1-800-FDA-1088.

DOSAGE AND ADMINISTRATION

Usual adult dose is 2 tablets taken orally once daily, or as prescribed by a licensed medical practitioner.

PRECAUTION:

Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. Natal PNV Tablets should only be used under the direction and supervision of a licensed medical practitioner.

SAFE HANDLING WARNING SECTION

Protect from heat, light and moisture.

Tamper Evident: Do not use if seal is broken or missing.

Dosage: Usual adult dose is 2 tablets once daily or as prescribed by a licensed medical practitioner.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. **KEEP THIS PRODUCT OUT OF REACH OF CHILDREN. In case of accidental overdose, call a doctor or poison control center immediately.**

Call your licensed medical practitioner about side effects. You may report side effects by calling Carwin Pharmaceutical Associates at 1-844-700-5011 or 1-800-FDA-1088.

STORAGE: Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F) [See USP Controlled Room Temperature.]

Manufactured for:

Carwin Pharmaceutical Associates, LLC
Hazlet, NJ 07730
Rev. 03/2023



15370-280-60

Natal PNV Tablets

PRENATAL / POSTNATAL

Dietary Supplement

60 Tablets



Supplement Facts

Serving Size: 2 Tablets Servings per container: 30

Amount Per Serving:	%DV (Pregnant and Lactating Women)	
Vitamin C (as ascorbic acid)	130 mg	108%
Vitamin D (as cholecalciferol)	15 mcg (600 IU)	100%
Thiamin (as thiamine HCl)	1.4 mg	100%
Riboflavin	1.6 mg	100%
Vitamin B6 (as pyridoxal-5-phosphate)	2.5 mg	125%
Folate	1,667 mcg DFE 1 mg folic acid	278%
(as 800 mcg Quatrefolic® ((6S-5-methyltetrahydrofolic acid, glucosamine salt, molar equivalent to 432 mcg of Folic Acid), and 568 mcg of folic acid)		
Vitamin B12 (as methylcobalamin)	30 mcg	1,071%
Calcium (from calcium carbonate)	200 mg	15%
Iron (as ferrous gluconate)	12 mg	44%
Iodine (as potassium iodide)	150 mcg	52%

OTHER INGREDIENTS: Microcrystalline Cellulose, Powdered Cellulose, Polyvinyl Alcohol, Polyethylene Glycol, Talc, Titanium Dioxide, Silicon Dioxide, Stearic Acid, Croscarmellose Sodium, Magnesium Stearate, Cammine, FD&C Blue #1, FD&C Blue #2

Add image transcription here...

NATAL PNV

ascorbic acid, cholecalciferol, thiamine hydrochloride, riboflavin, pyridoxal phosphate, levomefolate glucosamine, folic acid, methylcobalamin, calcium carbonate, ferrous gluconate, potassium iodide tablet, film coated

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:15370-280
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	130 mg in 2
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	15 ug in 2
THIAMINE HYDROCHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABTOJ945J)	THIAMINE	1.4 mg in 2
RIBOFLAVIN (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	1.6 mg in 2
PYRIDOXAL PHOSPHATE ANHYDROUS (UNII: F06SGE49M6) (PYRIDOXAL PHOSPHATE ANHYDROUS - UNII:F06SGE49M6)	PYRIDOXAL PHOSPHATE ANHYDROUS	2.5 mg in 2
LEVOMEFOLATE GLUCOSAMINE (UNII: Q65PL71Q1A) (LEVOMEFOLATE GLUCOSAMINE - UNII:Q65PL71Q1A)	LEVOMEFOLATE GLUCOSAMINE	800 ug in 2
FOLIC ACID (UNII: 935E97BOY8) (FOLIC ACID - UNII:935E97BOY8)	FOLIC ACID	568 ug in 2
METHYLCOBALAMIN (UNII: BR1SN1JS2W) (METHYLCOBALAMIN - UNII:BR1SN1JS2W)	METHYLCOBALAMIN	30 ug in 2

CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	200 mg in 2
FERROUS GLUCONATE (UNII: U1B11I423Z) (FERROUS CATION - UNII:GW89581OWR)	FERROUS CATION	12 mg in 2
POTASSIUM IODIDE (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	150 ug in 2

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CARMINIC ACID (UNII: CID8Z8N95N)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:15370-280-60	60 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		05/04/2023	

Supplement Facts

Serving Size : **Serving per Container :**

	Amount Per Serving	% Daily Value
color		
shape		
size (solid drugs)	15 mm	
scoring	1	
imprint		

Revised: 5/2023

Carwin Pharmaceutical Associates, LLC