

**LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 50 TINTED
MINERAL SUNSCREEN- titanium dioxide lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredient

Titanium dioxide 11%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use

- apply generously 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, isododecane, C12-15 alkyl benzoate, dimethicone, undecane, triethylhexanoin, isohexadecane, styrene/acrylates copolymer, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentylene glycol, C9-15 fluoroalcohol phosphate, tocopherol, phenoxyethanol, stearic acid, diethylhexyl syringylidenemalonate, PEG-9 polydimethylsiloxyethyl dimethicone, magnesium sulfate, PEG-8 laurate, PEG-9, polyhydroxystearic acid, maltodextrin, benzoic acid, iron oxides, propylene glycol, propylene carbonate, caprylyl glycol, disteardimonim hectorite, cassia alata leaf extract, alumina, aluminum hydroxide

Questions or comments?

1-888-577-5226 1-888-LRP LABO

Monday - Friday (9 a.m. - 5 p.m. EST)

Every day, dermatologists observe the severe skin damage caused by UVA and UVB ray exposure.

UVB rays mainly cause **Burning**.

They are stopped by the epidermis. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Aging** or **Sun Allergies**.

They penetrate deeper into the skin than UVB rays and can reach into the dermis. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and to weaken the immune system. This damage can potentially lead to the development of **skin cancer**.

A pioneer in UV protection research for over 15 years, La Roche-Posay, with **ANTHELIOS**, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

To learn more about La Roche-Posay products or to get sun safe tips, visit www.laroche-posay.us or check our Facebook [@facebook.com/LaRochePosay/USA](https://www.facebook.com/LaRochePosay/USA).

FACE
50

SUNSCREEN

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM
SPF50

TINTED

ANTHELIOS 50
MINERAL

Avec de l'eau thermale de La Roche-Posay

ULTRA LIGHT SUNSCREEN FLUID
100% mineral UV filter system
Matte finish. Universal tint

Advanced Protection
with **CELL-OX SHIELD™**
UVA/UVB + ANTIOXIDANT



WATER RESISTANT (40 MINUTES)
Fragrance-free. Paraben-free
Tested on sensitive skin

1.7 FL OZ - 50 ml

ANTHELIOS 50 MINERAL
sunscreen with CELL-OX
SHIELD™:

A unique patent pending combination of a mineral sun filter with powerful antioxidants in a fluid texture to protect your skin down to the cellular level!

Properties:

• **100% mineral UV filter system**

- An optimized blend of titanium dioxide to offer broad-spectrum protection with demonstrated efficacy against UVA rays.

- A patent pending dispersion technology to help assure uniform protection.

• **Powerful antioxidant complex**

- Senna Alata, a tropical leaf extract known to defend skin cells!

- Additional antioxidants to help protect skin from environmental aggressors.

• **Breakthrough texture:**

Fast-absorbing fluid, tinted for a natural glow. Universal tint matches most every skin tone for a uniform complexion. Skin feels hydrated with a matte finish.

Results: Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

Dermatological safety:

ANTHELIOS 50 sunscreen has been rigorously tested and formulated for optimal skin tolerance.

WATER RESISTANT (40 MINUTES)
FRAGRANCE-FREE
PARABEN-FREE
NON-COMEDOGENIC
DERMATOLOGIST TESTED
TESTED ON SENSITIVE SKIN

1 upper layers of skin



Made in France

Distributed by La Roche-Posay LLC,
New York, NY 10017

La Roche-Posay
Laboratoire Pharmaceutique
86270 La Roche-Posay France
TSA 10007 F 92667 ASNIERES CEDEX
www.laroche-posay.com

Drug Facts

Active ingredient	Purpose
Titanium dioxide 11%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, isododecane, C12-15 alkyl benzoate, dimethicone, undecane, triethylhexanoin, isohexadecane, styrene/acrylates copolymer, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentylene glycol, C9-15 fluoroalcohol phosphate, tocopherol, phenoxyethanol, stearic acid, diethylhexyl syringylidenemalonate, PEG-9 polydimethylsilyloxyethyl dimethicone, magnesium sulfate, PEG-8 laurate, PEG-9, polyhydroxystearic acid, maltodextrin, benzoic acid, iron oxides, propylene glycol, propylene carbonate, caprylyl glycol, disteardimonium hectorite, cassia alata leaf extract, alumina, aluminum hydroxide


Questions or comments?

1-888-LRP LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

8582023

US Pat. Pending

Code F.I.L.: D50867/10



Every day, dermatologists observe the severe skin damage caused by UVA and UVB ray exposure.

UVB rays mainly cause **Burning**. They are stopped by the epidermis. They cause tanning and are mainly responsible for sunburn. SPF or "Sun Protection Factor" is the degree of protection a sunscreen offers against UVB rays.

UVA rays mainly cause **Aging** or **Sun Allergies**. They penetrate deeper into the skin than UVB rays and can reach into the dermis. UVA rays directly contribute to skin aging (wrinkles, sagging, dark spots) and are the #1 cause of sun intolerances (allergies).

Both UVA and UVB rays have been proven to cause damage to skin cells, including DNA, and to weaken the immune system. This damage can potentially lead to the development of **skin cancer**.

A pioneer in UV protection research for over 15 years, La Roche-Posay, with **ANTHELIOS**, is trusted by dermatologists worldwide for its advanced formulations in UVA protection.

To learn more about La Roche-Posay products or to get sun safe tips, visit www.laroche-posay.us or check our Facebook [@facebook.com/LaRochePosay/USA](https://www.facebook.com/LaRochePosay/USA).

FACE
50
SUNSCREEN

16.25

LA ROCHE-POSAY
LABORATOIRE DERMATOLOGIQUE

BROAD SPECTRUM
SPF50

TINTED

ANTHELIOS 50
MINERAL

Avec de l'eau thermale de La Roche-Posay

ULTRA LIGHT SUNSCREEN FLUID
100% mineral UV filter system
Matte finish. Universal tint

Advanced Protection
with **CELL-OX SHIELD™**
UVA/UVB + ANTIOXIDANT

SHAKE
SHAKE

WATER RESISTANT (40 MINUTES)
Fragrance-free. Paraben-free
Tested on sensitive skin

1.7 FL OZ - 50 ml

14.75

ANTHELIOS 50 MINERAL sunscreen with CELL-OX SHIELD™:

A unique patent pending combination of a mineral sun filter with powerful antioxidants in a fluid texture to protect your skin down to the cellular level!

Properties:

- **100% mineral UV filter system:**
 - An optimized blend of titanium dioxide to offer broad-spectrum protection with demonstrated efficacy against UVA rays.
 - A patent pending dispersion technology to help assure uniform protection.
- **Powerful antioxidant complex:**
 - Senna Alata, a tropical leaf extract known to defend skin cells!
 - Additional antioxidants to help protect skin from environmental aggressors.
- **Breakthrough texture:**
 - Fast-absorbing fluid, tinted for a natural glow. Universal tint matches most every skin tone for a uniform complexion. Skin feels hydrated with a matte finish.

Results: Decreases the risk of skin cancer and early skin aging caused by the sun if used as directed with other sun protection measures (see **Directions**).

Dermatological safety: **ANTHELIOS 50** sunscreen has been rigorously tested and formulated for optimal skin tolerance.

WATER RESISTANT (40 MINUTES)
FRAGRANCE-FREE
PARABEN-FREE
NON-COMEDOGENIC
ALLERGY TESTED
DERMATOLOGIST TESTED
TESTED ON SENSITIVE SKIN

1 upper layers of skin

Made in France

Distributed by La Roche-Posay LLC,
New York, NY 10017

La Roche-Posay
Laboratoire Pharmaceutique
86270 La Roche-Posay France
TSA 10007 F 92667 ASNIERES CEDEX
www.laroche-posay.com

Drug Facts

Active ingredient	Purpose
Titanium dioxide 11%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:

- shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients
water, isododecane, C12-15 alkyl benzoate, dimethicone, undecane, triethylhexanoin, isohexadecane, styrene/acrylates copolymer, nylon-12, caprylyl methicone, butyloctyl salicylate, phenethyl benzoate, silica, tridecane, dicaprylyl carbonate, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum stearate, pentylene glycol, C9-15 fluoroalcohol phosphate, tocopherol, phenoxyethanol, stearic acid, diethylhexyl syringylidenemalonate, PEG-9 polydimethylsiloxyethyl dimethicone, magnesium sulfate, PEG-8 laurate, PEG-9, polyhydroxystearic acid, maltodextrin, benzoic acid, iron oxides, propylene glycol, propylene carbonate, caprylyl glycol, disteardimonium hectorite, cassia alata leaf extract, alumina, aluminum hydroxide

Questions or comments?
1-888-LRP LABO 1-888-577-5226
Monday - Friday (9 a.m. - 5 p.m. EST)

8582023 Code F.I.L.: D50867/10
US Pat. Pending

LA ROCHE POSAY LABORATOIRE DERMATOLOGIQUE ANTHELIOS 50 TINTED MINERAL SUNSCREEN

titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-899
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	110 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ISODODECANE (UNII: A8289P68Y2)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
UNDECANE (UNII: JVOQT00NUE)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
NYLON-12 (UNII: 446U8J075B)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIDECANE (UNII: A3LZF0L939)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
TALC (UNII: 7SEV7J4R1U)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-899-01	1 in 1 CARTON	06/01/2012	
1		50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:49967-	1 in 1 CARTON	06/01/2012	

2	899-02	1 in 1 CARTON	06/01/2012	
2		3 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:49967-899-03	1 in 1 CARTON	06/01/2012	
3		125 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2012	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
Cosmetique Active Production		282658798	manufacture(49967-899) , analysis(49967-899) , pack(49967-899)

Revised: 12/2023

L'Oreal USA Products Inc