ABATUSS DMX- dexchlorpheniramine maleate, dextromethorphan hydrobromide, pseudoephedrine hydrochloride liquid Kramer Novis

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ABATUSS DMX Antihistamine Cough Suppressant Nasal Decongestant GRAPE Flavor

Drug Facts

Active ingredients (per 5 mL)

Dexchlorpheniramine Maleate 1 mg Dextromethorphan HBr 15 mg Pseudoephedrine HCl 30 mg

Purpose

Antihistamine Cough Suppressant Nasal Decongestant

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- itchy nose or throat
- runny nose
- itchy, watery eyes
- nasal congestion
- temporarily controls cough due to minor throat and bronchial irritation associated with inhaled irritants
- temporarily restores freer breathing through nose

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

• heart disease • high blood pressure • thyroid disease • diabetes • a breathing problem such as emphysema or chronic bronchitis • glaucoma • difficulty in urination due to enlarged prostate gland • persistent or chronic cough such as occurs with smoking, asthma, or emphysema • cough accompanied by excessive phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product • do not exceed recommended dosage • may cause drowsiness • alcohol, sedatives, and tranquilizers may increase the drowsiness effect • avoid alcoholic beverages • use

caution when driving a motor vehicle or operating machinery marked may occur • excitability may occur especially in children

Stop use and ask a doctor if • nervousness, dizziness, or sleeplessness occur • cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition. • symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breastfeeding ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

Adults and children 12 years	2 teaspoonfuls (10 mL) every 6 hours, not to exceed 8 teaspoonfuls in	
of age and older	24 hours or as directed by a doctor	
Children 6 to under 12 years	1 teaspoonful (5 mL) every 6 hours, not to exceed 4 teaspoonfuls in 24	
of age	hours or as directed by a doctor	
Children 2 to under 6 years of	Consult a do stor	
age	Coisuit à doctor	

Other information

- Store at controlled room temperature 15°C-30°C (59°F-86°F)
- Tamper evident by foil seal under cap. Do not use if foil seal is broken or missing

Inactive ingredients:

Citric acid, FD&C blue #1, FD&C Red #40, grape flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, potassium sorbate, propylene glycol, propylparaben, purified water, sorbitol, sucralose.

*Contains the same active ingredients as Deltuss DMX®

Antihis tamine Cough Suppress ant Nas al Deconges tant

Each 5 mL contains:

- Alcohol Free
 Sugar Free
- Gluten Free

Grape Flavor

Manufactured in the USA for Kramer Novis, San Juan, PR 00917. T: (787) 767-2072 www.kramernovis.com

* Deltuss DMX[®] is a registered trademark of Deliz Pharmaceutical Corp. This product is not manufactured, distributed or marketed by Deliz Pharmaceutical Corp.

NDC 52083-625-16

*Contains the same active ingredients as Deltuss DMX®

Antihistamine Cough Suppressant Nasal Decongestant

Each 5 mL contains:		
Dexchlorpheniramine Maleate	1	mg
Dextromethorphan HBr	15	mg
Pseudoephedrine HCI	30	mg

 Alcohol Free
 Sugar Free Gluten Free

Grape Flavor

16 fl oz (473 mL)

Manufactured in the USA for Kramer Novis. San Juan, PR 00917. T: (787) 767-2072 www.kramernovis.com



Drug Facts

Active Ingredients (per 5 mL) Purpose Dexchlorpheniramine Maleate 1 mg Antihistamine Dextromethorphan HBr 15 mg Cough Suppressant Pseudoephedrine HCl 30 mg. Nasal Decongestant

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ sneezing ■ itchy nose or throat ■ runny nose ■ itchy, watery eyes ■ nasal congestion

- temporarily controls cough due to minor throat and
- bronchial irritation associated with inhaled irritants temporarily restores freer breathing through nose

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ heart disease high blood pressure ■ thyroid disease ■ diabetes
 a breathing problem such as emphysema or chronic ■ a breating problem such as eniphysem of circlinic bronchitis ■ glaucoma ■ difficulty in urination due to enlarged prostate gland ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema ■ cough accompanied by excessive phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product ■ do not exceed recommended dosage ■ may cause drowsiness ■ alcohol, sedatives, and tranquilizers may increase the drowsiness effect ■ avoid alcoholic beverages use caution when driving a motor vehicle or operating machinery excitability may occur especially in children

Stop use and ask a doctor if ■ nervousness, dizziness, or sleeplessness occur
cough persists for more than

Drug Facts (continued)

1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition. ■ symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breastfeeding ask a health professional

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

Adults and children 12 years of age and older	2 teaspoonfuls (10 mL) every 6 hours, not to exceed 8 teaspoonfuls in 24 hours or as directed by a doctor
Children 6 to under 12 years of age	1 teaspoonful (5 mL) every 6 hours, not to exceed 4 teaspoonfuls in 24 hours or as directed by a doctor
Children 2 to under	Consult a doctor

Other information

- Store at controlled room temperature 15°C-30°C (59°F-86°F)
- Tamper evident by foil seal under cap. Do not use if foil seal is broken or missing

Inactive ingredients: Citric acid, FD&C blue #1, FD&C red #40, grape flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, potassium sorbate, propylene glycol, propylparaben, purified water, sorbitol, sucralose

*Deltuss DMX® is a registered trademark of Deliz Pharmaceutical Corp. This product is not manufactured, distributed or marketed by Deliz Pharmaceutical Corp.



ABATUSS DMX

dexchlorpheniramine maleate, dextromethorphan hydrobromide, pseudoephedrine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52083-625
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXCHLO RPHENIRAMINE MALEATE (UNII: B10 YD9 55QW) (DEXCHLO RPHENIRAMINE - UNII: 3Q9 Q0 B9 29 N)	DEXCHLORPHENIRAMINE MALEATE	1 mg in 5 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 5 mL
PSEUDO EPHEDRINE HYDRO CHLO RIDE (UNII: 6 V9 V2RYJ8N) (PSEUDO EPHEDRINE - UNII:7CUC 9 DDI9 F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg in 5 mL

Inactive Ingredients		
Ingredient Name	Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968 PHW8 QP)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		

METHYLPARABEN (UNII: A218 C7H19 T)	
AMMO NIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
POTASSIUM CITRATE (UNII: EE90 ONI6 FF)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6 DC9 Q16 7 V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE (Grape Flavor)	Imprint Code	
Contains			

l	Packaging				
l	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
l	1 NDC:52083-625-16	1 in 1 CARTON	05/25/2014		
l	1	473 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/25/2014	

Labeler - Kramer Novis (090158395)

Revised: 11/2018 Kramer Novis