MOTION SICKNESS RELIEF- meclizine hcl tablet, chewable Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens 44-404

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- alcohol, sedatives, and tranquilizers may increase drowsiness
- drowsiness may occur
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- dosage should be taken one hour before travel starts
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 1 to 2 chewable tablets once daily or as directed by a

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, FD&C red #40 aluminum lake, flavor, lactose anhydrous, magnesium stearate, saccharin sodium, silicon dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

NDC 0363-0404-21

Compare to Bonine® active ingredient††

Walgreens

Motion Sickness Relief

MECLIZINE HCl TABLETS, 25 mg / CHEWABLE TABLETS / ANTIEMETIC

CHEWABLE LESS DROWSY FORMULA

- Prevents motion sickness
- Chewable, once-a-day protection

Chew or crush tablets completely before swallowing.

Do not swallow tablets whole.

16 CHEWABLE

TABLETS

ACTUAL SIZE

RASPBERRY

FLAVOR

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Walgreens Pharmacist Recommended

Walgreens Pharmacist Survey

††This product is not manufactured or distributed by Insight Pharmaceuticals LLC, owner of the registered trademark Bonine®.

50844 REV1218B40421

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com ©2017 Walgreen Co.

Walgreens



ORG1217-F REV0219

Chewable, once-a-day protection that prevents motion sickness.

Walgreens

Compare to Bonine® active ingredient#

NDC 0363-0404-21

Motion Sickness Relief

MECLIZINE HCI TABLETS, 25 mg / CHEWABLE TABLETS / ANTIEMETIC

CHEWABLE TABLETS

CHEWABLE LESS DROWSY FORMULA

- Prevents motion sickness
- Chewable, once-a-day protection

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

ACTUAL



RASPBERRY **FLAVOR**

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2017 Walgreen Co. ITEM 501196 W00000-0000-0



B-2201-404-21-H REV1218B40421

Cuestions or comments? 1-800-426-9391

stearate, saccharin sodium, silicon di oxide sluminum lake, flavor, lactose anhydrous, magnesium Inactive ingredients corn starch, FD &C red #40

- see end flap for expiration date and lot number
 - brotect from heat and humidity 12,-30.C (26,-80,E)
- store at 25°C (77°F); excursions permitted between
- IS OPENED OR BLISTER IS TORN OR BROKEN ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE Uther information
- chewable tablets once daily or as directed by a doctor ■ adults and children 12 years and over: take 1 to 2
- do not swall ow tablets whole cyew or crush tablets completely before swallowing;
- dosage should be taken one hour before travel starts

Directions

(1-800-222-1222) nght away medical help or contact a Poison Control Center AREP OUT OF TRACH OF CHILDRIN. III CASE OF OVERDOSE, YEL machinery

■ nze caupon when driving a motor vehicle or operating ■ avoid alcoholic beverages

drowsiness adrowsiness may occur

■ slcohol, sedabves, and tranquilizers may increase When using this product

taking sedatives or tranquilizers. Ask a dodor or pharmadst before use if you are

pronchitis

- a breathing problem such as emphysema or chronic prostate gland

 glaucoma
 - quiticulty in unnation due to enlargement of the Ask a dodor before use if you have

directed by a doctor.

Do not use for children under 12 years of age unless Warnings

nowipud' or dizziness associated with motion sickness USes for prevention and treatment of nausea,

. Antiemetic

Mecfizine HCI 25 mg (notable organization trans tra)

Exp and print Lot not 00

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
This product is not manufactured or distributed by
Insight Pharmaceuticals LLC, owner of the registered

REV1218B40421

Walgreens 44-404

MOTION SICKNESS RELIEF

meclizine hcl tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0404
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

MECLIZINE HYDRO CHLO RIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) MECLIZINE HYDRO CHLO RIDE | 25 mg

Inactive Ingredients				
Ingredient Name	Strength			
FD&C RED NO. 40 (UNII: WZB9 127XOA)				
MAGNESIUM STEARATE (UNII: 70097M6130)				
STARCH, CORN (UNII: O8232NY3SJ)				
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)				
SACCHARIN SODIUM (UNII: SB8ZUX40TY)				
ANHYDRO US LACTO SE (UNII: 3S Y5LH9 PMK)				

Product Characteristics				
Color	PINK	Score	no score	
Shape	ROUND	Size	9mm	
Flavor	RASPBERRY	Imprint Code	44;404	
Contains				

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0404-21	2 in 1 CARTON	05/29/2002	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part336	05/29/2002		

Labeler - Walgreen Company (008965063)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		832867894	MANUFACTURE(0363-0404)	

Revised: 3/2020 Walgreen Company