RAPID COMFORT EXTRA STRENGTH NON ASPIRIN- acetaminophen tablet, film coated Lab Safety Supply, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

RAPID ComfortTM

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

For the temporary relief of minor aches and pains associated with

- headache
- muscular aches
- minor arthritis pain
- common cold
- toothache
- menstrual cramps

For the reduction of fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

• you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- symptoms do not improve
- new symptoms occur

- pain or fever persists or gets worse
- redness or swelling is present

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

If pregnant or breast-feeding, ask a health professional before use.

Directions

do not use more than directed

Adults and children: (12 years and older) Take 2 tablets every 4 to 6 hours as needed. Do not take more than 8 tablets in 24 hours.

Children under 12 years: Do not give this adult strength product to children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage.

Other information

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized starch*, sodium starch glycolate*, stearic acid, titanium dioxide*.

Questions or comments? 1-800-356-0783

175R LSS XS Non Aspirin 500 mg Label

Rapid ComfortTM

Extra Strength

Non-Aspirin

Acetaminophen 500 mg

Easy to Swallow

Film-Coated Tablets

Pull to Open

Compare active ingredient to:

Extra Strength Tylenol®

Registered Trademark of McNeil Consumer Products

See new warnings information

100 Tablets (50 x 2s)

Tamper-Evident Unit Dose Packets

^{*} may contain

APIDComfort[™]

Drug Facts

Active ingredient (in each tablet)

Purpose

Acetaminophen 500 mg

Pain reliever/fever reducer

For the temporary relief of minor aches and pains associated with

■ headache ■ muscular aches ■ minor arthritis pain ■ common cold ■ toothache ■ menstrual cramps

For the reduction of fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 8 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- for more than 10 days for pain unless directed by a doctor
- for more than 3 days for fever unless directed by a doctor

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

you are taking the blood thinning drug warfarin

Retain carton for complete product information

RAPIDComfort[™]

EXTRA STRENGTH

Acetaminophen 500mg

Easy to Swallow Film-Coated Tablets

Pull to Open

Compare active ingredient to:

Extra Strength Tylenol®

100 Tablets (50x2s)

Tamper-Evident Unit Dose Packets

Rev. 4/23/10, Mfg. 1,14

Drug Facts (continued)

Stop using and ask a doctor if

- symptoms do not improve
 pain or fever persists or gets worse
- new symptoms occur redness or swelling is present

extra strength

RAPIDComfort[™]

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. If pregnant or breast-feeding, ask a health professional before use Acetaminophen 500mg Directions do not use more than directed Adults and children: Take 2 tablets every 4 to 6 hours as needed. Do not take more than 8 tablets in 24 hours. Easy to Swallow (12 years and older) Film-Coated Tablets Children under 12 Do not give this adult strength product to children under 12 years of age; this will provide years: more than the recommended dose (overdose) and may cause liver damage Other information ■ store at room temperature 59°-86°F (15°-30°C) tamper-evident sealed packets Compare active ingredient to: do not use any opened or torn packets Extra Strength Tylenol® Inactive ingredients Registered Trademark of McNeil Consumer Products com starch, hypromellose, maltodextrin*, microcrystalline cellulose*, polyethylene glycol, povidone*, pregelatinized starch*, sodium starch glycolate*, stearic acid, titanium dioxide* 100 Tablets (50x2s) Questions or comments? 1-800-356-0783 © 2011 GHC Specialty Brands, LLC 1-800-356-0783 • Product #148796/3DVE1 Tamper-Evident Unit Dose Packets

RAPID COMFORT EXTRA STRENGTH NON ASPIRIN

acetaminophen tablet, film coated

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:60683-129 Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) ACETAMINOPHEN 500 mg

Inactive Ingredients			
Ingredient Name	Strength		
CELLULO SE, MICRO CRYSTALLINE (UNII: OP1R32D61U)			
HYPROMELLOSES (UNII: 3NXW29V3WO)			
MALTO DEXTRIN (UNII: 7CVR7L4A2D)			
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)			
PO VIDO NE (UNII: FZ989 GH94E)			
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)			
STARCH, CORN (UNII: O8232NY3SJ)			
STEARIC ACID (UNII: 4ELV7Z65AP)			

Product Characteristics					
Color	white (white)	Score	no score		
Shape	ROUND (ROUND)	Size	12mm		
Flavor		Imprint Code	FR;33		
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:60683-129-33	50 in 1 BOX, UNIT-DOSE					
1		2 in 1 PACKET					
2	NDC:60683-129-13	250 in 1 BOX, UNIT-DOSE					
2		2 in 1 PACKET					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph not final	part343	10/14/2011				

Labeler - Lab Safety Supply, Inc. (042851410)

Revised: 10/2011 Lab Safety Supply, Inc.