

**PLUSPHARMA EXTRA STRENGTH PAIN RELIEVER, FEVER REDUCER 500 MG-  
acetaminophen tablet  
A-S Medication Solutions**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Acetaminophen 500 mg Tablet**

**DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**  
**Drug Facts**

**Active ingredient (in each tablet)**

Acetaminophen 500 mg

**Purposes**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose Warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**
- **adults and children 12 years and over:**
- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor.
- **children under 12 years:** ask a doctor

**Other information**

- store at room temperature in a dry place

**Inactive ingredients** Povidone, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions?** If you have any questions or comments, or to report an adverse event, please contact **(800) 795-9775**.

**Distributed By:** Plus Pharma, Commack, NY 11725

**Manufactured in a GMP facility in the USA**

**HOW SUPPLIED**

Product: 50090-5548

NDC: 50090-5548-4 24 TABLET in a BOTTLE

NDC: 50090-5548-1 30 TABLET in a BOTTLE

NDC: 50090-5548-2 100 TABLET in a BOTTLE, PLASTIC

**PLUSPHARMA EXTRA STRENGTH PAIN RELIEVER,FEVER REDUCER 500 MG (ACETAMINOPHEN) TABLET**



**PLUSPHARMA EXTRA STRENGTH PAIN RELIEVER,FEVER REDUCER 500 MG**

acetaminophen tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50090-5548(NDC:51645-706)
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

**Inactive Ingredients**

Ingredient Name	Strength
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND (round flat faced beveled edge)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	GPI;A5
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-5548-4	24 in 1 BOTTLE; Type 0: Not a Combination Product	05/20/2021	
2	NDC:50090-5548-1	30 in 1 BOTTLE; Type 0: Not a Combination Product	05/20/2021	
3	NDC:50090-5548-2	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/20/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	03/27/2006	

**Labeler** - A-S Medication Solutions (830016429)

## Establishment

Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-5548) , REPACK(50090-5548)

Revised: 6/2021

A-S Medication Solutions