MUCINEX FAST-MAX SEVERE CONGESTION AND COUGH ARCTIC BURST MAXIMUM STRENGTH- dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride solution RB Health (US) LLC

 $Mucinex \ensuremath{{\rm B}}$ Fast-Max $\ensuremath{^{\textcircled{\mbox{\scriptsize B}}}}$ Severe Congestion & Cough Arctic Burst Maximum Strength

Drug Facts

Active ingredients (in each 20 mL)	Purposes		
Dextromethorphan HBr 20 mg	Cough suppressant		
Guaifenesin 400 mg	Expectorant		
Phenylephrine HCl 10 mg	Nasal decongestant		

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - nasal congestion due to a cold
 - temporarily helps you cough less

Warnings

Do not use

 if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough comes back, or occurs with rash or headache that lasts. These could be signs
 of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- adults and children 12 years of age and older: 20 mL in dosing cup provided every 4 hours
- children under 12 years of age: do not use

Other information

- each 20 mL contains: sodium 9 mg
- store at 20-25°C (68-77°F)
- dosing cup provided
- do not refrigerate

Inactive ingredients

anhydrous citric acid, D&C yellow no.10, edetate disodium, FD&C blue no.1, flavors, glycerin, propyl gallate, propylene glycol, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum

Questions?

1-866-MUCINEX (1-866-682-4639)

You may also report side effects to this phone number.

Dist. by: RB Health (US) Parsippany, NJ 07054-0224 Made in England

PRINCIPAL DISPLAY PANEL - 180 mL Bottle Label

COOLING MENTHOL FLAVOR

3186232 021021

NDC 72854-134-66

MAXIMUM STRENGTH Mucinex ® FAST-MAX ®

SEVERE CONGESTION & COUGH

ARCTIC BURST[™]

Dextromethorphan HBr – Cough Suppressant Guaifenesin – Expectorant Phenylephrine HCl – Nasal Decongestant

✓ Controls Cough

- ✓ Relieves Nasal & Chest Congestion
- Thins & Loosens Mucus

6 FL OZ (180 mL)

FOR AGES 12+

3186247 031221



MAXIMUM STRENGTH

UCINEX

SEVERE CONGESTION & COUGH

Dextromethorphan HBr – Cough Suppressant Guaifenesin – Expectorant Phenylephrine HCI – Nasal Decongestant

✓ Controls Cough
 ✓ Relieves Nasal & Chest Congestion
 ✓ Thins & Loosens Mucus

6 FL OZ (180 mL)

FOR AGES 12+


NDC 72854-134-66



318624

Maximum Strength per 4-hour dose Tamper evident: Do not use if neckband on bottle cap is broken or missing.

Drug Facts Purposes Active ingredients (in each 20 mL) Dextromethorphan HBr 20 mg Courdh euronreegant



with fever cough comes back, or occurs with rash or headache that



Drug Facts (continued)
Inactive ingredients anhydrous citric acid, D&C yellow no.10, edetate disodium, FD&C blue no.1, flavors, glycerin, propyl gallate, propylene glycol, sodium benzoate, sodium citrate, sorbitol, sucralose, water, xanthan gum
Questions? 1-866-MUCINEX (1-866-682-4639) You may also report side effects to this phone number.
HEALTH > HYGIENE > HOME
 HEALTH + HYGIENE + HOME Please visit our website www.mucinex.com itents: www.rb.com/patents

MUCINEX FAST-MAX SEVERE CONGESTION AND COUGH ARCTIC BURST MAXIMUM STRENGTH

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride solution

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72854-134		
Route of Administration	ORAL				
Active Ingredient/Active Moiety					
Ingred	lient Name	Basis of S	itrength Strength		

DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product CharacteristicsColorgreenScoreShapeSizeFlavorMENTHOLImprint CodeContainsSize

Packaging

#	ltem Code	Package Description		Marketing Start Date		Marketing End Date	
1			mL in 1 BOTTLE; Type 9: Other Type of Part 3 Combination luct (e.g., Drug/Device/Biological Product)			07/01/2021	
Marketing Information							
	Marketin Categor	-	Application Number or Monograph Citation	Marketir Da	-	Ма	rketing End Date
01	C Monograph	n Drug	M012	07/01/2021		05/15	/2025

Labeler - RB Health (US) LLC (081049410)