

**MEDLINE REMEDY PHYTOPLEX CALAZIME- menthol, zinc oxide,  
petrolatum paste  
Medline Industries, LP**

-----  
**105 Remedy Phytoplex Calazime**

***Active Ingredients***

- Menthol 0.44%
- White Petrolatum 53%
- Zinc Oxide 20.6%

***Purpose***

- External Analgesic, Anti-itch
- Protectant
- Protectant

***Uses***

- for the temporary relief of local itching and discomfort in the perianal area
- temporarily protects irritated areas
- for the temporary relief of pain
- may provide a cooling sensation

***Warnings***

- **For external use only**
- **Avoid contact with eyes**

**When using this product**

- do not place into the rectum with fingers or any device or applicator
- keep out of reach of children

**Stop use and ask a doctor if**

- condition worsens or does not improve within 7 days
- bleeding occurs
- an allergic reaction develops with symptoms such as redness, irritation, or pain

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

- Do not exceed the recommended daily dosage unless directed by a doctor.
- Certain persons can develop allergic reactions to ingredients in this product. If the symptoms being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.

**Directions**

- **adults:** Cleanse the affected area by patting or blotting with an appropriate cleansing pad. Gently dry by patting or blotting with toilet tissue or a soft cloth. Apply product externally to the affected area up to 6 times daily.
- **children under 12 years of age:** consult a doctor

**Inactive ingredients**

7-dehydrocholesterol, algae extract (aphanizomenon flos-aquae), beeswax, bisabolol, brassica campestris (rapeseed) sterols, calamine, camellia sinensis (green tea) leaf extract, caprylic/capric triglycerides, carthamus tinctorius (safflower) seed oil, cetylhydroxyproline palmitamide, cholecalciferol, cocos nucifera (coconut) oil, corn starch, dimethicone, eugenia caryophyllus (clove) flower extract, glycerin, hexyldecanol, hydrolyzed soy protein, manuka honey, olea europaea (olive) oil, phospholipids, phytonadione, simmondsia chinensis (jojoba) seed oil, stearic acid, tocopheryl acetate, water, yeast ferment extract, zea mays (corn) oil, zea mays (corn) starch.

**Other information**

Protect from freezing. Avoid excessive heat.

**Manufacturing Information**

Manufactured for Medline Industries, LP

Three Lakes Drive, Northfield, IL 60093 USA

[www.medline.com](http://www.medline.com)

1-800-MEDLINE

REF: MSC092554

RH19PUA

**Package Labels**

NDC 53329-105-14



# Intensive Skin Therapy



- CHG Compatible
- Fragrance Free
- Paraben Free
- Hypoallergenic

## Net Wt. 2 oz (57 g)



ROOM No. NAME

### Drug Facts

Active Ingredients	Purpose
Menthol 0.44%	External Analgesic, Anti-itch
White Petrolatum 53%	Protectant
Zinc Oxide 20.6%	Protectant

**Uses** ■ for the temporary relief of local itching and discomfort in the perianal area ■ temporarily protects irritated areas ■ for the temporary relief of pain ■ may provide a cooling sensation

**Warnings** ■ for external use only ■ avoid contact with eyes

**When using this product** ■ do not place into the rectum with fingers or any device or applicator ■ keep out of reach of children

**Stop use and ask a doctor if** ■ condition worsens or does not improve within 7 days ■ bleeding occurs ■ an allergic reaction develops with symptoms such as redness, irritation, or pain

If swallowed, get medical help or contact a Poison Control Center right away.

■ do not exceed the recommended daily dosage unless directed by a doctor. ■ certain persons can develop allergic reactions to ingredients in this product. If the symptoms being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.

**Directions** ■ **adults:** Cleanse the affected area by patting or blotting with an appropriate cleansing pad. Gently dry by patting or blotting with toilet tissue or a soft cloth. Apply product externally to the affected area up to 6 times daily. ■ **children under 12 years of age:** consult a doctor

**Other information** Protect from freezing. Avoid excessive heat.

**Inactive Ingredients** 7-dehydrocholesterol, algae extract (aphanizomenon flos-aquae), beeswax, bisabolol, brassica campestris (rapeseed) sterols, calamine, camellia sinensis (green tea) leaf extract, caprylic/capric triglycerides, carthamus tinctorius (safflower) seed oil, cetylhydroxyproline palmitamide, cholecalciferol, cocos nucifera (coconut) oil, dimethicone, eugenia caryophyllus (clove) flower extract, glycerin, hexyldecanol, hydrolyzed soy protein, manuka honey, olea europaea (olive) oil, phospholipids, phytanadione, simmondsia chinensis (jojoba) seed oil, stearic acid, tocopheryl acetate, water, yeast ferment extract, zea mays (corn) oil, zea mays (corn) starch.

Phytoplex, Medline Remedy, Medline and Calazime are registered trademarks of Medline Industries Inc. Manufactured for: Medline Industries, Inc., Three Lakes Drive, Northfield, IL 60093 USA. [www.medline.com](http://www.medline.com) 1-800-MEDLINE RI19PUA

REF MSC092552



**See box for complete Drug Facts**

**Active ingredients**

Menthol 0.44%  
White Petrolatum 53%  
Zinc Oxide 20.6%

**Directions:** Apply as needed

**Inactive ingredients**

7-dehydrocholesterol, algae extract (aphanizomenon flos-aquae), beeswax, bisabolol, brassica campestris (rapeseed) sterols, calamine, camellia sinensis (green tea) leaf extract, caprylic/capric triglycerides, carthamus tinctorius (safflower) seed oil, cetylhydroxyproline palmitamide, cholecalciferol, cocos nucifera (coconut) oil, corn starch, dimethylcone, eugenla caryophyllus (clove) flower extract, glycerin, hexyldecanol, hydrolyzed soy protein, manuka honey, olea europaea (olive) oil, phospholipids, phytonadione, simmondsia chinensis (jojoba) seed oil, stearic acid, tocopheryl acetate, water, yeast ferment extract, zea mays (corn) oil.

**Warnings: For External Use Only**

**Keep out of Reach of Children.**

Do not use if packet is damaged.

Manufactured for: Medline Industries, Inc.,  
Three Lakes Drive, Northfield, IL 60093  
USA. Made in USA of domestic and  
imported materials. RJ20PUA



REF MSC092554PACK

NDC 53329-105-87



# Intensive Skin Therapy

**Calazime<sup>®</sup>**  
Zinc Oxide Paste  
with Menthol

For skin exposed  
to prolonged moisture



With  
**Phytoplex<sup>®</sup>**  
Nutrition

CHG Compatible

Fragrance Free

Paraben Free

Hypoallergenic

Net Wt. 0.14 oz (4g)



# Intensive Skin Therapy

**Calazime<sup>®</sup>**  
Zinc Oxide Paste  
with Menthol

For skin exposed  
to prolonged moisture



- CHG Compatible
- Fragrance Free
- Paraben Free
- Hypoallergenic

144 - 0.14 oz (4 g) Packets

## Drug Facts

Active Ingredients	Purpose
Menthol 0.44%	External Analgesic, Anti-itch
White Petrolatum 53%	Protectant
Zinc Oxide 20.6%	Protectant

**Uses** ■ for the temporary relief of local itching and discomfort in the perianal area ■ temporarily protects irritated areas ■ for the temporary relief of pain ■ may provide a cooling sensation

**Warnings** ■ for external use only ■ avoid contact with eyes

**When using this product** ■ do not place into the rectum with fingers or any device or applicator ■ keep out of reach of children

**Stop use and ask a doctor if** ■ condition worsens or does not improve within 7 days ■ bleeding occurs ■ an allergic reaction develops with symptoms such as redness, irritation, or pain

If swallowed, get medical help or contact a Poison Control Center right away.

■ do not exceed the recommended daily dosage unless directed by a doctor. ■ certain persons can develop allergic reactions to ingredients in this product. If the symptoms being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.

## Directions

■ **adults:** ■ Cleanse the affected area by patting or blotting with an appropriate cleansing pad. Gently dry by patting or blotting with toilet tissue or a soft cloth. Apply product externally to the affected area up to 6 times daily.  
■ **children under 12 years of age:** consult a doctor

**Other information** Protect from freezing. Avoid excessive heat.

**Inactive ingredients** 7-dehydrocholesterol, algae extract (aphanizomenon flos-aquae), beeswax, bisabolol, brassica campestris (rapeseed) sterols, calamine, camellia sinensis (green tea) leaf extract, caprylic/capric triglycerides, carthamus tinctorius (safflower) seed oil, cetylhydroxyproline palmitamide, cholecalciferol, cocos nucifera (coconut) oil, corn starch, dimethicone, eugenia caryophyllus (clove) flower extract, glycerin, hexyldecanol, hydrolyzed soy protein, manuka honey, olea europaea (olive) oil, phospholipids, phytonadione, simmondsia chinensis (jojoba) seed oil, stearic acid, tocopheryl acetate, water, yeast ferment extract, zea mays (corn) oil.

Phytoplex, Medline Remedy, Medline and Calazime are registered trademarks of Medline Industries Inc. Manufactured for: Medline Industries, Inc., Three Lakes Drive, Northfield, IL 60093 USA. Made in USA of domestic and imported materials. [www.medline.com](http://www.medline.com) 1-800-MEDLINE RJ20PUA

REF MSC092554PACK



NDC 53329-105-44




# Intensive Skin Therapy



**Calazime**<sup>®</sup>  
Zinc Oxide Paste  
with Menthol

For skin exposed  
to prolonged moisture



- CHG Compatible
- Fragrance Free
- Paraben Free
- Hypoallergenic

Net Wt. 4 oz (113 g)



### Drug Facts

Active ingredients	Purpose
Menthol 0.44%	External Analgesic, Anti-itch
White Petrolatum 53%	Protectant
Zinc Oxide 20.6%	Protectant

**Uses** ■ for the temporary relief of local itching and discomfort in the perianal area ■ temporarily protects irritated areas ■ for the temporary relief of pain ■ may provide a cooling sensation

**Warnings** ■ for external use only ■ avoid contact with eyes

**When using this product** ■ do not place into the rectum with fingers or any device or applicator ■ keep out of reach of children

**Stop use and ask a doctor if** ■ condition worsens or does not improve within 7 days ■ bleeding occurs ■ an allergic reaction develops with symptoms such as redness, irritation, or pain

If swallowed, get medical help or contact a Poison Control Center right away.

■ do not exceed the recommended daily dosage unless directed by a doctor. ■ certain persons can develop allergic reactions to ingredients in this product. If the symptoms being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.

### Directions

■ **adults:** Cleanse the affected area by patting or blotting with an appropriate cleansing pad. Gently dry by patting or blotting with toilet tissue or a soft cloth. Apply product externally to the affected area up to 6 times daily. ■ **children under 12 years of age:** consult a doctor

**Other information** Protect from freezing. Avoid excessive heat.

**Inactive ingredients** 7-dehydrocholesterol, algae extract (aphanizomenon flos-aquae), beeswax, bisabolol, brassica campestris (rapeseed) sterols, calamine, camellia sinensis (green tea) leaf extract, caprylic/capric triglycerides, carthamus tinctorius (safflower) seed oil, cetylhydroxyproline palmitamide, cholecalciferol, cocos nucifera (coconut) oil, dimethicone, eugenia caryophyllus (clove) flower extract, glycerin, hexyldecanol, hydrolyzed soy protein, manuka honey, olea europaea (olive) oil, phospholipids, phytonadione, simmondsia chinensis (jojoba) seed oil, stearic acid, tocopheryl acetate, water, yeast ferment extract, zea mays (corn) oil, zea mays (corn) starch.

ROOM No. NAME

Phytoplex, Medline Remedy, Medline and Calazime are registered trademarks of Medline Industries Inc. Manufactured for: Medline Industries, Inc., Three Lakes Drive, Northfield, IL 60093 USA. [www.medline.com](http://www.medline.com) 1-800-MEDLINE RH19PUA

REF MSC092554



## MEDLINE REMEDY PHYTOPLEX CALAZIME

menthol, zinc oxide, petrolatum paste

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:53329-105
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	20.6 g in 100 g
<b>PETROLATUM</b> (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	53 g in 100 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	44 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>HEXYLDECANOL</b> (UNII: 151Z7P1317)	
<b>.ALPHA.-TOCOPHEROL ACETATE, D-</b> (UNII: A7E6112E4N)	
<b>PHYTONADIONE</b> (UNII: A034SE7857)	
<b>YEAST</b> (UNII: 3NY3SM6B8U)	
<b>EGG PHOSPHOLIPIDS</b> (UNII: 1Z74184RGV)	
<b>RAPESEED STEROL</b> (UNII: B46B6DD20U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>CETYLHYDROXYPROLINE PALMITAMIDE</b> (UNII: 74ONU0S62G)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>NORI</b> (UNII: 477TV3P5UX)	
<b>COCONUT OIL</b> (UNII: Q9L0O73W7L)	
<b>DIMETHICONE 100</b> (UNII: RO266O364U)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>CHOLECALCIFEROL</b> (UNII: 1C6V77QF41)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	
<b>HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW)</b> (UNII: 1394NXB9L6)	
<b>7-DEHYDROCHOLESTEROL</b> (UNII: BK1IU07GKF)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>WHITE WAX</b> (UNII: 7G1J5DA97F)	
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>CLOVE</b> (UNII: K48IKT5321)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:53329-105-44	113 g in 1 TUBE; Type 0: Not a Combination Product	07/09/2018	11/30/2025
2	NDC:53329-105-96	144 in 1 CARTON	07/09/2018	12/31/2024
2	NDC:53329-105-87	4 g in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:53329-105-	57 g in 1 TUBE; Type 0: Not a Combination	07/09/2018	05/31/2025

3	14	Product	07/09/2018	05/31/2025
4	NDC:53329-105-87	4 g in 1 PACKET; Type 0: Not a Combination Product	07/09/2018	12/31/2024
<b>Marketing Information</b>				
	<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
	OTC Monograph Drug	M016	07/09/2018	11/30/2025

**Labeler** - Medline Industries, LP (025460908)

Revised: 1/2024

Medline Industries, LP