

SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE- avobenzene, octinoxate, octocrylene, and oxybenzone emulsion
SHISEIDO AMERICAS CORPORATION

SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
AVOBENZONE 1.5%	Sunscreen
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 2.0%	Sunscreen
OXYBENZONE 1.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•DIPROPYLENE GLYCOL•SD ALCOHOL 40-B•GLYCERIN•HYDROGENATED POLYDECENE•XYLITOL•ISODODECANE•DIMETHICONE•PEG-5 GLYCERYL STEARATE•ISOSTEARIC ACID•SILICA•PHENYL TRIMETHICONE•TRIETHANOLAMINE•XANTHAN GUM•TOCOPHERYL ACETATE•PEG/PPG-17/4 DIMETHYL ETHER•PIPERIDINEPROPIONIC ACID•PHYTOSTERYL MACADAMIATE•2-O-ETHYL ASCORBIC ACID•PRUNUS SPECIOSA LEAF EXTRACT•ANGELICA ACUTILOBA ROOT EXTRACT•ISODONIS JAPONICUS LEAF/STALK EXTRACT•CAMELLIA SINENSIS LEAF EXTRACT•ZANTHOXYLUM PIPERITUM PEEL EXTRACT•PPG-17•GLYCERYL STEARATE SE•BEHENYL ALCOHOL•BEHENIC ACID•STEARIC ACID•BATYL ALCOHOL•PEG-30 PHYTOSTEROL•BUTYLENE GLYCOL•CARBOMER•DISODIUM EDTA•ALCOHOL•BHT•CELLULOSE GUM•SODIUM METAPHOSPHATE•TALC•DEXTRIN PALMITATE•TOCOPHEROL•ETHYLPARABEN•METHYLPARABEN•FRAGRANCE•IRON OXIDES•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 75 mL Bottle Carton

SHI SEIDO

GINZA TOKYO

FUTURE SOLUTION LX

Total Protective Emulsion

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

75mL 2.5 FL. OZ.

Total Protective Emulsion



SHISEIDO
FUTURE SOLUTION LX
TOTAL PROTECTIVE EMULSION E
BROAD SPECTRUM
SPF 20

Treasure the life in your skin.

A truly luxurious multi-functional daytime emulsion that both protects skin and helps renew its vitalizing forces. With a light, silk-smooth texture, it maintains dewy moisture through the day. SHISEIDO's exclusive technology encourages skin's Daytime Defense Factor* to thrive, bringing out vibrant beauty from within. Skin is defended, even when exposed to daytime aggressors like UV rays, dryness, oxidation and pollutants.

*Formulated with SHISEIDO's SkingenecellEnmei** to encourage the vitalizing forces that renew beautiful skin from its source.*

Hybrid Anti-Pollution Powder helps protect skin against various air pollutants.

NON-COMEDOGENIC.
DERMATOLOGIST-TESTED.

*in vitro test.

**Patented (France, Italy, Germany, Spain, UK, USA, Hong Kong, China, Taiwan, Korea, Japan).

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
GLO. 13919
www.shiseido.com



<http://s1872.com/13919AA>
See our website for more
information.

Drug Facts

Active ingredients	Purpose
AVOBENZONE 1.5%	Sunscreen
OCTINOXATE 7.4%	Sunscreen
OCTOCRYLENE 2.0%	Sunscreen
OXYBENZONE 1.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

Drug Facts (continued)

Inactive ingredients

WATER • DIPHOPYLENE GLYCOL • SD ALCOHOL 40-8 • GLYCERIN • HYDROGENATED POLYDECENE • XYLITOL • ISODODECANE • DIMETHICONE • PEG-5 GLYCERYL STEARATE • ISOSTEARIC ACID • SILICA • PHENYL TRIMETHICONE • TRIETHANOLAMINE • XANTHAN GUM • TOCOPHERYL ACETATE • PEG/PPG-17/4 DIMETHYL ETHER • PIPERIDINEPROPIONIC ACID • PHYTOSTERYL MACADAMIATE • 2-O-ETHYL ASCORBIC ACID • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • BOCCONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • ZANTHOXYLUM FIBRITUM PEEL EXTRACT • PPG-17 GLYCERYL STEARATE SE • BEHENYL ALCOHOL • BEHENIC ACID • STEARIC ACID • BUTYL ALCOHOL • PEG-30 PHYTOSTEROL • BUTYLENE GLYCOL • CARBOMER • DISODIUM EDTA • ALCOHOL • BHT • CELLULOSE GUM • SODIUM METAPHOSPHATE • TALC • DEXTRAN PALMITATE • TOCOPHEROL • ETHYL PARABEN • METHYL PARABEN • FRAGRANCE • IRON OXIDES

Other Information

protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX
Total Protective Emulsion

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

75mL 2.5 FL. OZ.

50X50X145

1 2 3 4 5 6 7 8 9 0

7 3 0 8 5 2 1 3 9 1 9 0

13919-41-5040
AAA

SHISEIDO FUTURE SOLUTION LX TOTAL PROTECTIVE

avobenzone, octinoxate, octocrylene, and oxybenzone emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-327
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1136 mg in 75 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	5606 mg in 75 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	1515 mg in 75 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	758 mg in 75 mL

Inactive Ingredients

Ingredient Name	Strength
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVJ)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
ZANTHOXYLUM PIPERITUM FRUIT RIND (UNII: 728JDI7G4M)	
PPG-17 (UNII: OVOQ322E0U)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
DOCOSANOL (UNII: 9G1OE216XY)	
BEHENIC ACID (UNII: H390488X0A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
BATILOL (UNII: 39YR661C4U)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALCOHOL (UNII: 3K9958V90M)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
TALC (UNII: 7SEV7J4R1U)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
ETHYLPARABEN (UNII: 14255EXE39)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
WATER (UNII: 059QF0KO0R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROGENATED POLYDECENE TYPE I (UNII: U333RI6EB7)	

XYLITOL (UNII: VCQ006KQ1E)
ISODODECANE (UNII: A8289P68Y2)
DIMETHICONE (UNII: 92RU3N3Y1O)
PEG-5 GLYCERYL STEARATE (UNII: 8CAC4NQ872)
ISOSTEARIC ACID (UNII: X33R8U0062)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
TROLAMINE (UNII: 9O3K93S3TK)
XANTHAN GUM (UNII: TTV12P4NEE)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
PEG/PPG-17/4 DIMETHYL ETHER (UNII: 4ET18WJG5K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-327-10	1 in 1 CARTON	08/01/2017	
1		75 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-327) , manufacture(58411-327)

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION