

**CLARINS SKIN ILLUSION BROAD SPECTRUM SPF 15 TITANIUM DIOXIDE SUNSCREEN  
NATURAL HYDRATING FOUNDATION 118.5- titanium dioxide cream**

**Laboratoires Clarins**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CLARINS SKIN ILLUSION BROAD SPECTRUM SPF 15 TITANIUM DIOXIDE SUNSCREEN  
Natural Hydrating Foundation 118.5**

***Drug Facts***

***Active ingredient***

TITANIUM DIOXIDE 2.8%

***Purpose***

Sunscreen

***Uses:***

- helps prevent sunburn.
- if used as directed with other sun protection measures (**see Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings:***

**☐For external use only.**

**Do not use**

- on damaged or broken skin.

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions:***

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** ☐Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses.

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.

***Inactive ingredients***

AQUA/WATER/EAU, METHYL TRIMETHICONE, DIMETHICONE, ALCOHOL, ISODODECANE, BUTYLENE GLYCOL, PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, GLYCERIN, DIMETHICONE/PEG-10/15 CROSSPOLYMER, POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE, SODIUM CHLORIDE, SQUALANE, ALUMINUM HYDROXIDE, STEARIC ACID, PARFUM/FRAGRANCE, SILYBUM MARIANUM SEED OIL, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, TOCOPHERYL ACETATE, TRIETHOXYCAPRYLYLSILANE, DISODIUM EDTA, HYDROXYETHYL UREA, SYNTHETIC FLUORPHLOGOPITE, DIPROPYLENE GLYCOL, KALANCHOE PINNATA LEAF EXTRACT, PHENOXYETHANOL, ALGIN, SODIUM CITRATE, CITRIC ACID, ACACIA SENEGAL GUM, JANIA RUBENS EXTRACT, FURCELLARIA LUMBRICALIS EXTRACT, SODIUM BENZOATE, POTASSIUM SORBATE, CAMELLIA SINENSIS LEAF EXTRACT, TOCOPHEROL, LAPSANA COMMUNIS FLOWER/LEAF/STEM EXTRACT, MARIS SAL/SEA SALT, SEL MARIN, +/- MAY CONTAIN/PEUT CONTENIR: MICA, SILICA, CI 77891/TITANIUM DIOXIDE, CI 77491/CI 77492/CI 77499/IRON OXIDES. [M3012A]

***Other information:***

- protect this product from excessive heat and direct sun.

***Questions or comments?***

Call 1-866-252-7467 (In the US) Monday-Friday, 8 a.m. to 5 p.m.

**Package Labeling 30mL (58668-1719-1):**

118.5

CHOCOLATE

Skin Illusion

- EFFET PEAU NUE
- ÉCLAT NATUREL
- TEXTURE SÉRUM
- LAISSE RESPIRER LA PEAU

**NOS FONDS DE TEINT  
SONT AUSSI DES SOINS**

- BARE SKIN EFFECT
- NATURAL RADIANCE
- SERUM TEXTURE
- LETS SKIN BREATHE

**OUR FOUNDATIONS CARE  
FOR YOUR SKIN**

ENRICHED IN  
PLANTS

ANTI-POLLUTION  
COMPLEX

SKIN  
HYDRATION

SUN  
PROTECTION



POUR EN SAVOIR PLUS SUR CE PRODUIT,  
FLASHÉZ CE CODE  
TO DISCOVER MORE ABOUT THIS PRODUCT,  
FLASH THIS CODE

www.clarins.com

#### Drug Facts

Active ingredient	Purpose
TITANIUM DIOXIDE 2.8%	Sunscreen

#### Uses:

- helps prevent sunburn.
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings:

For external use only.

#### Do not use

- on damaged or broken skin.

#### When using this product

- keep out of eyes. Rinse with water to remove.

#### Stop use and ask a doctor if

- rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

#### Directions:

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- children under 6 months: Ask a doctor
- Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses.
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating.

CLARINS  
PARIS

118.5

Skin  
Illusion

TEINT NATUREL  
HYDRATATION

BROAD SPECTRUM SPF 15  
TITANIUM DIOXIDE - SUNSCREEN

NATURAL HYDRATING  
FOUNDATION

e 30 mL

1 FL. OZ.

#### Drug Facts (continued)

#### Inactive ingredients

AQUA/WATER/EAU - METHYL TRIMETHICONE - DIMETHICONE - ALCOHOL - ISODODECANE - BUTYLENE GLYCOL - PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE - HDI/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER - GLYCERIN - DIMETHICONE/PEG-10/15 CROSSPOLYMER - POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE - SODIUM CHLORIDE - SQUALANE - ALUMINUM HYDROXIDE - STEARIC ACID - PARFUM/FRAGRANCE - SILYLIUM MARIANUM SEED OIL - DISTEARDIMONIUM HECTORITE - PROPYLENE CARBONATE - ETHYLHEXYLGLYCERIN - TOCOPHERYL ACETATE - TRIETHOXYCAPRYLYLSILANE - DISODIUM EDTA - HYDROXYETHYL UREA - SYNTHETIC FLUORPHLOPITE - DIPROPYLENE GLYCOL - KALANCHOE PINNATA LEAF EXTRACT - PHENOXYETHANOL - ALGIN - SODIUM CITRATE - CITRIC ACID - ACACIA SENEGAL GUM - JANIA RUBENS EXTRACT - FURCELLARIA LUMBRIICALIS EXTRACT - SODIUM BENZOATE - POTASSIUM SORBATE - CAMELLIA SINENSIS LEAF EXTRACT - TOCOPHEROL - LAPSANA COMMUNIS FLOWER/LEAF/STEM EXTRACT - MARISSAL/SEA SALT/SEL MARIN.  
+/- MAY CONTAIN/PEUT CONTENIR: MICA - SILICA - CI 77891/TITANIUM DIOXIDE - CI 77491/CI 77492/CI 77498/IRON OXIDES. [M3012A]

#### Other information:

- protect this product from excessive heat and direct sun.

#### Questions or comments?

Call 1-866-252-7467 (In the US)  
Monday-Friday, 8 a.m. to 5 p.m.

CLARINS  
92200 NEUILLY-SUR-SEINE  
95300 PONTOISE - FRANCE  
MADE IN FRANCE

CET ARTICLE NE PEUT ÊTRE VENDU  
QUE PAR LES DÉPOSITAIRES AGRÉÉS CLARINS.

EXCLUSIVE SALE THROUGH  
AUTHORIZED RETAILERS.

OC510699



RÉF. 80053502

EMPLACEMENT CODE BARRES  
BAR CODE SPACE  
3380810322095

JOIN US AT  
www.clubclarins.com  
REJOIGNEZ-NOUS

ÉTUI IMPRIMÉ  
SUR PAPIER ISSU  
DE FORÊTS GÉRÉES  
DURABLEMENT

CARTON PRINTED  
ON PAPER FROM  
SUSTAINABLY  
MANAGED FORESTS

Package Labeling 15mL (58668-1719-2):

CLARINS  
PARIS

Skin Illusion

Teint Naturel

Hydratation

Broad Spectrum SPF 15

Titanium Dioxide Sunscreen

Large Spectre FPS 15

Filtre Solaire Dioxyde de Titane

Natural Hydrating

Foundation

118.5 chocolate

Conseils d'utilisation : appliquer généreusement 15 minutes avant l'exposition solaire. Utilisez un écran solaire résistant à l'eau si vous nagez ou transpirez. Enfants de moins de 6 mois : demander à un médecin. Précautions et avertissements : ne pas utiliser sur les peaux abîmées. Cesser l'utilisation si une irritation cutanée se développe ou devient plus sévère. Si l'irritation persiste, consulter un praticien de soins de santé. Éviter tout contact avec les yeux. Rincer avec de l'eau pour l'enlever.

Directions for use: apply liberally 15 minutes before sun exposure. Use a water resistant sunscreen if swimming or sweating. Children under 6 months: ask a doctor. Cautions and warnings: do not use on damaged and broken skin. Discontinue use if skin irritation develops or increases. If irritation persists, consult a health care practitioner. Avoid contact with eyes. Rinse with water to remove.

ACTIVE INGREDIENT/MEDICINAL INGREDIENT/INGREDIENT MEDICINAL : TITANIUM DIOXIDE/DIOXYDE DE TITANE : 2.8 %

Questions or comments? Call 1-866-252-7487 Monday-Friday, 8 a.m. to 5 p.m.

Distrib. Canada: CLARINS CANADA Inc. 815 Desserte est. Autoroute Chomedey - LAVAL (QUEBEC) H7W 5N4.

Démonstration - Tester

CLARINS - 92200 Neuilly-sur-Seine

95300 Pontoise - France

Made in France



15 mL

0.5 Fl. Oz.

80053506 / 0CXXXXX

**CLARINS SKIN ILLUSION BROAD SPECTRUM SPF 15 TITANIUM DIOXIDE SUNSCREEN NATURAL HYDRATING FOUNDATION 118.5**

titanium dioxide cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58668-1719
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	28 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
METHYL TRIMETHICONE (UNII: S73ZQ10GXM)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALCOHOL (UNII: 3K9958V90M)	
ISODODECANE (UNII: A8289P68Y2)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPAS) (UNII: RLA2U05Z4Q)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

SQUALANE (UNII: GW89575KF9)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
SILYBUM MARIANUM SEED OIL (UNII: NYY23HEN06)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
KALANCHOE PINNATA LEAF (UNII: 3R963LO08T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM ALGINATE (UNII: C269C4G2ZQ)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
ACACIA (UNII: 5C5403N26O)
FURCELLERAN (UNII: 30QS0PF14U)
SODIUM BENZOATE (UNII: OJ245FE5EU)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
TOCOPHEROL (UNII: R0ZB2556P8)
LAPSANA COMMUNIS FLOWERING TOP (UNII: T9B77O7PZA)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58668-1719-1	1 in 1 CARTON	06/02/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:58668-1719-2	15 mL in 1 VIAL; Type 0: Not a Combination Product	06/02/2018	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	06/02/2018	

**Labeler** - Laboratoires Clarins (266317555)