

**RED DELICIOUS APPLE** - red delicious apple injection, solution  
**APRICOT** - apricot injection, solution  
**AVOCADO** - avocado injection, solution  
**BANANA** - banana injection, solution  
**BLACKBERRY** - blackberry injection, solution  
**BLUEBERRY** - blueberry injection, solution  
**CANTALOUP**E - cantaloupe injection, solution  
**CHERRY BING** - cherry bing injection, solution  
**CRANBERRY** - cranberry injection, solution  
**DATE** - date injection, solution  
**FIG** - fig injection, solution  
**GRAPEFRUIT** - grapefruit injection, solution  
**HONEYDEW MELON** - honeydew melon injection, solution  
**LEMON** - lemon injection, solution  
**LIME** - lime injection, solution  
**ORANGE** - orange injection, solution  
**PEACH** - peach injection, solution  
**PEAR** - pear injection, solution  
**PINEAPPLE** - pineapple injection, solution  
**PLUM** - plum injection, solution  
**RASPBERRY** - raspberry injection, solution  
**STRAWBERRY** - strawberry injection, solution  
**TANGERINE** - tangerine injection, solution  
**WATERMELON** - watermelon injection, solution  
**ARTICHOKE** - artichoke injection, solution  
**ASPARAGUS** - asparagus injection, solution  
**RED KIDNEY BEANS** - red kidney beans injection, solution  
**LIMA BEANS** - lima beans injection, solution  
**NAVY BEANS** - navy beans injection, solution  
**STRING BEANS** - string beans injection, solution  
**BEET** - beet injection, solution  
**BROCCOLI** - broccoli injection, solution  
**KIWI** - kiwi injection, solution  
**BRUSSELS SPROUT** - brussels sprout injection, solution  
**CABBAGE** - cabbage injection, solution  
**CARROT** - carrot injection, solution  
**CAULIFLOWER** - cauliflower injection, solution  
**CELERY** - celery injection, solution  
**SWEET CORN** - sweet corn injection, solution  
**CUCUMBER** - cucumber injection, solution  
**EGG PLANT** - egg plant injection, solution  
**GREEN PEPPER** - green pepper injection, solution  
**LENTIL** - lentil injection, solution  
**ICEBERG LETTUCE** - iceberg lettuce injection, solution  
**MUSHROOM** - mushroom injection, solution  
**BLACK OLIVE** - black olive injection, solution  
**GREEN OLIVE** - green olive injection, solution  
**YELLOW ONION** - yellow onion injection, solution  
**PARSLEY** - parsley injection, solution  
**GREEN PEA** - green pea injection, solution  
**SWEET POTATO** - sweet potato injection, solution  
**WHITE POTATO** - white potato injection, solution

PUMPKIN - pumpkin injection, solution  
RADISH - radish injection, solution  
RHUBARB - rhubarb injection, solution  
SOYBEAN - soybean injection, solution  
SPINACH - spinach injection, solution  
SQUASH ZUCCHINI - squash zucchini injection, solution  
TOMATO - tomato injection, solution  
TURNIP - turnip injection, solution  
ALMOND - almond injection, solution  
BRAZIL NUT - brazil nut injection, solution  
CASHEW - cashew injection, solution  
COCONUT - coconut injection, solution  
ENGLISH WALNUT - english walnut injection, solution  
FILBERT - filbert injection, solution  
PEANUT - peanut injection, solution  
PECAN NUT - pecan nut injection, solution  
PISTACHIO - pistachio injection, solution  
BARLEY GRAIN - barley grain injection, solution  
BUCKWHEAT GRAIN - buckwheat grain injection, solution  
OAT GRAIN - oat grain injection, solution  
RICE GRAIN - rice grain injection, solution  
RYE GRAIN - rye grain injection, solution  
WHOLE WHEAT GRAIN - whole wheat grain injection, solution  
MACADAMIA NUT - macadamia nut injection, solution  
NECTARINE - nectarine injection, solution  
MANGO - mango injection, solution  
PAPAYA - papaya injection, solution  
LEEKES - leeks injection, solution  
OKRA - okra injection, solution  
PARSNIP - parsnip injection, solution  
CHICK PEA - chick pea injection, solution  
BLACKYE PEA - blackeye pea injection, solution  
WATERCRESS - watercress injection, solution  
CORN GRAIN - corn grain injection, solution  
CACAO BEAN - cacao bean injection, solution  
COFFEE - coffee injection, solution  
MALT - malt injection, solution  
BREWERS YEAST - brewers yeast injection, solution  
ALLSPICE - allspice injection, solution  
BAY LEAF - bay leaf injection, solution  
CARAWAY SEED - caraway seed injection, solution  
CINNAMON - cinnamon injection, solution  
CLOVES - cloves injection, solution  
DILL - dill injection, solution  
GARLIC - garlic injection, solution  
GINGER - ginger injection, solution  
HORSERADISH - horseradish injection, solution  
LICORICE - licorice injection, solution  
MUSTARD SEED - mustard seed injection, solution  
NUTMEG - nutmeg injection, solution  
OREGANO - oregano injection, solution  
PAPRIKA - paprika injection, solution  
WHITE PEPPER - white pepper injection, solution

**PEPPERMINT - peppermint injection, solution**

**POPPYSEED - poppyseed injection, solution**

**SAGE - sage injection, solution**

**SESAME - sesame injection, solution**

**SPEARMINT - spearmint injection, solution**

**THYME - thym injection, solution**

**VANILLA - vanilla injection, solution**

**WHEAT BRAN - wheat bran injection, solution**

**WHITE KIDNEY BEANS - white kidney beans injection, solution**

**BLACK PEPPER - black pepper injection, solution**

**HOPS - hops injection, solution**

**ORANGE PEKOE TEA - orange pekoe tea injection, solution**

**Nelco Laboratories, Inc.**

-----

## Allergenic Extract

### **WARNING**

Diagnostic and therapeutic allergenic extracts are intended to be administered by a physician who is an allergy specialist and experienced in allergenic diagnostic testing and immunotherapy and the emergency care of anaphylaxis.

This product should not be injected intravenously. Deep subcutaneous routes have been safe. Sensitive patients may experience severe anaphylactic reactions resulting in respiratory obstruction, shock, coma and/or death. (**See Adverse Reactions**)

Serious adverse reactions should be reported to Nelco Laboratories immediately and a report filed to: **MedWatch, The FDA Medical Product Problem Reporting Program, at 5600 Fishers Lane, Rockville, Md. 20852-9787, call 1-800-FDA-1088.**

Extreme caution should be taken when using allergenic extracts for patients who are taking beta-blocker medications. In the event of a serious adverse reaction associated with the use of allergenic extracts, patients receiving beta-blockers may not be responsive to epinephrine or inhaled bronchodilators.<sup>(1)</sup> (**See Precautions**)

Allergenic extracts should be used with caution for patients with unstable or steroid-dependent asthma or underlying cardiovascular disease. (**See Contraindications**)

## **DESCRIPTION**

Allergenic extracts are sterile solutions consisting of the extractable components from various biological sources including pollens, inhalants, molds, animal epidermals and insects. Aqueous extracts are prepared using coca fluid containing NaCl 0.5%, NaHCO<sub>3</sub> 0.0275%, WFI, preservative 0.4% Phenol. Glycerinated allergenic extracts are prepared with coca fluid and glycerin to produce a 50% (v/v) allergenic extract. Allergenic Extracts are supplied as concentrations designated as protein nitrogen units (PNU) or weight/volume (w/v) ratio. Standardized extracts are designated in Bioequivalent Allergy Units (BAU) or Allergy Units (AU). (*See product insert for standardized extracts*)

For diagnostic purposes, allergenic extracts are to be administered by prick-puncture or intradermal routes. Allergenic extracts are administered subcutaneously for immunotherapy injections.

## **CLINICAL PHARMACOLOGY**

The pharmacological action of allergenic extracts used diagnostically is based on the liberation of

histamine and other substances when the allergen reacts with IgE antibodies attached to the mast cells. When allergenic extracts are used for immunotherapy, the effect is an increase in immunoglobulin G (IgG) and an increased T suppresser lymphocyte which interferes with the allergic response.<sup>(2)</sup> With repeated administration of allergenic extracts changes develop in regards to IgG and IgE production and mediator-releasing cells. The histamine release response is reduced in some patients.

## **INDICATIONS AND USAGE**

Allergenic extracts are indicated for use in diagnostic testing and as part of a treatment regime for allergic disease, as established by allergy history and skin test reactivity.

Allergenic extracts are indicated for the treatment of allergen specific allergic disease for use as hyposensitization or immunotherapy when avoidance of specific allergens can not be attained. The use of allergenic extracts for therapeutic purpose has been established by well-controlled clinical studies. Allergenic extracts may be used as adjunctive therapy along with pharmacotherapy which includes antihistamines, corticosteroids, and cromoglycate, and avoidance measures. Allergenic extracts for therapeutic use should be given using only the allergen selection to which the patient is allergic, has a history of exposure and are likely to be exposed to again.

## **CONTRAINDICATIONS**

Allergenic extracts should not be used if the patient has asthma, cardiovascular disease, emphysema, diabetes, bleeding diathesis or pregnancy, unless a specific diagnosis of type 1 allergic disease is made based on skin testing and the benefits of treatment outweigh the risks of an adverse reaction during testing or treatment. Allergenic extracts are not indicated for use in patients who are not clinically allergic or who are not skin reactive to an allergen. Allergenic extracts should be discontinued or the concentration of potency substantially reduced in patients who experience unacceptable adverse reactions.

## **WARNINGS**

### **DO NOT INJECT INTRAVENOUSLY.**

### **Epinephrine 1:1000 should be available.**

Concentrated extracts must be diluted with sterile diluent prior to first use on a patient for treatment or intradermal testing. All concentrates of glycerinated allergenic extracts have the ability to cause serious local and systemic reactions including death in sensitive patients. Sensitive patients may experience severe anaphylactic reactions resulting in respiratory obstruction, shock, coma and /or death.<sup>(4)</sup> (See *Adverse Reactions*) An allergenic extract should be temporarily withheld from patients or the dose of the extract adjusted downward if any of the following conditions exist: (1) Severe symptoms of rhinitis and/or asthma (2) Infections or flu accompanied by fever and (3) Exposure to excessive amounts of clinically relevant allergen prior to a scheduled injection. When switching patients to a new lot of the same extract the initial dose should be reduced 3/4 so that 25% of previous dose is administered.

## **PRECAUTIONS**

**GENERAL: Epinephrine 1:1000 should be available as well as personnel trained in administering emergency treatment.** Allergenic Extracts are not intended for intravenous injections. For safe and effective use of allergenic extracts, sterile diluents, sterile vials, sterile syringes should be used and aseptic precautions observed when making a dilution and/or administering the allergenic extract injection. A sterile tuberculin syringe graduated in 0.1 ml units to measure each dose for the prescribed dilution should be used. To reduce the risk of an occurrence of adverse reactions, begin with a careful personal history plus a physical exam. Confirm your findings with scratch or intradermal skin testing.

Standardized extracts are those labeled in AU/ml units or BAU/ml units. Standardized extracts are not interchangeable with extracts previously labeled as wt/vol or PNU/ml. Before administering a standardized extract, read the accompanying insert contained with standardized extracts.

**Information for Patients:** All concentrates of allergenic extracts have the ability to cause serious local and systemic reactions including death in sensitive patients. Patients should be informed of this risk prior to skin testing and immunotherapy. Patients should be instructed to recognize adverse reaction symptoms that may occur and to report all adverse reactions to a physician. Patients should be instructed to remain in the office for 30 minutes during testing using allergenic extracts and at least 30 minutes after therapeutic injections using allergenic extracts.

**DRUG INTERACTIONS:** Some drugs may affect the reactivity of the skin; patients should be instructed to avoid medications, particularly antihistamines and sympathomimetic drugs, for at least 24 hours prior to skin testing. Antihistamines and Hydroxyzine can significantly inhibit the immediate skin test reactions as they tend to neutralize or antagonize the action of histamine.<sup>(3)</sup> This effect has been primarily documented when testing was performed within 1 to 2 hours after drug ingestion. Partial inhibition of the skin test reaction had been observed for longer periods. Epinephrine injection inhibits the immediate skin test reactions for several hours. Patients on delayed absorption antihistamine tablets should be free of such medication for 48 hours before testing. Patients using Astemizole (Hismanal) may experience prolonged suppression and should be free from such medication for up to 6 to 8 weeks prior to testing. Refer to package insert from an applicable long acting antihistamine manufacturer for additional information.

Extreme caution should be taken when using allergenic extracts on patients who are taking beta-blockers. Patients on non-selective beta blockers may be more reactive to allergens given for testing or treatment and may be unresponsive to the usual doses of epinephrine used to treat allergic reactions.

#### **Carcinogenesis, mutagenesis, impairment of fertility:**

Long term studies in animals have not been conducted with allergenic extracts to determine their potential carcinogenicity, mutagenicity or impairment of fertility.

**Pregnancy: Category C:** Animal reproduction studies have not been conducted with Allergenic Extracts. It is not known whether allergenic extracts can cause fetal harm when administered to pregnant women or can affect reproduction capacity. Allergenic extracts should be given to pregnant women only if clearly needed.

**Nursing Mothers:** It is not known whether this drug appears in human milk. Because many drugs are detected in human milk, caution should be exercised when Allergenic Extracts are administered to a nursing woman. There are no current studies on extract components in human milk, or their effect on the nursing infant.

**Pediatric Use:** Allergenic extracts have been used in children over two years of age.<sup>(5)</sup>

## **ADVERSE REACTIONS**

Adverse systemic reactions usually occur within minutes and consist primarily of allergic symptoms such as: generalized skin erythema, urticaria, pruritus, angioedema, rhinitis, wheezing, laryngeal edema, itching of nose and throat, breathlessness, dyspnea, coughing, hypotension and marked perspiration. Less commonly, nausea, emesis, abdominal cramps, diarrhea and uterine contractions may occur. Severe reactions may cause anaphylaxis or shock and loss of consciousness and rarely death.

The treatment of systemic allergic reactions is dependent upon the system complex. Antihistamines may offer relief of recurrent urticaria, associated skin reactions and gastrointestinal symptoms.

Corticosteroids may provide benefit if symptoms are prolonged or recurrent. (**See Overdose section**)

Local Reactions consisting of erythema, itching, swelling tenderness and sometimes pain may occur at the injection site. These reactions may appear within a few minutes to hours and persist for several

days. Local cold applications and oral antihistamines may be effective treatment. For marked and prolonged local reactions the use of antihistamines or anti-inflammatory medications may be dictated. **Serious adverse reactions** should be reported to Nelco Laboratories immediately and a report can be filed to: **MedWatch, The FDA Medical Product Problem Reporting Program, at 5600 Fishers Lane, Rockville, MD 20852-9787, call 1-800-FDA-1088.**

## **OVERDOSAGE**

Overdose can cause both local and systemic reactions. An overdose may be prevented by careful observation and questioning of the patient about the previous injection.

If systemic or anaphylactic reaction, does occur, apply a tourniquet above the site of injection and inject intramuscularly or subcutaneously 0.3 to 0.5ml of 1:1000 Epinephrine Hydrochloride into the opposite arm. The dose may be repeated in 5-10 minutes if necessary. Loosen the tourniquet at least every 10 minutes. The Epinephrine Hydrochloride 1:1000 dose for infants to 2 years is 0.05 to 0.1 ml, for children 2 to 6 years it is 0.15 ml, for children 6-12 years it is 0.2 ml.

Patients unresponsive to Epinephrine may be treated with Theophylline. Studies on asthmatic subjects reveal that plasma concentrations of Theophylline of 5 to 20 µg/ml are associated with therapeutic effects. Toxicity is particularly apparent at concentrations greater than 20 µg/ml. A loading dose of Aminophylline of 5.8 mg/kg intravenously followed by 0.9 mg/kg per hour results in plasma concentrations of approximately 10 µg/ml for patients not previously receiving theophylline. (Mitenko and Ogilive, Nicholoson and Chick, 1973)

Other beta-adrenergic drugs such as Isoproterenol, Isoetharine, or Albuterol may be used by inhalation. The usual dose to relieve broncho-constriction in asthma is 0.5 ml of the 0.5% solution for Isoproterenol HCl. The Albuterol inhaler delivers approximately 90 mcg of Albuterol from the mouthpiece. The usual dosage for adults and children would be two inhalations repeated every 4-6 hours. Isoetharine supplied in the Bronkometer unit delivers approximately 340 mcg Isoetharine. The average dose is one to two inhalations. Respiratory obstruction not responding to parenteral or inhaled bronchodilators may require oxygen, intubation and the use of life support systems.

## **DOSAGE AND ADMINISTRATION**

### **General Precautions**

Parenteral drug products should be inspected visually for particulate matter and discoloration prior to administration whenever solution and container permits.

The dosage of allergenic extracts is dependent upon the purpose of the administration. Allergenic extracts can be administered for diagnostic use or for therapeutic use.

When allergenic extracts are administered for diagnostic use, the dosage is dependent upon the method used. Two methods commonly used are scratch testing and intradermal testing. Both types of tests result in a wheal and flare response at the site of the test which usually develops rapidly and may be read in 20-30 minutes.

### **Diagnostic Use: Scratch Testing Method**

Scratch testing is considered a simple and safe method although less sensitive than the intradermal test. Scratch testing can be used to determine the degree of sensitivity to a suspected allergen before using the intradermal test. This combination lessens the severity of response to an allergen which can occur in a very sensitive patient.

The most satisfactory testing site is the patient's back or volar surface of the arms from the axilla to 2.5 or 5cm above the wrist, skipping the anti-cubital space. If using the back as a testing site, the most satisfactory area are from the posterior axillary fold to 2.5 cm from the spinal column, and from the top of the scapula to the lower rib margins.

Allergenic extracts for diagnostic use are to be administered in the following manner: To scratch surface of skin, use a circular scarifier. **Do not draw blood.** Test sites should be 4 cm apart to allow for wheal and flare reaction. 1-30 scratch tests may be done at a time. A separate sterile scratch instrument is to be used on each patient to prevent transmission of homologous serum hepatitis or other infectious agents from one patient to another.

The recommended usual dosage for Scratch testing is one drop of allergen applied to each scratch site. **Do not let dropper touch skin.** Always apply a control scratch with each test set. Sterile Diluent (for a negative control) is used in exactly the same way as an active test extract. Histamine may be used as a positive control. Scratch or prick test sites should be examined at 15 and 30 minutes. To prevent excessive absorption, wipe off antigens producing large reactions as soon as the wheal appears. Record the size of the reaction.

### **Interpretation of Scratch Test**

Skin tests are graded in terms of the wheal and erythema response noted at 10 to 20 minutes. Wheal and erythema size may be recorded by actual measurement as compared with positive and negative controls. A positive reaction consists of an area of erythema surrounding the scarification that is larger than the control site. For uniformity in reporting reactions, the following system is recommended. <sup>(6)</sup>

REACTION	SYMBOL	CRITERIA
Negative	-	No wheal. Erythema absent or very slight ( <i>not more than 1 mm diameter</i> ).
One Plus	+	Wheal absent or very slight erythema present ( <i>not more than 3 mm diameter</i> ).
Two Plus	++	Wheal not more than 3mm or erythema not more than 5mm diameter.
Three Plus	+++	Wheal between 3mm and 5mm diameter, with erythema. Possible pseudopodia and itching.
Four Plus	++++	A larger reaction with itching and pain.

### **Diagnostic Use: Intradermal Skin Testing Method**

Do not perform intradermal test with allergens which have evoked a 2+ or greater response to a Scratch test. Clean test area with alcohol, place sites 5 cm apart using separate sterile tuberculin syringe and a 25 gauge needle for each allergen. Insert needle tip, bevel up, into intracutaneous space. Avoid injecting into blood vessel, pull back gently on syringe plunger, if blood enters syringe change position of needle. The recommended dosage and range for intradermal testing is 0.05 ml of not more than 100 pnu/ml or 1:1000 w/v (only if puncture test is negative) of allergenic extract. Inject slowly until a small bleb is raised. It is important to make each bleb the same size.

### **Interpretation of Intradermal Test:**

The patient's reaction is graded on the basis of size of wheal and flare as compared to control. Use 0.05 ml sterile diluent as a negative control to give accurate interpretation. The tests may be accurately interpreted only when the saline control site has shown a negative response. Observe patient for at least 30 minutes. Tests can be read in 15-20 minutes. Edema, erythema and presence of pseudopods, pain and itching may be observed in 4 plus reactions. For uniformity in reporting reactions the following system is recommended. <sup>(6)</sup>

REACTION	SYMBOL	CRITERIA
Negative	-	No increase in size of bleb since injection. No erythema.
One Plus	+	An increase in size of bleb to a wheal not more than 5mm diameter, with associated erythema.
Two Plus	++	Wheal between 5mm and 8mm diameter with erythema.
Three Plus	+++	Wheal between 8mm and 12mm diameter with erythema and possible pseudopodia and itching or pain.
Four Plus	++++	Any larger reaction with itch and pain, and possible diffuse blush of the skin surrounding the reaction area.

### Therapeutic Use: Recommended dosage & range

Check the listed ingredients to verify that it matches the prescription ordered. When using a prescription set, verify the patient's name and the ingredients listed with the prescription order. Assess the patient's physical and emotional status prior to giving as injection. Do not give injections to patients who are in acute distress. **Parenteral drug products should be inspected visually for particulate matter and discoloration prior to administration, whenever solution and container permit.**

Dosage of allergenic extracts is a highly individualized matter and varies according to the degree of sensitivity of the patient, his clinical response and tolerance to the extract administered during the early phases of an injection regimen. The dosage must be reduced when transferring a patient from non-standardized or modified extract to standardized extract. Any evidence of a local or generalized reaction requires a reduction in dosage during the initial stages of immunotherapy as well as during maintenance therapy. After therapeutic injections patients should be observed for at least 20 minutes for reaction symptoms.

### SUGGESTED DOSAGE SCHEDULE

The following schedule may act as a guide. **This schedule has not been proven to be safe or effective.** Sensitive patients may begin with smaller doses of weaker solutions and the dosage increments can be less.

STRENGTH	DOSE	VOLUME
Vial #1	1	0.05
1:100,000 w/v	2	0.10
10 pnu/ml	3	0.15
1 AU/ml	4	0.20
1 BAU/ml	5	0.30
	6	0.40
	7	0.50
Vial #2	8	0.05
1:10,000 w/v	9	0.10

100 pnu/ml	10	0.15
10 AU/ml	11	0.20
10 BAU/ml	12	0.30
	13	0.40
	14	0.50
Vial #3	15	0.05
1:1,000 w/v	16	0.10
1,000 pnu/ml	17	0.15
100 AU/ml	18	0.20
100 BAU/ml	19	0.30
	20	0.40
	21	0.50
Vial #4	22	0.05
1:100 w/v	23	0.07
10,000 pnu/ml	24	0.10
1,000 AU/ml	25	0.15
1,000 BAU/ml	26	0.20
	27	0.25
Maintenance Refill	28	0.25
1:100 w/v	29	0.25
10,000 pnu/ml	30	0.25
1,000 AU/ml	31	0.25
1,000 BAU/ml	32	0.25
subsequent doses	33	0.25

### Preparation Instructions:

All dilutions may be made using sterile buffered diluent. The calculation may be based on the following ratio:

$$Volume\ desired \times Concentration\ desired = Volume\ needed \times Concentration\ available.$$

Example 1: If a 1:10 w/v extract is available and it is desired to use a 1:1,000 w/v extract substitute as follows:

$$Vd \times Cd = Vn \times Ca$$

$$10ml \times 0.001 = Vn \times 0.1$$

$$0.1\ ml = Vn$$

Using a sterile technique, remove 0.10 ml of extract from the 1:10 vial and place it into a vial containing 9.90 ml of sterile diluent. The resulting ratio will be a 10 ml vial of 1:1,000 w/v.

Example 2: If a 10,000 pnu/ml extract is available and it is desired to use a 100 pnu/ml extract substitute as follows:

$$10ml \times 100 = Vn \times 10,000$$

$$0.1\ ml = Vn$$

Using a sterile technique, remove 0.10 ml of extract from the 10,000 pnu/ml vial and place it into a vial containing 9.90 ml of sterile diluent. The resulting concentration will be a 10 ml vial of 100 pnu/ml.

Example 3: If a 10,000 AU/ml or BAU/ml extract is available and it is desired to use a 100 AU/ml or

BAU/ml extract substitute as follows: Vd x Cd = Vn x Ca

$$10ml \times 100 = Vn \times 10,000$$

$$0.1 ml = Vn$$

Using a sterile technique, remove 0.10 ml of extract from the 10,000 AU/ml or BAU/ml vial and place it into a vial containing 9.90 ml of sterile diluent. The resulting concentration will be 10ml vial of 100 AU/ml or BAU/ml.

**Intervals between doses:** The optimal interval between doses of allergenic extract has not been definitely established. The amount of allergenic extract is increased at each injection by not more than 50%-100% of the previous amount and the next increment is governed by the response to the last injection. There are three generally accepted methods of pollen hyposensitizing therapy.

### 1. PRESEASONAL

Treatment starts each year 6 to 8 weeks before onset of seasonal symptoms. Maximal dose reached just before symptoms are expected. Injections discontinued during and following season until next year.

### 2. CO-SEASONAL

Patient is first treated during season with symptoms. Low initial doses are employed to prevent worsening of condition. This is followed by an intensive schedule of therapy (i.e. injections given 2 to 3 times per week). Fewer Allergists are resorting to this Co-seasonal therapy because of the availability of more effective, symptomatic medications that allow the patient to go through a season relatively symptom free.

### 3. PERENNIAL

Initially this is the same as pre seasonal. The allergen is administered twice weekly or weekly for about 20 injections to achieve the maximum tolerated dose. Then, maintenance therapy may be administered once a week or less frequently.

**Duration of Treatment:** The usual duration of treatment has not been established. A period of two or three years of injection therapy constitutes an average minimum course of treatment.

## HOW SUPPLIED

Allergenic extracts are supplied with units listed as: Weight/volume (W/V), Protein Nitrogen Units (PNU/ml), Allergy Units (AU/ml) or Bioequivalent Allergy Units (BAU/ml).

Sizes:

Diagnostic Scratch: 5 ml dropper application vials

Diagnostic Intradermal: 5 ml or 10 ml vials.

Therapeutic Allergens: 5 ml, 10 ml, 50 ml multiple dose vials.

## STORAGE

The expiration date of allergen extracts is listed on the container label. Store extracts upon arrival at 2° to 8°C and keep them in this range during office use.

**WARRANTY:** We warrant that this product was prepared and tested according to the standards of the FDA and is true to label. Because of biological differences in individuals and because allergenic extracts are manufactured to be potent and because we have no control over the conditions of use, we cannot and do not warrant either a good effect or against an ill effect following use.

## REFERENCES

- 1 Jacobs, Robert L., Geoffrey W.Rake,Jr., et.al. Potentiated Anaphylaxis in Patients with Drug-induced Beta-adrenergic Blockade. *J.Allergy & Clin. Immunol.*, 68(2): 125-127. August 1981.
- 2 Ishizaka,K.: Cellular Events in the IgE Antibody Response. *Adv. in Immuno.* 23:50-75, 1976.
3. Lockey, R.F., Bukantz, S.C., Allergen Immunotherapy. New York,NY: Marcel Dekker Inc., 1991.
4. Reid,M.J., Lockey,R.F., Turkeltaub,P.C., Platts-Mills,T.A.E., Survey of fatalities from skin testing and immunotherapy 1985-1989. *Journal of Allergy Clin. Immunol.* 92 (1): 6-15, July 1993.
5. Murray, A.B., Ferguson, A., Morrison, B., The frequency and severity of cat allergy vs dog allergy in atopic children. *J. Allergy Clin. Immunolo*: 72, 145-9, 1983.
6. Lockey, R.F., Bukantz, S.C., Allergen Immunotherapy. New York,NY: Marcel Dekker Inc., 1991.

## CONTAINER LABELING





CAUTION: Federal law prohibits dispensing without prescription.



## RED DELICIOUS APPLE

red delicious apple injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1284
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APPLE (UNII: B423VGH5S9) (APPLE - UNII:B423VGH5S9)	APPLE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

**SODIUM BICARBO NATE** (UNII: 8MDF5V39QO)

**PHENOL** (UNII: 339NCG44TV)

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1284-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1284-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1284-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1284-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## APRICOT

apricot injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1288
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APRICOT (UNII: 269CJD5GZ9) (APRICOT - UNII:269CJD5GZ9)	APRICOT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
WATER (UNII: 059QF0KO0R)	
PHENOL (UNII: 339NCG44TV)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1288-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1288-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1288-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1288-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## AVOCADO

avocado injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1292
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOCADO (UNII: SDS87L369F) (AVOCADO - UNII:SDS87L369F)	AVOCADO	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1292-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1292-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1292-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1292-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BANANA

banana injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1296
--------------	-------------------------	--------------------	----------------

**Route of Administration**

INTRADERMAL, SUBCUTANEOUS

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BANANA (UNII: 4AJZ4765R9) (BANANA - UNII:4AJZ4765R9)	BANANA	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1296-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1296-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1296-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1296-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**BLACKBERRY**

blackberry injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1300
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BLACKBERRY (UNII: 8A60MU3I8L) (BLACKBERRY - UNII:8A60MU3I8L)	BLACKBERRY	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

**PHENOL** (UNII: 339NCG44TV)

**WATER** (UNII: 059QF0KO0R)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1300-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1300-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1300-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1300-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BLUEBERRY

blueberry injection, solution

## Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1304
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLUEBERRY (UNII: 253RUG1X1A) (BLUEBERRY - UNII:253RUG1X1A)	BLUEBERRY	0.1 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1304-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1304-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1304-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1304-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CANTALOUPE

cantaloupe injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1308
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CANTALO UPE (UNII: 8QF5D5H6UH) (CANTALOUE - UNII:8QF5D5H6UH)	CANTALOUE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KOOR)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1308-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1308-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1308-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1308-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CHERRY BING

cherry bing injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1312
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SOUR CHERRY (UNII: 1L29G6428X) (SOUR CHERRY - UNII:1L29G6428X)	SOUR CHERRY	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1312-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1312-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1312-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1312-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CRANBERRY

cranberry injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1316
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CRANBERRY (UNII: 0MVO31Q3QS) (CRANBERRY - UNII:0MVO31Q3QS)	CRANBERRY	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1316-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1316-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1316-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1316-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**DATE**

date injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1320
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DATE (UNII: H3O7QI5HY7) (DATE - UNII:H3O7QI5HY7)	DATE	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1320-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1320-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1320-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1320-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## FIG

fig injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1324
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FIG (UNII: TGD87RII2U) (FIG - UNII:TGD87RII2U)	FIG	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1324-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1324-2	0.1 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1324-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1324-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## GRAPEFRUIT

grapefruit injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1332
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GRAPEFRUIT (UNII: O82C39RR8C) (GRAPEFRUIT - UNII:O82C39RR8C)	GRAPEFRUIT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1332-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1332-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1332-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1332-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## HONEYDEW MELON

honeydew melon injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1336
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HONEYDEW MELON (UNII: RN8P45F92A) (HONEYDEW MELON - UNII:RN8P45F92A)	HONEYDEW MELON	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1336-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1336-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1336-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1336-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**LEMON**

lemon injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1340
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LEMON (UNII: 24RS0A988O) (LEMON - UNII:24RS0A988O)	LEMON	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1340-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1340-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1340-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1340-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## LIME

lime injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1344
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIME (CITRUS) (UNII: 8CZS546954) (LIME (CITRUS) - UNII:8CZS546954)	LIME (CITRUS)	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1344-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1344-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1344-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1344-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## ORANGE

orange injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1348
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ORANGE (UNII: 5EVU04N5QU) (ORANGE - UNII:5EVU04N5QU)	ORANGE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8 X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1348-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1348-2	30 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1348-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1348-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PEACH

peach injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1352
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PEACH (UNII: 30KE8813QG) (PEACH - UNII:30KE8813QG)	PEACH	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8 X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1352-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1352-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1352-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1352-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**PEAR**

pear injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1356
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
PEAR (UNII: 2ZN8DWC0YF) (PEAR - UNII:2ZN8DWC0YF)	PEAR	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1356-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1356-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1356-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1356-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PINEAPPLE

pineapple injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1360
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PINEAPPLE (UNII: 2A88ZO081O) (PINEAPPLE - UNII:2A88ZO081O)	PINEAPPLE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1360-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1360-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1360-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1360-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PLUM

plum injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1364
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>
<b>PLUM (UNII: 67M3EQ6BE1) (PLUM - UNII:67M3EQ6BE1)</b>		PLUM	0.1 g in 1 mL

<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>
<b>SODIUM CHLORIDE (UNII: 451W47IQ8X)</b>			
<b>SODIUM BICARBONATE (UNII: 8MDF5V39QO)</b>			
<b>PHENOL (UNII: 339NCG44TV)</b>			
<b>WATER (UNII: 059QF0KO0R)</b>			

<b>Packaging</b>				
#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:36987-1364-1	5 mL in 1 VIAL, MULTI-DOSE		
<b>2</b>	NDC:36987-1364-2	10 mL in 1 VIAL, MULTI-DOSE		
<b>3</b>	NDC:36987-1364-3	30 mL in 1 VIAL, MULTI-DOSE		
<b>4</b>	NDC:36987-1364-4	50 mL in 1 VIAL, MULTI-DOSE		

<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
BLA	BLA102192	08/29/1972		

<b>RASPBERRY</b>	
raspberry injection, solution	

<b>Product Information</b>			
<b>Product Type</b>	<b>HUMAN PRESCRIPTION DRUG</b>	<b>Item Code (Source)</b>	<b>NDC:36987-1368</b>
<b>Route of Administration</b>	INTRADERMAL, SUBCUTANEOUS		

<b>Active Ingredient/Active Moiety</b>			
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>
<b>RASPBERRY (UNII: 4N14V5R27W) (RASPBERRY - UNII:4N14V5R27W)</b>		RASPBERRY	0.1 g in 1 mL

<b>Inactive Ingredients</b>			
	<b>Ingredient Name</b>		<b>Strength</b>
<b>SODIUM CHLORIDE (UNII: 451W47IQ8X)</b>			
<b>SODIUM BICARBONATE (UNII: 8MDF5V39QO)</b>			
<b>PHENOL (UNII: 339NCG44TV)</b>			

**WATER (UNII: 059QF0KO0R)****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1368-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1368-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1368-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1368-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**STRAWBERRY**

strawberry injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1372
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
STRAWBERRY (UNII: 4J2TY8Y81V) (STRAWBERRY - UNII:4J2TY8Y81V)	STRAWBERRY	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1372-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1372-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1372-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1372-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## TANGERINE

tangerine injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1376
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TANGERINE (UNII: KH3E3096OO) (TANGERINE - UNII:KH3E3096OO)	TANGERINE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1376-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1376-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1376-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1376-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## WATERMELON

watermelon injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1380
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATERMELON (UNII: 231473QB6R) (WATERMELON - UNII:231473QB6R)	WATERMELON	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1380-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1380-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1380-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1380-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## ARTICHOKE

artichoke injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1384
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARTICHOKE (UNII: 4F3W47PLBE) (ARTICHOKE - UNII:4F3W47PLBE)	ARTICHOKE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER (UNII: 059QF0KO0R)****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1384-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1384-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1384-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1384-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**ASPARAGUS**

asparagus injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1388
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ASPARAGUS (UNII: Z1EJP3037Z) (ASPARAGUS - UNII:Z1EJP3037Z)	ASPARAGUS	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1388-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1388-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1388-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1388-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## RED KIDNEY BEANS

red kidney beans injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1392
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
KIDNEY BEAN (UNII: M98C8416QO) (KIDNEY BEAN - UNII:M98C8416QO)	KIDNEY BEAN	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1392-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1392-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1392-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1392-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## LIMA BEANS

lima beans injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1396
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIMA BEAN (UNII: 112YH1ZMX2) (LIMA BEAN - UNII:112YH1ZMX2)	LIMA BEAN	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1396-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1396-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1396-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1396-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## NAVY BEANS

navy beans injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1400
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
KIDNEY BEAN (UNII: M98C8416QO) (KIDNEY BEAN - UNII:M98C8416QO)	KIDNEY BEAN	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER (UNII: 059QF0KO0R)****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1400-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1400-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1400-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1400-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**STRING BEANS**

string beans injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1404
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
STRING BEAN (UNII: N9D69B2Q7Y) (STRING BEAN - UNII:N9D69B2Q7Y)	STRING BEAN	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1404-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1404-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1404-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1404-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BEET

beet injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1408
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BEET (UNII: N487KM8COK) (BEET - UNII:N487KM8COK)	BEET	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1408-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1408-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1408-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1408-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BROCCOLI

broccoli injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1412
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BROCCOLI</b> (UNII: UO14FT57BZ) (BROCCOLI - UNII:UO14FT57BZ)	BROCCOLI	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>PHENOL</b> (UNII: 339NCG44TV)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1412-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1412-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1412-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1412-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## KIWI

kiwi injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1416
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>KIWI FRUIT</b> (UNII: 71ES77LGJC) (KIWI FRUIT - UNII:71ES77LGJC)	KIWI FRUIT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>PHENOL</b> (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1416-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1416-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1416-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1416-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BRUSSELS SPROUT

brussels sprout injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1420
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BRUSSELS SPROUT (UNII: KHX46H31F8) (BRUSSELS SPROUT - UNII:KHX46H31F8)	BRUSSELS SPROUT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1420-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1420-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1420-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1420-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CABBAGE

cabbage injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1424
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CABBAGE (UNII: GW0W1Y9I97) (CABBAGE - UNII:GW0W1Y9I97)	CABBAGE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1424-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1424-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1424-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1424-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CARROT

carrot injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1428
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARROT (UNII: L56Z1JK48B) (CARROT - UNII:L56Z1JK48B)	CARROT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1428-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1428-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1428-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1428-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CAULIFLOWER

cauliflower injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1432
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAULIFLOWER (UNII: 138LUT2DWV) (CAULIFLOWER - UNII:138LUT2DWV)	CAULIFLOWER	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1432-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1432-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1432-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1432-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CELERY

celery injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1436
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CELERY (UNII: 44IDY6DTKX) (CELERY - UNII:44IDY6DTKX)	CELERY	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1436-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1436-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1436-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1436-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## SWEET CORN

sweet corn injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1440
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CORN (UNII: 0N8672707O) (CORN - UNII:0N8672707O)	CORN	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1440-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1440-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1440-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1440-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CUCUMBER

cucumber injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1444
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CUCUMBER (UNII: YY7C30VXJT) (CUCUMBER - UNII:YY7C30VXJT)	CUCUMBER	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1444-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1444-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1444-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1444-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## EGG PLANT

egg plant injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1448
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EGGPLANT (UNII: W5K7RAS4VK) (EGGPLANT - UNII:W5K7RAS4VK)	EGGPLANT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1448-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1448-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1448-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1448-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## GREEN PEPPER

green pepper injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1452
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GREEN BELL PEPPER (UNII: 4J4DOU3HEK) (GREEN BELL PEPPER - UNII:4J4DOU3HEK)	GREEN BELL PEPPER	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1452-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1452-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1452-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1452-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## LENTIL

lentil injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1456
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LENTIL (UNII: 6O38V6B52O) (LENTIL - UNII:6O38V6B52O)	LENTIL	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1456-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1456-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1456-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1456-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## ICEBERG LETTUCE

iceberg lettuce injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1460
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LETTUCE (UNII: 5PO6NN3RRJ) (LETTUCE - UNII:5PO6NN3RRJ)	LETTUCE	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1460-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1460-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1460-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1460-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**MUSHROOM**

mushroom injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1464
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CULTIVATED MUSHROOM (UNII: 54C8E6W6JY) (CULTIVATED MUSHROOM - UNII:54C8E6W6JY)	CULTIVATED MUSHROOM	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

**PHENOL** (UNII: 339NCG44TV)

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1464-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1464-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1464-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1464-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BLACK OLIVE

black olive injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1468
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLACK OLIVE (UNII: 2M6QWV94OC) (BLACK OLIVE - UNII:2M6QWV94OC)	BLACK OLIVE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1468-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1468-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1468-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1468-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## GREEN OLIVE

green olive injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1472
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GREEN OLIVE (UNII: 6 HD2W46UEG) (GREEN OLIVE - UNII:6 HD2W46UEG)	GREEN OLIVE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8 MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1472-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1472-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1472-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1472-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## YELLOW ONION

yellow onion injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1476
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1476-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1476-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1476-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1476-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**PARSLEY**

parsley injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1480
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
PARSLEY (UNII: 58FMD0Q0EV) (PARSLEY - UNII:58FMD0Q0EV)	PARSLEY	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1480-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1480-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1480-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1480-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## GREEN PEA

green pea injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1484
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PEA (UNII: W4X7H8GYFM) (PEA - UNII:W4X7H8GYFM)	PEA	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1484-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1484-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1484-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1484-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## SWEET POTATO

sweet potato injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1488
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SWEET POTATO (UNII: M9WGG9Z9GK) (SWEET POTATO - UNII:M9WGG9Z9GK)	SWEET POTATO	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1488-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1488-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1488-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1488-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## WHITE POTATO

white potato injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1492
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTATO (UNII: CFE1S8DYWD) (POTATO - UNII:CFE1S8DYWD)	POTATO	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1492-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1492-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1492-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1492-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PUMPKIN

pumpkin injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1496
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLERGENIC EXTRACT- PUMPKIN CUCURBITA PEPO (UNII: SYW0QUB89Y) (ALLERGENIC EXTRACT- PUMPKIN CUCURBITA PEPO - UNII:SYW0QUB89Y)	ALLERGENIC EXTRACT- PUMPKIN CUCURBITA PEPO	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

**PHENOL** (UNII: 339NCG44TV)**WATER** (UNII: 059QF0KO0R)**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1496-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1496-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1496-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1496-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**RADISH**

radish injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1500
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
RAPHANUS SATIVUS (UNII: 86R5J6D01D) (RAPHANUS SATIVUS - UNII:86R5J6D01D)	RAPHANUS SATIVUS	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1500-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1500-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1500-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1500-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## RHUBARB

rhubarb injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1504
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RHUBARB (UNII: G280W4MW6E) (RHUBARB - UNII:G280W4MW6E)	RHUBARB	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1504-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1504-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1504-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1504-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## SOYBEAN

soybean injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1508
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SOYBEAN (UNII: L7HT8F1ZOD) (SOYBEAN - UNII:L7HT8F1ZOD)	SOYBEAN	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1508-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1508-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1508-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1508-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**SPINACH**

spinach injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1512
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SPINACH (UNII: 6WO75C6WVB) (SPINACH - UNII:6WO75C6WVB)	SPINACH	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1512-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1512-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1512-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1512-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## SQUASH ZUCCHINI

squash zucchini injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1516
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SQUASH (UNII: 9961HB A483) (SQUASH - UNII:9961HB A483)	SQUASH	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1516-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1516-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1516-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1516-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## TOMATO

tomato injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1520
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOMATO (UNII: Z4KHF2C175) (TOMATO - UNII:Z4KHF2C175)	TOMATO	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1520-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1520-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1520-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1520-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## TURNIP

turnip injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1524
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TURNIP (UNII: Z38C7FBM49) (TURNIP - UNII:Z38C7FBM49)	TURNIP	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8 X)	
SODIUM BICARBONATE (UNII: 8 MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0 R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1524-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1524-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1524-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1524-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## ALMOND

almond injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1528
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALMOND (UNII: 3Z252A2K9G) (ALMOND - UNII:3Z252A2K9G)	ALMOND	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8 X)	
SODIUM BICARBONATE (UNII: 8 MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1528-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1528-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1528-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1528-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BRAZIL NUT

brazil nut injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1532
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BRAZIL NUT (UNII: XKR79OET1K) (BRAZIL NUT - UNII:XKR79OET1K)	BRAZIL NUT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1532-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1532-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1532-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1532-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CASHEW

cashew injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1536
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CASHEW (UNII: 3H5U5CX7KO) (CASHEW - UNII:3H5U5CX7KO)	CASHEW	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1536-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1536-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1536-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1536-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## COCONUT

coconut injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1540
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
COCONUT (UNII: 3RT3536DHY) (COCONUT - UNII:3RT3536DHY)	COCONUT	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1540-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1540-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1540-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1540-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**ENGLISH WALNUT**

english walnut injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1544
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ENGLISH WALNUT (UNII: 1V3SHR7QB7) (ENGLISH WALNUT - UNII:1V3SHR7QB7)	ENGLISH WALNUT	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1544-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1544-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1544-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1544-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## FILBERT

filbert injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1548
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HAZELNUT (UNII: IW0OM96F6O) (HAZELNUT - UNII:IW0OM96F6O)	HAZELNUT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1548-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1548-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1548-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1548-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PEANUT

peanut injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1552
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PEANUT (UNII: QE1QX6B99R) (PEANUT - UNII:QE1QX6B99R)	PEANUT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1552-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1552-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1552-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1552-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PECAN NUT

pecan nut injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1556
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PECAN (UNII: F14P91GB5F) (PECAN - UNII:F14P91GB5F)	PECAN	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1556-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1556-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1556-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1556-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PISTACHIO

pistachio injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1560
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PISTACHIO (UNII: 6815CPT6ZJ) (PISTACHIO - UNII:6815CPT6ZJ)	PISTACHIO	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER (UNII: 059QF0KO0R)****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1560-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1560-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1560-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1560-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**BARLEY GRAIN**

barley grain injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1564
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BARLEY (UNII: 5PWM7YLI7R) (BARLEY - UNII:5PWM7YLI7R)	BARLEY	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1564-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1564-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1564-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1564-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BUCKWHEAT GRAIN

buckwheat grain injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1568
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BUCKWHEAT (UNII: N0Y68724R3) (BUCKWHEAT - UNII:N0Y68724R3)	BUCKWHEAT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1568-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1568-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1568-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1568-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## OAT GRAIN

oat grain injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1572
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OAT (UNII: Z6J799EAJK) (OAT - UNII:Z6J799EAJK)	OAT	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1572-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1572-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1572-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1572-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**RICE GRAIN**

rice grain injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1576
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
RICE (UNII: 659G217HPG) (RICE - UNII:659G217HPG)	RICE	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1576-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1576-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1576-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1576-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## RYE GRAIN

rye grain injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1580
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RYE (UNII: 0R4AQI398X) (RYE - UNII:0R4AQI398X)	RYE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1580-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1580-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1580-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1580-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## WHOLE WHEAT GRAIN

whole wheat grain injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1584
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WHEAT (UNII: 4J2I0SN84Y) (WHEAT - UNII:4J2I0SN84Y)	WHEAT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1584-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1584-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1584-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1584-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## MACADAMIA NUT

macadamia nut injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1588
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MACADAMIA NUT (UNII: Y5432RGW8N) (MACADAMIA NUT - UNII:Y5432RGW8N)	MACADAMIA NUT	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1588-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1588-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1588-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1588-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## NECTARINE

nectarine injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1592
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NECTARINE (UNII: 65KD9TD4C3) (NECTARINE - UNII:65KD9TD4C3)	NECTARINE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1592-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1592-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1592-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1592-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**MANGO**

mango injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1596
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MANGO (UNII: I629I3NR86) (MANGO - UNII:I629I3NR86)	MANGO	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1596-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1596-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1596-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1596-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PAPAYA

papaya injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1600
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PAPAYA (UNII: KU94FIY6JB) (PAPAYA - UNII:KU94FIY6JB)	PAPAYA	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1600-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1600-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1600-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1600-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## LEEKS

leeks injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1604
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LEEK (UNII: RCU76P419D) (LEEK - UNII:RCU76P419D)	LEEK	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1604-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1604-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1604-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1604-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**OKRA**

okra injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1608
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OKRA (UNII: 51ME2L7STL) (OKRA - UNII:51ME2L7STL)	OKRA	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1608-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1608-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1608-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1608-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PARSNIP

parsnip injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1612
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PARSNIP (UNII: L2V28YP49S) (PARSNIP - UNII:L2V28YP49S)	PARSNIP	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1612-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1612-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1612-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1612-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CHICK PEA

chick pea injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1616
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHICKPEA (UNII: N91637DNW9) (CHICKPEA - UNII:N91637DNW9)	CHICKPEA	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1616-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1616-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1616-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1616-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BLACKEYE PEA

blackeye pea injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1620
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLACK-EYED PEA (UNII: 786 YV7B602) (BLACK-EYED PEA - UNII:786 YV7B602)	BLACK-EYED PEA	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8 X)	
SODIUM BICARBONATE (UNII: 8 MDF5V39QO)	
PHENOL (UNII: 339 NCG44TV)	
WATER (UNII: 059 QF0 KO0 R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1620-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1620-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1620-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1620-4	10 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## WATERCRESS

watercress injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1624
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATERCRESS (UNII: K5877MW0LE) (WATERCRESS - UNII:K5877MW0LE)	WATERCRESS	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8 X)	
SODIUM BICARBONATE (UNII: 8 MDF5V39QO)	
PHENOL (UNII: 339 NCG44TV)	

**WATER (UNII: 059QF0KO0R)****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1624-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1624-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1624-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1624-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**CORN GRAIN**

corn grain injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1628
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CORN (UNII: 0N8672707O) (CORN - UNII:0N8672707O)	CORN	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1628-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1628-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1628-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1628-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CACAO BEAN

cacao bean injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1632
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHOCOLATE (UNII: D9108TZ9KG) (CHOCOLATE - UNII:D9108TZ9KG)	CHOCOLATE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1632-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1632-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1632-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1632-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## COFFEE

coffee injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1636
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARABICA COFFEE BEAN (UNII: 3SW678MX72) (ARABICA COFFEE BEAN - UNII:3SW678MX72)	ARABICA COFFEE BEAN	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1636-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1636-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1636-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1636-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

### MALT

malt injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1652
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MALT EXTRACT, BARLEY (UNII: R3N BG8914U) (MALT EXTRACT, BARLEY - UNII:R3N BG8914U)	MALT EXTRACT, BARLEY	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

**PHENOL** (UNII: 339NCG44TV)

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1652-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1652-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1652-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1652-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BREWERS YEAST

brewers yeast injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1660
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)	SACCHAROMYCES CEREVISIAE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1660-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1660-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1660-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1660-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## ALLSPICE

allspice injection, solution

## Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1664
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALLSPICE (UNII: I5GZG55B36) (ALLSPICE - UNII:I5GZG55B36)	ALLSPICE	0.1 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1664-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1664-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1664-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1664-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BAY LEAF

bay leaf injection, solution

## Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1668
--------------	-------------------------	--------------------	----------------

**Route of Administration**

INTRADERMAL, SUBCUTANEOUS

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LAURUS NOBILIS (UNII: 247012Z29Q) (LAURUS NOBILIS - UNII:247012Z29Q)	LAURUS NOBILIS	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1668-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1668-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1668-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1668-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**CARAWAY SEED**

caraway seed injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1672
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
CARAWAY SEED (UNII: W2FH8O2BBE) (CARAWAY SEED - UNII:W2FH8O2BBE)	CARAWAY SEED	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

**PHENOL** (UNII: 339NCG44TV)

**WATER** (UNII: 059QF0KO0R)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1672-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1672-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1672-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1672-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CINNAMON

cinnamon injection, solution

## Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1676
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CINNAMON (UNII: 5S29HWU6QB) (CINNAMON - UNII:5S29HWU6QB)	CINNAMON	0.1 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1676-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1676-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1676-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1676-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## CLOVES

cloves injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1680
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CLOVE (UNII: K48IKT5321) (CLOVE - UNII:K48IKT5321)	CLOVE	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1680-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1680-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1680-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1680-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## DILL

dill injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1688
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DILL (UNII: Y05PC4JZRH) (DILL - UNII:Y05PC4JZRH)	DILL	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1688-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1688-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1688-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1688-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**GARLIC**

garlic injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1692
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1692-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1692-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1692-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1692-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## GINGER

ginger injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1696
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1696-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1696-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1696-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1696-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## HORSERADISH

horseradish injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1700
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HORSERADISH (UNII: 8DS6G120HJ) (HORSERADISH - UNII:8DS6G120HJ)	HORSERADISH	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1700-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1700-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1700-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1700-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## LICORICE

licorice injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1704
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LICORICE (UNII: 61ZBX54883) (LICORICE - UNII:61ZBX54883)	LICORICE	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1704-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1704-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1704-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1704-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**MUSTARD SEED**

mustard seed injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1708
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MUSTARD SEED (UNII: 58RXI817UT) (MUSTARD SEED - UNII:58RXI817UT)	MUSTARD SEED	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1708-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1708-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1708-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1708-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## NUTMEG

nutmeg injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1712
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NUTMEG (UNII: AEE24M3MQ9) (NUTMEG - UNII:AEE24M3MQ9)	NUTMEG	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1712-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1712-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1712-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1712-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## OREGANO

oregano injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1716
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OREGANO (UNII: 0E5AT8T16U) (OREGANO - UNII:0E5AT8T16U)	OREGANO	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1716-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1716-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1716-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1716-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PAPRIKA

paprika injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1720
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
PAPRIKA (UNII: X72Z47861V) (PAPRIKA - UNII:X72Z47861V)	PAPRIKA	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1720-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1720-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1720-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1720-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**WHITE PEPPER**

white pepper injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1724
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
WHITE PEPPER (UNII: M29DW54Q9E) (WHITE PEPPER - UNII:M29DW54Q9E)	WHITE PEPPER	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1724-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1724-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1724-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1724-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## PEPPERMINT

peppermint injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1728
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PEPPERMINT FLOWERING TOP (UNII: V95R5KMY2B) (PEPPERMINT FLOWERING TOP - UNII:V95R5KMY2B)	PEPPERMINT FLOWERING TOP	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1728-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1728-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1728-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1728-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## POPPYSEED

poppyseed injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1732
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POPPY SEED (UNII: 60RO23IR87) (POPPY SEED - UNII:60RO23IR87)	POPPY SEED	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1732-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1732-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1732-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1732-4	10 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## SAGE

sage injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1736
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALVIA OFFICINALIS (UNII: 065C5D077J) (SALVIA OFFICINALIS - UNII:065C5D077J)	SALVIA OFFICINALIS	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1736-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1736-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1736-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1736-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

### SESAME

sesame injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1740
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SESAME SEED (UNII: 7Y1255HVXR) (SESAME SEED - UNII:7Y1255HVXR)	SESAME SEED	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1740-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1740-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1740-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1740-4	10 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**SPEARMINT**

spearmint injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1744
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SPEARMINT (UNII: J7I2T6IV1N) (SPEARMINT - UNII:J7I2T6IV1N)	SPEARMINT	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1744-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1744-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1744-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1744-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## THYME

thym injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1748
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GARDEN THYME (UNII: CW657OBU4N) (GARDEN THYME - UNII:CW657OBU4N)	GARDEN THYME	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1748-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1748-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1748-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1748-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## VANILLA

vanilla injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1752
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
VANILLA (UNII: Q74T35078H) (VANILLA - UNII:Q74T35078H)	VANILLA	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1752-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1752-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1752-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1752-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**WHEAT BRAN**

wheat bran injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1756
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
WHEAT BRAN (UNII: 6L966A1IMR) (WHEAT BRAN - UNII:6L966A1IMR)	WHEAT BRAN	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**WATER** (UNII: 059QF0KO0R)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1756-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1756-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1756-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1756-4	50 mL in 1 VIAL, MULTI-DOSE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## WHITE KIDNEY BEANS

white kidney beans injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1760
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
KIDNEY BEAN (UNII: M98C8416QO) (KIDNEY BEAN - UNII:M98C8416QO)	KIDNEY BEAN	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1760-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1760-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1760-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1760-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## BLACK PEPPER

black pepper injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1768
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLACK PEPPER (UNII: KM66971LVF) (BLACK PEPPER - UNII:KM66971LVF)	BLACK PEPPER	0.1 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBO NATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1768-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1768-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1768-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1768-4	50 mL in 1 VIAL, MULTI-DOSE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

## HOPS

hops injection, solution

### Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1776
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
HOPS (UNII: 01G73H6H83) (HOPS - UNII:01G73H6H83)	HOPS	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1776-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1776-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1776-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1776-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**ORANGE PEKOE TEA**

orange pekoe tea injection, solution

**Product Information**

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:36987-1656
Route of Administration	INTRADERMAL, SUBCUTANEOUS		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
TEA LEAF (UNII: GH42T47V24) (TEA LEAF - UNII:GH42T47V24)	TEA LEAF	0.1 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
PHENOL (UNII: 339NCG44TV)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36987-1656-1	5 mL in 1 VIAL, MULTI-DOSE		
2	NDC:36987-1656-2	10 mL in 1 VIAL, MULTI-DOSE		
3	NDC:36987-1656-3	30 mL in 1 VIAL, MULTI-DOSE		
4	NDC:36987-1656-4	50 mL in 1 VIAL, MULTI-DOSE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
BLA	BLA102192	08/29/1972	

**Labeler** - Nelco Laboratories, Inc. (054980867)**Registrant** - Nelco Laboratories, Inc. (054980867)**Establishment**

Name	Address	ID/FEI	Business Operations
Nelco Laboratories, Inc.		054980867	manufacture

Revised: 12/2009

Nelco Laboratories, Inc.