

**ACETAMINOPHEN, DIPHENHYDRAMINE HCL- acetaminophen, diphenhydramine
hcl tablet, film coated
CVS Pharmacy, Inc.**

0752-CVS

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purpose

Pain reliever and Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery
- drowsiness will occur

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- **adults and children 12 years and over:** take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- **children under 12 years:** do not use

Other information

- Store in a dry place at 15°-30°C (59°-86°F).
- see end flap for expiration date and lot number

croscarmellose sodium, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, mineral oil, polyvinylpyrrolidone, pregelatinized starch, silica, sodium starch glycolate, stearic acid, talc, titanium dioxide, triacetin

Questions or comments?

1-800-231-4670

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol® PM Extra Strength.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895

© 2025 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

V-34571

CVS

NDC 69842-572-12

Extra Strength

ACETAMINOPHEN PM

Acetaminophen, 500 mg

Diphenhydramine HCl, **25 mg**

Pain Reliever, Nighttime Sleep-Aid

Compare to Tylenol® PM Extra Strength active ingredients*

100 CAPLETS

Drug Facts (continued)

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages
- do not drive a motor vehicle or operate machinery
- drowsiness will occur

Stop use and ask a doctor if

- sleepiness persists continuously for more than 2 weeks. Anemia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222), right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions

- do not take more than directed
- adults and children 12 years and over: take 2 caplets at bedtime. Do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

Other information

- Store in a dry place at 15° - 30°C (59° - 86°F).
- see end flap for expiration date and lot number

Inactive ingredients croscarmellose sodium, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, methyl oil, polyvinylpyrrolidone, propylated starch, silica, sodium starch glycolate, stearic acid, talc, titanium dioxide, triacetin

Questions or comments?
1-800-231-4670



NDC 69842-572-12



Extra Strength ACETAMINOPHEN PM

Acetaminophen, 500 mg
Diphenhydramine HCl, 25 mg
Pain Reliever, Nighttime Sleep-Aid

100 CAPLETS

Compare to Tylenol® PM Extra Strength active ingredients*



TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol® PM Extra Strength.

Distributed by:
CVS Pharmacy, Inc.
One CVS Drive
Woonsocket, RI 02895
© 2025 CVS/pharmacy
CVS.com®
1-800-SHOP CVS
V-34571
100% money back guaranteed.
CVS.com/returnpolicy



Drug Facts

Active Ingredients (in each caplet)

Acetaminophen 500 mg Pain reliever
Diphenhydramine HCl 25 mg Nighttime sleep-aid

Purpose

temporary relief of occasional headaches and minor aches and pains with accompanying sleepiness

Warnings

Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Always alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients.

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

ACETAMINOPHEN, DIPHENHYDRAMINE HCL

acetaminophen, diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-572
---------------------	----------------	---------------------------	---------------

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
TRIACETIN (UNII: XHX3C3X673)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POVIDONE K30 (UNII: U725QWY32X)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	CPC752
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-572-08	1 in 1 CARTON	07/23/2018	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-572-15	1 in 1 CARTON	07/23/2018	06/30/2021
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:69842-572-12	1 in 1 CARTON	07/23/2018	
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:69842-572-	150 in 1 BOTTLE; Type 0: Not a Combination	07/23/2018	

4	29	Product	07/23/2018	
5	NDC:69842-572-02	1 in 1 CARTON	02/02/2023	
5		225 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/23/2018	

Labeler - CVS Pharmacy, Inc. (062312574)

Revised: 6/2025

CVS Pharmacy, Inc.